School Selectivity, Peers, and Mental Health

BY Aline Bütikofer, Rita Ginja, Fanny Landaud & Katrine Løken

DISCUSSION PAPER





Institutt for samfunnsøkonomi Department of Economics

SAM 21/2020

ISSN: 0804-6824 October 2020

This series consists of papers with limited circulation, intended to stimulate discussion.

School Selectivity, Peers, and Mental Health

Aline Bütikofer*

Rita Ginja[†] Fanny Landaud[‡]

Katrine V. Løken[§]¶

October 14, 2020

Abstract

Although many students suffer from anxiety and depression, and students often identify school pressure and concerns about their futures as the main reasons for their worries, little is known about the consequences of a selective school environment on students' physical and mental health. In this paper, we draw on rich administrative data and the features of the high school assignment system in the largest Norwegian cities to consider the long-term consequences of enrollment in a more selective high school. Using a regression discontinuity analysis, we show that eligibility to enroll in a more selective high school increases the probability of enrollment in higher education and decreases the probability of diagnosis or treatment by a general medical practitioner for psychological symptoms and diseases. We further document that enrolling in a more selective high school has a greater positive impact when there are larger changes in the student–teacher ratio, teachers' age, and the proportion of female teachers. These findings suggest that changes in teacher characteristics are important for better understanding the effects of a more selective school environment.

^{*}Department of Economics, Norwegian School of Economics, Helleveien 30, 5045 Bergen, Norway; IZA; email: Aline. Buetikofer@nhh.no.

[†]Department of Economics, University of Bergen, Fosswinckelsgate 14, 5007 Bergen, Norway; Institute for Fiscal Studies; IZA; email: rita.ginja@uib.no.

[‡]Department of Economics, Norwegian School of Economics, Helleveien 30, 5045 Bergen, Norway; IZA; email: Fanny. Landaud@nhh.no.

[§]Department of Economics, Norwegian School of Economics, Helleveien 30, 5045 Bergen, Norway; IZA; email: Katrine. Loken@nhh.no.

[¶]We are grateful for comments by Éric Maurin and Edwin Leuven. We also thank seminar, workshop, and conference participants at the Paris School of Economics, Statistics Norway, Tilburg University, University of Rotterdam, the University of Essex, the University of Gothenburg, the Swedish Institute for Social Research, Instituto de Ensino e Pesquisa (Insper), and the 2020 NBER Summer Institute. Maria Køber Guldvik provided excellent research assistance. This work was partially supported by the Research Council of Norway through its Centres of Excellence Scheme, FAIR project No 262675 and by the NORFACE DIAL grant 462-16-050.

1 Introduction

Depression and anxiety are among the leading causes of illness and disability among adolescents (WHO, 2019). For instance, roughly one in three high school students in the US report suffering from depression or anxiety symptoms in a given year (HHS, 2017). Adolescent mental illness is also widespread in countries that conventionally rank among the happiest countries according to the World Happiness Report. In Norway, for example, 22% of high school students report depression or anxiety issues (Ungdata, 2018). This is important because mental health problems among adolescents are associated with various costly long-term outcomes such as lower labor market productivity, less marriage stability, and other adult health problems (Currie et al., 2010; Goodman et al., 2011; Lundborg et al., 2014).

Survey evidence indicates that school pressure is one of the main causes of adolescent worries (see e.g., Eriksen et al., 2017). However, we know little about the relationship between the school environment, and in particular school selectivity, and adolescent mental health. As it stands, the potential effects of school selectivity on mental health are ambiguous. On the one hand, a selective school, with more high-ability peers, might be a more stressful experience negatively affecting student mental health. On the other hand, peers at more selective schools may have different health care usage and display better health behaviors such as lower smoking rates or greater physical activity. Moreover, enrolling in a more selective school could result in different teacher characteristics and may be an inspiring experience that opens up new perspectives. This could positively influence student aspirations and mental health in both the short and long term. Because common determinants likely influence student choice of enrolling in a more selective high school and student health and health behaviors, and because data linking detailed school and health outcomes are not easily available, evidence on the causal effects of the school environment on student mental health remains very scarce.

This paper overcomes these identification and data challenges, providing new insights into how high school selectivity affects mental health. First, to overcome the identification problem, we build on the features of the high school assignment system in the two largest Norwegian cities, which assign students to high schools through a centralized process giving priority to students with the best average grades in middle school. This assignment system enables a regression discontinuity analysis, where we compare the long-term outcomes of students that are very similar at the end of middle school but are eligible to enroll in less or more selective high schools. Second, we link several administrative data sources, including information about

educational institutions and school grades, as well as health care take-up, and create a long panel allowing us to document the effects on outcomes during and beyond high school.

The available data also enable us to characterize the features of a more selective school environment with respect to peer and teacher characteristics, school size, and the number of students per teacher. These features may differ across countries and contexts and are therefore important to consider. Abdulkadiroğlu et al. (2014), for example, demonstrate that going to an exam school in Boston implies going to a school with higher-achieving peers, fewer Black and Hispanic students, more experienced teachers, and larger class sizes. In the context of Romania, Pop-Eleches and Urquiola (2013) also find variations in teacher characteristics across selective schools. In France, where the central administration attempts to equalize resources across schools, Landaud et al. (2018) reveal little variation in teacher characteristics or class sizes across selective Parisian high schools, despite large variation in student ability. Beyond documenting the implications of enrolling in a more selective high school in terms of peers, teachers, and other school features, we make use of the fact that we have variation in which of these school inputs changes more when enrolling in a more selective high school and implement a heterogeneity analysis. In essence, we estimate our regression discontinuity model for each of the 84 admission thresholds and each school feature separately and estimate whether changes in longer-term outcomes are greater when students gain eligibility to schools where peer and teacher characteristics or school resources change by a larger margin at the admission thresholds.

We present four key findings. First, we find that students that are eligible to enroll in a more selective high school are 8.3 percentage points more likely to enroll in the more selective school. Further, we show that eligibility to enroll in a more selective high school increases the likelihood of high school completion by 2.3 percentage points (4.2%) and the likelihood of enrollment in higher education by 1.6 percentage points (4.0%). Students gaining access to the most selective schools in our sample mostly drive these improvements in educational outcomes. Second, we document that eligibility to enroll in a more selective school does not affect the use of primary care services up to six years after high school completion but does decrease the likelihood of diagnosis or treatment for mental health issues. In particular, we estimate that eligibility for enrollment in a more selective school reduces the likelihood of mental health diagnosis or treatment (driven by a reduction in anxiety and depression) by 1.7 percentage points (5.2%). In particular, we conclude that female students and students gaining access to the most selective schools drive these estimated effects, whereas the mental health of male students is largely unaffected. Hence, our findings indicate that eligibility for enrollment in a more selective school is protective of the mental health of girls. Third, we investigate

what features of the school environment change at the threshold. We document that eligibility for enrollment in a more selective high school significantly changes the ability level of peers, peers' parental education and income, the number of students per teacher, and the share of female teachers. Lastly, our heterogeneity analysis suggests that changes in teacher characteristics—and not necessarily peer characteristics—could be important for explaining our main findings. Taken together, our findings provide key implications for ongoing policy debate over the consequences of school selectivity and the role of school inputs for student educational and health outcomes.

This paper particularly contributes to the literature on the relationships between education and health and school selectivity. Most empirical research identifying the causal effects of education on physical or mental health exploits exogenous variations from compulsory schooling reforms, regulations on school starting age, or school tracking (see, e.g., Böckerman et al., 2019; Clark and Royer, 2013; Crespo et al., 2014; Dursun and Cesur, 2016; Lager et al., 2016; Lleras-Muney, 2005; Meghir et al., 2018). We expand this literature by moving beyond changes in compulsory education, which mostly target individuals at the lower end of the educational distribution, and analyze the extent to which the high school environment links to health. Because the selectivity of higher education institutions correlates with student mental health and wellbeing (Fletcher and Frisvold, 2011, 2014; Frisvold and Golberstein, 2011), it is important to understand better the effect of high school selectivity, as well as the influence of high school peers, teachers, and financial resources on student health. Establishing this link is crucial for education policies aiming at improving the learning environment for students to increase their long-term welfare.

In addition, this paper complements the growing literature on the consequences of school selectivity (see e.g., Abdulkadiroğlu et al., 2017, 2014; Clark and Del Bono, 2016; Cullen et al., 2006; Dobbie and Fryer Jr, 2014; Jackson, 2013; Landaud et al., 2018; Pop-Eleches and Urquiola, 2013).¹ First, we expand the set of outcomes by studying the effects on health and educational outcomes after high school to provide a more complete longer-term picture of the effects of a more selective school environment. Our second contribution concerns the mechanisms behind the estimates. We combine a unique setting of 84 different school admission thresholds with detailed information on several school inputs (characteristics of peers, teachers, school size, and the number of students per teacher) to investigate which features of a more selective school environment may help explain our findings. Understanding the role of school inputs for educational outcomes or mental

¹Note that our paper mostly relates to studies on selectivity in the context of nonelite schools. In our setting, school admission cutoffs are located between the 4th and the 97th percentile of the test score distribution after middle school in the areas of interest and on average located around the 40th percentile.

health is important for explaining in what context selectivity matters. This could help reconcile why selective schools have negative or no effects in some contexts and positive effects in others.

2 Institutional Context

2.1 The Norwegian School System

The Norwegian education system consists of four levels: primary school (grades 1–7), middle school (grades 8–10), high school with academic (grades 11–13) and vocational (grades 11–14) tracks, and college and university education. Norwegian compulsory education starts at age six years, lasts for 10 years, and consists of primary and middle school. Compulsory schooling is organized by Norwegian municipalities and the vast majority (98%) of pupils attend local public schools. The curriculum is identical in all primary and middle schools, there is no streaming by ability, and all pupils are allocated to schools based on fixed school catchment areas within municipalities.

While there are no grades in primary school, the school system becomes more competitive from middle school onward, where exit exams and teacher grades are crucial for admission into the best high schools. At the end of grade 10, all students obtain a diploma with a total grade point average (hereafter, middle school GPA). This is the weighted total of all teacher-awarded grades, combined with the grades from written and oral exams in randomly drawn subjects.² The middle school GPAs possible range is from zero to 60, where 60 is the best possible grade. Assignment to high schools varies across counties.³ The two largest cities in Norway—Oslo and Bergen—have varied their intake systems over recent years. In this paper, we consider those years where they followed a free school choice system with a centralized intake based on the middle school GPA. That is, we study enrollment in general study programs in high schools located in Bergen from 2006 to 2010 and in Oslo from 2009 to 2010.

In contrast to the compulsory middle schools, enrollment in high schools is voluntary. Nevertheless, all students aged 16 to 23 years in Norway have a statutory right to enrollment at this level. However, this right is at the county level and does not ensure enrollment in a specific school or program. First time enrollment in high school in Norway is high: 98% of students enroll in the first year. Students enroll either in general studies

²The subjects of the teacher-awarded grades are written (two courses) and oral Norwegian, written and oral English, mathematics, nature and science, social sciences, religion, home economics, physical education, music, and arts and craft.

³Twelve of the 19 counties in Norway had a free school choice system in 2016. In rural counties, geographic criteria still largely determine student high school choice.

(50%), in vocational programs (45%), or in alternative training plans (3%). There is, however, considerable dropout in the second and third years: only 80% of students initially enrolled in general studies programs graduate. Graduation rates for vocational programs are even lower. Graduating in general studies provides students with the required qualifications for enrollment in higher education, while students graduating in the vocational track need to spend an additional year of study before reaching similar qualifications.

Although high school ranks are not important for access to higher education, high school grades and national exams at the end of high school determine access to higher education. In Norway, the intake to public higher education follows a centralized admission system based on total grade points from high school (hereafter, high school GPA). For those graduating high school with a general studies degree, about 40% do not enroll in any general higher education program.

2.2 High Schools in Oslo and Bergen

There are 15 public high schools in Bergen offering general education programs and 20 in Oslo. For Bergen, we focus on the five cohorts of students completing middle school between 2006 and 2010. For Oslo, we consider the two cohorts of students completing middle school between 2009 and 2010.⁴ During these periods, assignment to general programs in high school worked through a centralized system where students ranked schools and education programs, and were then assigned based on their ranked-ordered list and middle school GPA. Students could rank up to six different schools for enrollment in general studies. The key feature of this assignment system is that there is a minimum admission score for enrollment in general studies for each oversubscribed high school. Oversubscribed high schools are high schools in Bergen and Oslo were oversubscribed for enrollment in general studies, and we observe significant discontinuities in the rate of enrollment of students at specific cutoff points of the distribution of middle school GPA. This feature makes it possible to implement a regression discontinuity analysis to assess the effect of enrollment in general educational outcomes.

To help with interpretation, we now briefly describe the Oslo and Bergen high schools. We focus on how they are similar and how they differ along key dimensions, such as peer and teacher quality and financial

⁴The health data we are using covers the years 2006–2016 which is why we start with the graduating cohort of 2006 in Bergen. For Oslo, we start in 2009 because high school assignment was based on geographical criteria rather than on the middle school GPA for the graduating cohorts between 2006 and 2008.

resources. High schools in Oslo and Bergen have on average about 540 students per school, and there are about 15 students per teacher. Resources for high schools are centrally allocated and based on the numbers of students, and there is variation across schools in both financial and teacher resources. For example, the top quartile of schools in terms of the students to teacher ratio has just nine students per teacher, while the lowest quartile of schools have 19.8.⁵ Similarly, the top quartile of schools in terms of teacher diploma have about 65% of teachers with a master's degree, while the lowest quartile of schools have none. Another key difference across high schools is student ability. The top quartile of schools in terms of student ability have students with an average middle school GPA of 50, while the lowest quartile of schools has students with an average GPA of 37.7.⁶ Because middle school GPA is correlated with gender and family background, we also observe significant differences in average student characteristics across high schools. Finally, all general programs offer compulsory core curriculum subjects like languages, natural sciences, and human sciences, but there is greater variety across schools in the availability of more specialized subjects like music, media, arts, and sports.

In section 5, we document how school characteristics vary on average at the admission thresholds and leverage this information on differences in school inputs at the thresholds to provide insights into what school characteristics may explain the average effects on health and education.

2.3 Health Services in Norway

In Norway, health services are publicly financed and universally accessible for all Norwegian citizens. The services are organized in two levels: primary care and specialist care. Primary health care is the responsibility of the municipalities and includes general practitioners, emergency rooms, infant and child health care centers, school health services, and elderly care. Specialist care is the responsibility of the four health regions in Norway and it includes somatic specialist care, psychiatric health services, and private referral specialists.

Primary and Specialist Health Services. General practitioners (hereafter GPs) and local emergency rooms (hereafter ERs) are the basis of the primary care services. The vast majority of Norwegian citizens

⁵Note that the students to teacher ratio does not necessarily reflect classroom size, rather the variety of teachers employed by the school given we measure the number of teachers employed at each school rather than the number of full-time positions.

⁶A middle school GPA of 50 or 37.7 corresponds to the 83rd percentile or the 35th percentile of the distribution of middle school GPA, respectively.

belong to a specific GP's list, and GPs are responsible for providing primary health care services to the patients on their list. GPs diagnose their patients, certify sick leave, prescribe treatments, and refer their patients to specialist care when needed. They also follow up on their patient after they have received care in the specialist system. In general, the GPs serve as gatekeepers to the specialist care system and health-related welfare benefits.

Most specialist care is provided through public hospitals and outpatient care clinics, but contracted private specialists can also provide specialist care. In general, the first contact with specialist care takes place via the referral of the patient by the GP or the ER because it is not possible for a patient to proceed directly to specialist care within the public health system.

School Health Services. All Norwegian school children and youth are entitled to vaccinations, health education, and guidance, as well as medical examinations and access to health care professionals when needed (Helse- og omsorgsdepartementet, 2003). For school-age children, these are responsibilities of the school health services.⁷ School health care services are easily accessible to students and are free of charge. These services are available at school premises during school hours and primarily provided by school nurses. School nurses are employed by municipalities and not by schools and may provide services to more than one school simultaneously. Importantly, the school health services are preventive. For curative purposes, the children are referred to primary or specialist care services (Helsetilsyn, 1998). One exception is that school nurses are entitled to prescribe birth control pills (free of charge) to young women aged 16–19 years.

There is no systematic registry of the actual use of school health services by students (Abrahamsen et al., 2019). Survey information from 2013 shows that about 25% of the students in high school use school health services at least once a year (Bakken, 2018). However, there are substantial gender differences in use: only about 13% of high school boys consult school nurses at least once a year, but 35% of high school girls. The most common reason for using school health services during high school are matters regarding sexuality and contraception.

⁷Younger children receive these services in child health care centers that also provide pre- and postnatal services for mothers and newborns.

3 Data and Empirical Strategy

3.1 Data

The data for this paper is compiled from several Norwegian administrative records, including the national educational registers, tax records, family registers, and health registers. We consider the sample of students that completed 10th grade between 2006 and 2010 in Bergen and in 2009 or 2010 in Oslo. In total, our sample comprises 19,932 individuals attending 87 different middle schools.

3.1.1 Demographic and Socioeconomic Information

The demographic and socioeconomic information is from registers covering the entire resident population in Norway up to 2014, which includes information such as the year and month of birth, gender, immigration status, municipality of residence in each year, and highest educational attainment. Information on earnings is from the tax registers. All registers include unique identifiers, and the population register specifies unique identifiers for the parents of each individual. This enables us to recover for each individual and his/her parents all relevant socioeconomic information.⁸

3.1.2 Schools and Educational Data

Information on enrollment in middle school, high school, and university is from the national educational registers and is available up to 2014. For each individual in our sample, we observe the middle and high schools attended, as well as the track in which the student enrolled, and the degrees, if any, completed. Educational choices and attainments are reported by the schools directly to Statistics Norway, thereby minimizing any measurement error from misreporting. For each student, we also observe the 10th grade GPA and the GPA upon completion of high school. Finally, these registers contain information about whether individuals enrolled in college up to four years after completion of middle school, including those who enroll in college immediately after graduating from high school or following a gap year.

For each high school, we have information about its staff from the Social Security records. This information allows us to construct proxies for teacher quality and school financial resources. In particular, we specify variables indicating the share of teachers with a master's degree, the average age of teachers,

⁸Both parental income and education are measured when students complete grade 10. For parental income, we specify the sum of the earnings of the mother and father. For parental education, we create an indicator variable taking a value of one if at least one parent completed a higher education degree.

the proportion of female teachers, students per teacher, students per non-educational staff, and the number of students per program. We also use information on student characteristics and high school enrollment to construct variables indicating for each student the average characteristics of peers in high school, such as the middle school GPA of peers, gender, parental education, and parental income.

3.1.3 Health Data

Information on visits to GPs and ERs is from the Control and Payment of Health Refunds database (acronym *KUHR* in Norwegian), which is available between 2006 and 2016. GPs and ERs are obliged to report all consultations and relevant International Classification of Primary Care (ICPC-2) codes to this national claims database to receive payment. ICPC codes convey information about the GPs' assessment of the patient's health problems and the type of care provided. Specifically, each ICPC code is made of one letter, indicating where the symptoms or diseases are located in the body, and two numbers indicating whether the GPs assessed health symptoms, diseases, prescribed a screening or preventive procedure, prescribed medication or treatments, analyzed test results, or performed an administrative task.⁹

Using this information, we constructed variables indicating whether and how many times each student visited a GP or ER between middle school completion and up to six years later, that is during the three years of high school and the first three post-high school years. In addition, as a selective school environment may have specific impacts on mental health issues, we constructed for each student a variable indicating whether during any consultation a GP assessed psychological symptoms or disease (ICPC codes beginning with the letter "P").¹⁰ When constructing these variables, we consider academic rather than calendar years, that is, we consider for each year *t* visits between August *t* and July t + 1.

3.2 Cutoff Admission Scores

Our data provide detailed information on student demographic characteristics, school environment, health, and education. However, we do not have information on student applications to and rankings of high schools. As a result, it is not possible directly to identify high school admission thresholds from the data.¹¹

⁹See Appendix B for the list of ICPC-2 codes.

¹⁰Note that we do not know whether students are diagnosed or treated for a psychological issue for the first time because we only observe GP and ER visits since 2006.

¹¹Unlike admissions to universities, which follow a nationwide assignment mechanism used in Kirkeboen et al. (2016), at high school level the admission system is decentralized at the county level. Unfortunately, we do not have information on student applications in these decentralized systems.

We, therefore, build on the methodology in Hansen (2000) to overcome this issue. This method was recently used by Hoekstra (2009) to identify admission thresholds and estimate the effect of going to a flagship university in the US and by Landaud et al. (2018) to study the effect of enrollment in selective Parisian high schools.¹² In addition, Porter and Yu (2015) show that this procedure can be used in combination with a standard regression discontinuity (RD) analysis without further adjustment or assumptions. In short, we identify schools for which there exists a significant positive discontinuity in enrollment rates and the procedure selects for each school the threshold that minimizes the number of incorrectly assigned students (i.e., enrolled students below the threshold or unenrolled students above the threshold).

In practice, for each cohort and high school in Bergen, we focus on the sample of 10th graders in Hordaland county (the county where the city of Bergen is located). For high schools in Oslo, we consider the sample of 10th graders in Oslo county. For each value g of the 10th grade GPA score distribution, we define a dummy which takes a value of one if student's *i* score, f_i , is greater than or equal to the cutoff score $g, D_i^g = 1$ [$f_i \ge g$]. For each high school z in year t, we estimate the following regression for each value g (omitting subscript t):

$$E_{iz} = \alpha + \psi_z D_i^g + \varepsilon_{iz},\tag{1}$$

where E_{iz} takes a value of one if student *i* enrolls in high school *z* in year *t*, and zero otherwise. For each high school *z* in year *t*, we select as admission cutoff, f_z , the value of the 10th grade GPA score *g* that maximizes the R^2 of equation (1) with a significantly positive $\hat{\psi}_z$. Further, we exclude a few admission thresholds with very small estimated discontinuities in enrollment rates around these cutoffs.¹³ For each oversubscribed high school *z*, we then define the subsample of 10th graders whose middle school is located within eight kilometers of *z*.¹⁴ Then, for each student, we define his/her GPA score-distance $f_i - f_z$ to the cutoff admission score of high school *z*, and we use regression discontinuity analysis where we pool all subsamples of students and

¹²This approach has also been used in other settings, such as testing for discontinuities in the dynamics of neighborhood racial composition (see e.g., Card et al., 2008), or evaluation of social programs (see e.g., Carneiro et al., 2019).

¹³From the 105 estimated cutoffs, we exclude 21 with estimated discontinuities in enrollment rates below 0.015 percentage points, obtaining 84 oversubscribed high schools during the period of interest. In detail, we obtain 11 oversubscribed high schools in Bergen in 2006, 2008, and 2010, 10 in 2007, and 12 in 2009. For Oslo, we obtain 14 oversubscribed high schools in 2009 and 15 in 2010. Within each city and year, the admission cutoffs vary on average by two points between every two high schools of adjacent selectivity level.

¹⁴We use this criterion to maximize our first stage results because Fack et al. (2019) provide evidence that geographical proximity is a strong driver of student preferences over high schools. In addition, about 90% of students graduating from middle schools located in Bergen or Oslo during the years of interest and enrolled in general studies went to high schools located within eight kilometers of their middle school. The results are robust with respect to longer or smaller distance criteria when constructing the working sample.

use $f_i - f_z$ as a running variable.

3.3 Empirical Approach

To estimate the effects of a more selective school environment, following Lee and Lemieux (2010), we implement a standard regression discontinuity analysis where we compare students whose middle school GPA fell either just above or below the admission threshold of an oversubscribed high school. For each educational or health outcome Y_i in our data, we start by estimating the following model (omitting subscript *t*):

$$Y_{i} = \delta + \alpha \mathbb{1} \{ f_{i} - f_{z} \ge 0 \} + \eta (f_{z} - f_{i}) + \lambda (f_{i} - f_{z}) \times \mathbb{1} \{ f_{i} - f_{z} \ge 0 \} + X_{i} \gamma + \omega_{z} + u_{i},$$
(2)

where $f_i - f_z$ measures the distance in points between school *z*'s admission threshold and student *i*'s middle school GPA. X_i is a set of control variables, which includes student age, gender, family background, and average GPA in grade 10 in mathematics and Norwegian. We also include as control variables a full set of cutoff dummies, ω_z , and u_i represents the unobserved determinants of student health and education. Under the maintained assumption that there is no discontinuity in the distribution of u_i at the cutoffs, the parameter α can be interpreted as the causal effect of eligibility for admission in a more selective high school on the outcome Y_i . The standard errors are clustered at the individual level, and we exclude students whose middle school GPA fell within 0.1 points of the admission thresholds from the analysis to avoid measurement error issues due to estimated cutoffs. We follow Calonico et al. (2014) to choose an optimal bandwidth around admission thresholds, which is 5.19 points. Finally, we use a triangular kernel centered on the admission cutoffs. In the following sections, we show that our results are robust to alternative functional forms, bandwidths, and sets of control variables.

Because we study the effects on a relatively large number of potentially correlated outcomes, we test which of the estimated impacts survive adjustment for multiple hypothesis testing. We use the procedure in algorithms 4.1 and 4.2 of Romano and Wolf (2005), which account for testing several hypotheses simultaneously. Romano and Wolf (2005) propose an iterative rejection/acceptance procedure for a fixed level of significance. We use 1,000 block-bootstrap replications to obtain the adjusted critical values (the block is the individual). The result tables indicate whether the coefficients remain significant at a level of 1, 5, or 10 percent after using this procedure.

In our context, the mapping from eligibility to enrollment is not one-to-one because students may not effectively enroll in the high schools for which they are eligible due to, for example, preferences for other programs or locations. Therefore, we present instrumental variable (IV) estimates where enrollment in a given selective high school is instrumented with eligibility for enrollment in this high school (Hahn et al., 2001). Note that these results should be interpreted cautiously because IV requires that the exclusion restriction and monotonicity hold.¹⁵ Eligibility for a more selective school increases enrollment to a preferred school, but could also have indirect effects via changes in psychological factors such as aspirations and disappointment. We provide suggestive evidence that this is unlikely to be a major factor in that the estimated effects on mental health appear mostly after high school, and thus do not reflect the mere short-term effect of enrolling (or failing to enroll) in a preferred school. We also emphasize that we estimate the IV on a set of compliers that may have different characteristics than the average students at the thresholds.

Descriptive Statistics. Table A1 provides descriptive statistics for the students in our working sample. For the sake of comparison, the table includes three samples: all students completing 10th grade in Norway between 2006 and 2010, students completing 10th grade in the county of Hordaland (where the city of Bergen is located) between 2006 and 2010 and in Oslo in 2009 and 2010, and our regression discontinuity sample. The main takeaway is that the average student in Hordaland or Oslo (Column (3)) is comparable to our RD sample of students (Column (5)). However, when compared with the average student in Norway (Column (1)), we can see that students in Oslo and Bergen are positively selected on educational outcomes and demographic characteristics. For example, students in Oslo and Bergen area in our RD sample specialize more often in the general education track compared with the average student in Norway. In addition, these students have better-off peers with higher middle school GPAs. They are also more likely to graduate from high school and enroll in higher education up to four years after commencing high school. Interestingly, students in Oslo and Bergen are as likely to visit a GP or an ER as the average student completing 10th grade in Norway. There are also no differences in the use primary health care services or likelihood of being diagnosed or treated by GPs for mental health problems.

In section 4, we present the results for the RD sample, and, in addition, separately by the level of school selectivity, where schools with high (low) selectivity levels are schools whose admission threshold fell in the

¹⁵Violations of the monotonicity assumption are unlikely in our setting because this would mean that students eligible to enroll in a more selective school are less likely to enroll in the more selective school compared with the lower-ranked school. In addition, strong first stages (results available upon request) across subgroups support the monotonicity assumption.

top (bottom) half of the distribution of cutoffs by city and year.

3.4 Tests of Identifying Assumptions

Students just above and below the cutoffs differ in their eligibility to enroll in a more selective high school, but we assume that they are similar in all other (observable and unobservable) predetermined dimensions. Below, we present evidence for the validity of our identification assumption.

Strategic Manipulation around Cutoff. One threat to identification would be that students willing to enroll in specific high schools manage to earn a score just above the admission thresholds. To provide empirical evidence that there is no strategic manipulation of the running variable at the cutoffs, Figure A1 presents the results when implementing the density tests suggested in McCrary (2008) on the full sample and separately by selectivity level. The panels in the figure illustrate that the density of the running variable is continuous at the cutoffs for the three samples, providing evidence supporting our identifying assumption.

Covariate Balance. Further, to assess the validity of our identification assumption of no discontinuity in unobserved determinants of students' health and education at the cutoffs, Table A2 reports the results of estimating model (2) using student baseline characteristics such as gender, nationality, and parental background as dependent variables.¹⁶ Consistent with our identification assumption, we do not observe systematic discontinuities in the predetermined characteristics of students whose middle school GPA fell just above or below the admission threshold of an oversubscribed high school. This is shown in Figure A2 in the Appendix including the corresponding graphical estimates of model (2), excluding controls X_i and ω_z , for the three samples we examine. The last row of each panel in Table A2 presents the *F*-test of joint significance obtained from regressing the eligibility dummy $\mathbb{1} \{f_i - f_z \ge 0\}$ on the full set of baseline variables. The *F*-tests presented in each panel suggest that there is no systematic manipulation around the cutoff because they do not reject the null hypothesis that the coefficients are jointly equal to zero.

The finding that student characteristics are continuous around admission thresholds is not very surprising in the setting we consider in that school admission cutoffs are ex ante impossible to predict precisely or manipulate. On average, school admission thresholds vary by 3.4 points from one year to the next, and they

¹⁶When estimating model (2) for balancing tests, we include a full set of cutoff/year dummies as control variables but do not control for student baseline characteristics.

are jointly determined by the preferences and middle school GPAs of all 10th graders in Hordaland or Oslo, which are unknown at the time of application.

Note that the results reported in Table A2 and Figure A2 do not rule out that the average ability of student peers varies discontinuously at the thresholds, along with other characteristics of peers and the school environment. For example, a more selective school might be able to attract better teachers. In section 5, we discuss this in detail and attempt to quantify whether the changes in a high school's environment at the cutoff explains the effects of enrollment in a more selective high school on student education and health.

4 **Empirical Results**

In this section, we first investigate how eligibility for enrollment in a more selective school affects actual enrollment. We then turn to consider the impacts on subsequent education and health.

4.1 First Stage Results

Figure 1 presents our first stage results, that is, the effect of eligibility for enrollment in a more selective school on actual enrollment in this high school. For each figure, the solid lines plot the fitted regression lines after estimating model (2) without controls for student baseline characteristics or cutoff dummies (i.e., X_i and ω_z). The plotted points are the conditional means of the dependent variable for students in a one-unit binwidth. At the top of each figure, we report the estimated α , which is the estimated effect of eligibility for enrollment in a more selective high school on actual enrollment, and its standard error. There is one figure for each sample under consideration: the whole sample (Panel a), students located around the admission thresholds of schools with below-median selectivity level (Panel b), and students located around the admission thresholds of schools with below-median selectivity level (Panel c). The three figures depict a significant increase in enrollment probability at the cutoffs. More precisely, the figures show that the enrollment probability of students is close to 2% below admission cutoffs, and increases by about eight percentage points for students scoring just above the cutoffs.¹⁷ This indicates that a significant share of students wants to attend a more selective school when offered this opportunity, and student willingness to attend more selective schools is somewhat higher for schools with higher selectivity levels.¹⁸ The estimates

¹⁷Note that one reason why the enrollment probability is not zero below the cutoff is that students with special needs (e.g., physical disabilities) may be accepted with a lower GPA to the geographically closest school.

¹⁸Recall that we do not know individual student preferences, hence many students could have preferences for other programs or school locations, explaining why enrollment is not increasing even more at the threshold.

for α in model (2) in Column (1) in Table 1 confirm these results.

4.2 Educational Outcomes

Figure 2 and Figure 3 present the estimated effects of eligibility for enrollment in a more selective school on the subsequent education of students. We focus on two outcomes: high school graduation in the general track and enrollment in general higher education, either on time or after a gap year. Figure 2 shows a discontinuity of 2.4 percentage points at the cutoff on the likelihood of high school graduation, driven entirely by the most selective high schools (Panel b). Figure 3 exhibits no average impact on enrollment in higher education (Panel a). However, there is an increase of 2.9 percentage points for the most selective high schools (Panel b). Columns (2) and (3) in Table 1 confirm these results. Note that the main findings remain significant after accounting for multiple hypothesis testing using the procedure described in Romano and Wolf (2005).¹⁹

Our finding that eligibility for enrollment in a more selective school has positive effects on student educational outcomes differs from previous studies showing that elite school attendance in the US does not affect educational outcomes (see e.g., Abdulkadiroğlu et al., 2017, 2014; Dobbie and Fryer Jr, 2014)). However, it is in line with Pop-Eleches and Urquiola (2013) and Jackson (2013) who also consider nonelite settings and document the positive effects of attending more selective schools.²⁰ Hence, our focus on nonelite high schools—implying that the marginal students differ by context—may be an explanation for the differences in effects compared with the US. Other features of the education system, such as the centralized admission system to higher education in Norway, may also play a role in our findings. In particular, student ranks within their class or school are not of direct importance for access to higher education because only their rank in the national high school GPA distribution is crucial for the centralized admission system. This setting is different from the setting in the US or France where rank in a class or school is a central factor in college applications (Dobbie and Fryer Jr, 2014; Landaud et al., 2018).

Columns (1) and (2) in Table A3 in the Appendix present the IV estimates, where we rescale the intention-to-treat estimates by the probability of enrollment in a selective high school upon gaining eligibility for enrolment. Panel A shows that enrollment in a more selective high school increases the probability of

¹⁹The effects on educational outcomes are greater for boys and for the children of less-educated parents, although the differences are not significant (see Table A9).

 $^{^{20}}$ Even for the sample of above-median selectivity, we cover a large part of the GPA distribution. The more selective school admission cutoffs are located between the 39th and the 97th percentiles of the test score distribution after middle school in the areas of interest and on average located around the 63rd percentile.

high school graduation and enrollment in higher education by 28 and 19 percentage points, respectively. While these estimates are large, the results are quite imprecise, and we cannot rule out quite modest effects. In most cases though, the IV estimates are statistically different from zero for the same outcomes as the reduced form effects. As discussed in subsection 3.3, we should interpret these results cautiously for several reasons. First, while the effects sizes are large in magnitude, the confidence intervals are also large and so we cannot rule out quite modest effects. Second, the compliers may differ from the average student around the discontinuity. Lastly, there could be violations of the exclusion restriction if eligibility operates through mechanisms other than enrollment. However, the fact that we find that many of the impacts evolve after high school suggests that this is likely not the main driver.

4.3 Health Outcomes

Next, we analyze the impacts of eligibility for enrollment in a more selective school on student health during and following high school. We first focus on the probability and number of visits to GPs or ERs. We then split the visits into two types: visits during which patients are diagnosed or treated for a mental health issue (i.e., ICPC-02 codes beginning with a "P" as described in Appendix B) and visits for other health assessments or treatments. Figure 4 depicts no discontinuities around the eligibility cutoffs in the probability of consulting with GPs or ERs (for any type of visit) during the six years after middle school graduation. However, Figure 5 shows a reduction of 1.7 percentage points in the likelihood of being diagnosed or treated for a mental health problem during GP or ER visits (Panel a). Individuals gaining access to high schools with above-median selectivity levels (Panel b) drive this fall. The estimates in Columns (4)–(7) in Table 1 present the corresponding point estimates for α in model (2). As shown, the estimated effect on mental health is driven by female students (see Column (5) in Table A9) and is stronger post high school (see Table A5).²¹

In Table 2, we examine the use of primary health care services in detail. In particular, we use the ICPC-2 codes to classify the different types of mental health problems, and create four categories: anxiety or depression symptoms and diseases, substance use, hyperkinetic disorders, and other psychological symptoms or disorders (see Table A4 for the classification of mental health conditions).²² As shown, the reduction in

²¹Columns (3) and (4) in Table A3 in the Appendix present the corresponding IV estimates, carrying with them the same cautiousness in interpretation as discussed for educational outcomes. Enrollment in a more selective high school instrumented by eligibility reduces the likelihood of being diagnosed or treated by a GP or an ER for psychological symptoms and diseases by 21 percentage points.

²²We bundle anxiety and depression together given the possibility of co-diagnoses and common treatments for both conditions (see, e.g., Pratt et al. (2017)). Hyperkinetic disorders include inattention, overactivity, and impulsivity. They include a variety of attention disorders such as attention deficit disorder (ADD) and attention deficit hyperactivity disorder (ADHD).

visits with depression or anxiety drives the reduction in the likelihood of consultations with mental health diagnoses or treatments. Note that this finding remains significant after adjusting the inference for multiple hypothesis testing.

4.4 Robustness Checks

To assess the robustness of our results, we check whether our main findings are sensitive to the choice of control variables, to different functional forms, to alternative bandwidths, and to focusing separately on the two cities we consider.

In our main specification, model (2), we control for several predetermined individual characteristics. In Table A6 we check that our main findings are robust to excluding these control variables, or to selecting a smaller set of control variables. Table A6 presents estimates for five outcomes: high school enrollment, high school graduation, enrollment in higher education, the probability of visits to GP/ER, and the probability of mental health diagnosis or treatment. For each outcome in Table A6, the first column does not include controls for the predetermined individual characteristics. In the second column, we select relevant control variables using the double lasso procedure suggested in Belloni et al. (2013). The point estimates remain nearly unchanged relative to our baseline results.

In addition, the estimates reported in Table A7 show that our main findings are robust to different functional forms for the running variable. Our preferred model controls for a linear spline function of the running variable with triangular weights. Table A7 presents the results with alternative functional forms for each of the five main outcomes. For each of the outcomes in Table A7, we allow for cutoff-specific trends when estimating model (2) in the first column. In the second column, we follow Lee and Lemieux (2010) who propose goodness-of-fit tests as an ancillary means to select an optimal polynomial function. In the third column, we employ nonparametric estimations using local linear regressions. The results are again similar to our baseline estimates.

In Figure A4, we report the point estimates and confidence intervals for our main outcomes for a wide range of bandwidths. The estimates show that our baseline estimates are highly robust to the choice of bandwidths in the neighborhood of the optimal bandwidth (i.e., the bandwidth that minimizes the mean square error).

Last, we turn our attention to see if a particular city is driving our main results. Table A8 presents estimates for α in equation 2 separately for each city (Bergen and Oslo). The estimates for α are similar

for both cities, suggesting that the main findings are not driven by one city alone. This provides suggestive evidence regarding the external validity of our results across cities.

There are different explanations for our estimated impacts on mental health. More selective schools could have an incapacitation effect if, for example, students have to study longer hours in more selective schools and do not have time to visit health services. This does not appear as a likely mechanism because we do not find any impact on the extensive or intensive margin of visits to GP/ER (Columns (4) and (5) of Table 1). Alternatively, our effects could reflect differences across schools in the availability or quality of school nurses.²³ To shed light on this potential mechanism, we evaluate year by year how GP or ER consultations with a psychological diagnosis or treatment vary across our sample. If school nurses were substitutes for psychological consultations during high school years, we would expect a sharp rise in the number of consultations with a psychological diagnosis or treatment after high school graduation (i.e., between year three and year four post-middle school graduation). Figure A3 in the Appendix reports the prevalence of mental health diagnoses or treatments upon GP/ER visits in our sample for each year after middle school graduation. The figure depicts a stable increase in the prevalence of primary health services with mental health diagnoses or treatments, which provides suggestive evidence that school nurses do not seem to act as substitutes for GP/ER visits. Finally, in our setting, gaining access to a more selective school also implies gaining access to a preferred school. As discussed earlier, our estimated effects on mental health appear mostly after high school (see Table A5), providing suggestive evidence that our effects do not reflect the mere short-term effect of enrolling (or failing to enroll) in a preferred school. Overall, our results do not seem driven by incapacitation effects, differences in the supply of health services, nor do they seem to link to a short-term feeling of success or failure. Rather, our results suggest that a more selective schooling environment is protective of (female) mental health. It is still possible that students perceive a more selective high school environment as more stressful, but our results suggest that the positive aspects of a more selective environment outweigh any potential increase in school pressure.

In section 5, we turn to studying whether peer and teacher characteristics or other school features vary discontinuously at the thresholds and whether these changes in school characteristics help to explain the effects on student mental health and longer-term educational outcomes.

²³As discussed in Section 2.3, school nurses are employed by municipalities not by schools.

5 Suggestive Mechanisms

Although all public Norwegian high schools follow a similar national curriculum, high schools vary along several dimensions. Because high school assignment is based on middle school GPA, student average ability varies significantly from one high school to another. Further, as a student's middle school GPA is correlated with their gender and family background, the proportion of female students and student parental backgrounds may also vary significantly across high schools. In addition, schools are independent in their hiring decisions resulting in a heterogeneous distribution of teacher characteristics across schools. Moreover, the allocation of financial resources to schools depends on the number of students, so that financial resources also vary by school size. To provide insights into what features of the school characteristics at the thresholds. In a second step, we implement a heterogeneity analysis where we estimate our regression discontinuity model for each admission threshold and each school feature separately. This helps us to consider whether changes in longer-term educational choices and health outcomes are larger when students gain eligibility to schools where peer characteristics, teacher characteristics, or school resources change by a larger margin at the admission threshold.

First, Table 3 documents changes in peer characteristics at the threshold. Panel A of Table 3 shows that eligibility for enrollment in a more selective school improves the ability level of peers, increasing peer average middle school GPA by 4.4% of a standard deviation.²⁴ Just above the threshold, peers also have more educated parents with higher income levels. In contrast, we do not identify differences in the gender composition of peers on average (Panel A). The estimated impacts on peer ability are similar for high schools in the top and bottom halves of the selectivity distribution (Panels B and C). However, eligibility to enroll in a more selective school increases the share of female peers for the top half of the selectivity distribution but does not change peer parental background. On the contrary, there is no effect on the share of female peers, but a significant impact on peers' parental income and education for schools with lower selectivity levels.

Next, we explore how eligibility for enrollment impacts the high school educational program and school and teacher characteristics (see Table 4). The estimates in Columns (1) and (2) show that eligibility to enroll in a more selective high school increases the likelihood of enrolling in the general track, and correspondingly decreases the probability of enrolling in the vocational track. There are no impacts on high school programs

²⁴For each student, we computed the average standardized middle school GPA among students enrolled in the same track and high school in August following middle school completion.

around the cutoffs of highly selective high schools (Panel B); instead, schools in the bottom half of the selectivity distribution (Panel C) appear to drive this program substitution.

Then, we study school financial resources and the number of teachers and staff members per student. As discussed, the central allocation of financial resources is to schools based on the number of students. Hence, we proxy financial resources by the number of students enrolled in the same program-cohort. The estimates in Column (3) show that eligibility to enroll in a more selective high school is associated with 4.76 extra students in each student's own program at the cutoff (i.e., about 7% of the control mean). This appears driven by high schools in the bottom half of the selectivity distribution. Eligibility to enroll in a more selective high school also decreases the number of students per teacher but does not change the number of students per nonteaching staff (Columns (4) and (5)).

Lastly, we consider variations in teacher characteristics. In particular, we study whether eligibility to enroll in a more selective school changes the proportion of teachers with a master degree, the average age of high school teachers, and the proportion of female teachers. Panel A shows no significant discontinuities in teacher characteristics, expect for the proportion of female teachers.

In sum, enrollment in a more selective high school not only directly affects the characteristics of the peers with whom students interact but also the types of programs in which students enroll, the characteristics of their teachers and their number, and the financial resources of their school. The impacts on peers, teachers, and resources vary across the selectivity distribution and motivate the next section where we use these variations to explore the most likely mechanism driving our estimates.

5.1 Heterogeneity Analysis by Changes in School Inputs at the Thresholds

5.1.1 Empirical Approach

To further our understanding of selective school effects on education and health, we develop a heterogeneity analysis, which makes use of the fact that we have 84 different admission cutoffs with variations in how school characteristics change around these cutoffs. In our setting, for each admission threshold, the magnitude of the estimated eligibility effects on school inputs depends on two parameters: (1) the characteristics of the high school corresponding to the admission threshold under consideration and (2) the characteristics of high schools with lower selectivity levels. In this section, we analyze whether we obtain larger estimated effects on health and education around thresholds with larger changes in peer characteristics, teacher characteristics, or other school features.

We restrict the analysis to two outcomes of interest: student enrollment in higher education and the probability of diagnosis or treatment of students by GPs or ERs for psychological conditions. We consider 11 different school inputs: the average middle school GPA of peers, the proportion of female students among high school peers, the parental education of peers, peers' parental income, the proportion of teachers with a master degree, the average age of teachers, the proportion of female teachers, the number of students per teacher, school size, the number of students per nonteaching staff, and student probability of enrolling in the general track. For each admission threshold z and each school input m, we estimate our standard RD model described in the previous section:

$$Y_{m,z,i} = \delta_{m,z} + \alpha_{m,z} \mathbb{1} \{ f_i - f_z \ge 0 \} + \eta_{m,z} (f_z - f_i) + \lambda_{m,z} (f_i - f_z) \times \mathbb{1} \{ f_i - f_z \ge 0 \} + X_i \gamma + u_{m,z,i}.$$
(3)

The only difference relative to model (2) is that we estimate model (3) for each admission threshold separately, rather than pooling all admission thresholds with cutoffs by year fixed effects. For each school input and each admission threshold, we obtain the estimated parameters $\widehat{\alpha_{m,z}}$, which indicate the magnitude of the variation in the school input *m* around the admission threshold *z*. For each school input separately, we then divide the sample depending on whether the estimated effect on the input under consideration is above or below the median estimated effect, $\widetilde{\alpha_{m,z}}$.

For each outcome and school input, we then estimate our basic RD model separately on subsamples characterized by the magnitude of the change in the school input under consideration at the thresholds. We use this heterogeneity analysis to respond to the following question: do larger changes in peer characteristics or teacher characteristics or in other school features coincide with greater estimated effects on student education and mental health?

5.2 Findings

Figure 6 provides the results of our heterogeneity analysis. First, Panel a in Figure 6 documents that there are significant differences in how each school input varies at the thresholds. Along all the dimensions we consider, the average change at the threshold in the input under consideration is significantly different for schools with a below- or above-median change. For example, for one group of schools, eligibility for

enrollment in a more selective school implies an increase in the share of female peers, while it implies a decrease in the share of female peers in the second group of schools. Similarly, for one group of schools, eligibility for enrollment in a more selective school implies an increase in the ratio of students per teacher, but a decrease in this ratio for the second group of schools.

Panel b of Figure 6 reports the RD results on enrollment in higher education using the same subsamples as in Panel a. This figure documents two significant differences: larger changes in the student-teacher ratio and the age of teachers coincide with larger estimated effects on enrollment in higher education. Panel c of Figure 6 reports the results for the probability of diagnosis or treatment by a GP for psychological symptoms or diseases. We identify significant differences in the estimated effects depending on the changes in the proportion of female teachers. By contrast, we find no empirical evidence that larger changes in peer ability or gender are important drivers of the results for education or health outcomes. Overall, our heterogeneity analysis suggests that changes in teacher characteristics are probably important to explain the observed positive impacts of attending a more selective high school.

Note that this analysis is only descriptive and that we should not interpret the findings as causal effects. The estimates are also not fully robust to the adjustments for multiple hypothesis testing. Moreover, the analysis does not exclude alternative mechanisms such as changes in student ambitions or confidence in the future.

6 Conclusion

This paper provides new insights into the relationship between the selectivity of the schooling environment and student educational outcomes and mental health. To identify causal effects, we build on the features of the high school assignment system in the two largest Norwegian cities, where the assignment of middle school students to high school is through a centralized process that gives priority to students with the best average middle school grades. This assignment system enables a regression discontinuity analysis, where we compare the education and health outcomes of students that are similar at the end of middle school but are eligible to enroll in more or less selective high schools. The direction of the effect on health and education outcomes is theoretically ambiguous. On the one hand, a selective school environment might be a stressful experience for marginal students and increase their (mental) health problems. On the other hand, a more selective school with better peers and different teachers might be an inspiring experience that opens up new perspectives and improves student (mental) health in both the short and long term.

Our results show that eligibility for enrollment in a more selective school significantly improves school outcomes, increasing the likelihood of both high school completion and enrollment in higher education. In addition, we document that the eligibility to enroll in a more selective school does not affect the overall use of primary care services up to six years after high school completion, but does decrease a student's likelihood of diagnosis or treatment by a GP for mental health issues. These estimated effects on education and mental health appear driven by access to schools in the top half of the selectivity distribution, whereas female students drive the health effects.

Our heterogeneity analysis exploiting the 84 different admission cutoffs reveals that larger changes in the student-teacher ratio and age of teachers coincides with larger estimated effects on enrollment in higher education, and that larger changes in the share of female teachers coincide with larger estimated effects on student mental health. Overall, our heterogeneity analysis suggests that changes in teacher characteristics—and not necessarily peer characteristics—could be important for explaining the effects of a more selective school environment for a student's subsequent education and health.

An important open question for future research concerns the relationship between the estimated effects on health and educational outcomes. Do students graduate more from high school and enroll more in higher education because they are in better health (especially better mental health), or are they in better health because they are boosted by better educational prospects? Previous literature analyzing the effect of increases in compulsory education or changes in school tracking suggests that there are positive effects of expanding compulsory schooling on women's mental health and particularly self-reported depressive symptoms (Böckerman et al., 2019; Crespo et al., 2014; Dursun and Cesur, 2016). A question remains whether better educational prospects by the end of high school have similar positive effects on mental health. Alternatively, it could also be the case that similar improvements in school inputs drive both health and longer-term educational outcomes, even if they do not affect each other. For example, Elsner and Isphording (2017) argue that the ordinal ability rank of students in their cohort, which is negatively impacted when students gain eligibility to a more selective school, is an important determinant of engaging in risky behaviors that can impact both educational and health outcomes.

Besides complementing the existing literature on the effects of school selectivity on educational outcomes, we provide new knowledge on the relationship between school selectivity and mental health, and demonstrate that access to more selective schools decreases the risk of mental health problems. While a selective school environment might still be a stressful experience for marginal students, our results suggest that the positive effects of enrolling in a more selective school outweigh this extra pressure over the long term.

References

- Abdulkadiroğlu, Atila, Joshua D. Angrist, Yusuke Narita and Parag A. Pathak. 2017. "Research Design Meets Market Design: Using Centralized Assignment for Impact Evaluation." *Econometrica*, 85 1373–1432, URL: https://ideas.repec.org/a/wly/emetrp/v85y2017ip1373-1432.html.
- Abdulkadiroğlu, Atila, Joshua Angrist and Parag Pathak. 2014. "The Elite Illusion: Achievement Effects at Boston and New York Exam Schools." *Econometrica*, 82(1): 137–196.
- Abrahamsen, Signe A., Rita Ginja and Julie Riise. 2019. "VSchool Health Programs: Education, Health, and Welfare Dependency of Young Adults." MIMEO.
- Bakken, Anders. 2018. *Ungdata 2018. Nasjonale resultater.*: Norsk institutt for forskning om oppvekst, velferd og aldring (NOVA).
- Belloni, Alexandre, Victor Chernozhukov and Christian Hansen. 2013. "Inference on Treatment Effects after Selection among High-Dimensional Controls[†]." *The Review of Economic Studies*, 81(2): 608–650, DOI: http://dx.doi.org/10.1093/restud/rdt044.
- Böckerman, Petri, Mika Haapanen, Christopher Jepsen and Alexandra Roulet. 2019. "School Tracking and Mental Health." IZA Discussion Papers.
- Calonico, Sebastian, Matias D. Cattaneo and Rocio Titiunik. 2014. "Robust Nonparametric Confidence Intervals for Regression - Discontinuity Designs." *Econometrica*, 82(6): 2295–2326.
- Card, David, Alexandre Mas and Jesse Rothstein. 2008. "Tipping and the Dynamics of Segregation*." *The Quarterly Journal of Economics*, 123(1): 177–218.
- Carneiro, Pedro, Emanuela Galasso and Rita Ginja. 2019. "Tackling Social Exclusion: Evidence from Chile." *The Economic Journal*, 129(617): 172–208.
- Clark, Damon and Emilia Del Bono. 2016. "The Long-Run Effects of Attending an Elite School: Evidence from the United Kingdom." *American Economic Journal: Applied Economics*, 8(1): 150–76, DOI: http://dx.doi.org/10.1257/app.20130505.
- Clark, Damon and Heather Royer. 2013. "The Effect of Education on Adult Mortality and Health: Evidence from Britain." *American Economic Review*, 103(6): 2087–2120.

- Crespo, Laura, Borja López-Noval and Pedro Mira. 2014. "Compulsory schooling, education, depression and memory: New evidence from SHARELIFE." *Economics of Education Review*, 43 36 46.
- Cullen, Julie Berry, Brian A Jacob and Steven Levitt. 2006. "The Effect of School Choice on Participants: Evidence from Randomized Lotteries." *Econometrica*, 74(5): 1191–1230.
- Currie, Janet, Mark Stabile, Phongsack Manivong and Leslie L. Roos. 2010. "Child Health and Young Adult Outcomes." *The Journal of Human Resources*, 45(3): 517–548, URL: http://www.jstor.org/stable/25703468.
- Dobbie, Will and Roland G Fryer Jr. 2014. "The Impact of Attending a School with High-Achieving Peers: Evidence from the New York City Exam Schools." *American Economic Journal: Applied Economics*, 6(3): 58–75.
- Dursun, Bahadır and Resul Cesur. 2016. "Transforming lives: the impact of compulsory schooling on hope and happiness." *Journal of Population Economics*, 29(3): 911–956.

Elsner, Benjamin and Ingo E. Isphording. 2017. "Rank, Sex, Drugs and Crime." Journal of Human Resources.

- Eriksen, Ingunn Marie, Mira Aaboen Sletten, Anders Bakken and Tilman von Soest. 2017. *Stress og press blant ungdom. Erfaringer, årsaker og utbredelse av psykiske helseplager.*: Oslo Metropolitan University-OsloMet: NOVA.
- Fack, Gabrielle, Julien Grenet and Yinghua He. 2019. "Beyond Truth-Telling: Preference Estimation with Centralized School Choice and College Admissions." *American Economic Review*, 109(4): 1486–1529.
- Fletcher, Jason M. and David E. Frisvold. 2011. "College selectivity and young adult health behaviors." *Economics of Education Review*, 30(5): 826 837.
- Fletcher, Jason M. and David E. Frisvold. 2014. "The long run health returns to college quality." *Review of Economics of the Household*, 12(2): 295–325.
- Frisvold, David and Ezra Golberstein. 2011. "School quality and the education–health relationship: Evidence from Blacks in segregated schools." *Journal of Health Economics*, 30(6): 1232 1245.

- Goodman, A., R. Joyce and J. P. Smith. 2011. "The long shadow cast by childhood physical and mental problems on adult life." *Proceedings of the National Academy of Sciences of the United States of America*, 108(15): 6032–6037.
- Hahn, Jinyong, Petra Todd and Wilbert Van der Klaauw. 2001. "Identification and Estimation of Treatment Effects with a Regression-Discontinuity Design." *Econometrica*, 69(1): 201–209.

Hansen, Bruce E. 2000. "Sample Splitting and Threshold Estimation." *Econometrica*, 68(3): 575–603.

Helse- og omsorgsdepartementet. 2003. "Forskrift om helsestasjons- og skolehelsetjenesten." Online; accessed 1 May 2018

https://lovdata.no/dokument/LTI/forskrift/2003-04-03-450.

- Helsetilsyn, Statens. 1998. "Veileder for helsestasjons- og skolehelsetjenesten." Veileder IK-2617.
- HHS. 2017. "Adolescent Health." Online; accessed 10 June 2020 https://opa.hhs.gov/adolescent-health?adolescent-development/mental-health/ mental-health-disorders/index.html.
- Hoekstra, Mark. 2009. "The Effect of Attending the Flagship State University on Earnings: A Discontinuity-Based Approach." *The Review of Economics and Statistics*, 91(4): 717–724.
- Jackson, C Kirabo. 2013. "Can Higher-achieving Peers Explain the Benefits to Attending Selective Schools? Evidence from Trinidad and Tobago." *Journal of Public Economics*, 108 63–77.
- Kirkeboen, Lars J., Edwin Leuven and Magne Mogstad. 2016. "Field of Study, Earnings, and Self-Selection*." *The Quarterly Journal of Economics*, 131(3): 1057–1111, DOI: http://dx.doi.org/10.1093/qje/qjw019.
- Lager, A., D. Seblova, D. Falkstedt and M. Løvdén. 2016. "Cognitive and emotional outcomes after prolonged education: a quasi-experiment on 320 182 Swedish boys." *International Journal of Epidemiology*, 46(1): 303–311.
- Landaud, Fanny, Son-Thierry Ly and Eric Maurin. 2018. "Competitive Schools and the Gender Gap in the Choice of Field of Study." *Journal of Human Resources* 0617–8864R.

- Lee, David S. and Thomas Lemieux. 2010. "Regression Discontinuity Designs in Economics." *Journal of economic literature*, 48(2): 281–355.
- Lleras-Muney, Adriana. 2005. "The Relationship Between Education and Adult Mortality in the United States." *The Review of Economic Studies*, 72(1): 189–221.
- Lundborg, Petter, Anton Nilsson and Dan-Olof Rooth. 2014. "Adolescent health and adult labor market outcomes." *Journal of Health Economics*, 37 25 – 40, DOI: http://dx.doi.org/https://doi.org/ 10.1016/j.jhealeco.2014.05.003.
- McCrary, Justin. 2008. "Manipulation of the Running Variable in the Regression Discontinuity Design: A Density Test." *Journal of Econometrics*, 142(2): 698–714.
- Meghir, Costas, Mårten Palme and Emilia Simeonova. 2018. "Education and Mortality: Evidence from a Social Experiment." *American Economic Journal: Applied Economics*, 10(2): 234–256.
- Pop-Eleches, Cristian and Miguel Urquiola. 2013. "Going to a Better School: Effects and Behavioral Responses." *American Economic Review*, 103(4): 1289–1324.
- Porter, Jack and Ping Yu. 2015. "Regression Discontinuity Designs with Unknown Discontinuity Points: Testing and Estimation." *Journal of Econometrics*, 189(1): 132–147, URL: https://ideas.repec. org/a/eee/econom/v189y2015i1p132-147.html.
- Pratt, Laura, Debra Brody and Qiuping Gu. 2017. "Antidepressant Use Among Persons Aged 12 and Over:United States,2011-2014." NCHS data brief, 283 1–8, URL: https://www.cdc.gov/nchs/data/ databriefs/db283.pdf.
- Romano, Joseph P. and Michael Wolf. 2005. "Stepwise Multiple Testing as Formalized Data Snooping." *Econometrica*, 73(4): 1237–1282.
- Ungdata. 2018. "Stress, press og psykiske plager blant unge." Online; accessed 23 September 2020 https://www.ungdata.no/stress-press-og-psykiske-plager-blant-unge/.
- WHO. 2019. "Adolescent mental health." Online; accessed 23 September 2020 https://www.who.int/news-room/fact-sheets/detail/adolescent-mental-health.




Figure 1 – Enrollment probability

Note: These figures plot the point estimates of α from equation (2) using a linear trend specification and triangular weights. The standard errors for the point estimates are clustered at individual level. The dashed lines are 95 percent confidence intervals. *** p<0.01, ** p<0.05, * p<0.1.




Figure 2 – High School Graduation

Note: These figures plot the point estimates of α from equation (2) using a linear trend specification and triangular weights. The standard errors for the point estimates are clustered at individual level. The dashed lines are 95 percent confidence intervals. *** p<0.01, ** p<0.05, * p<0.1.




Figure 3 – Enrollment in Higher Education

Note: These figures plot the point estimates of α from equation (2) using a linear trend specification and triangular weights. The standard errors for the point estimates are clustered at individual level. The dashed lines are 95 percent confidence intervals. *** p<0.01, ** p<0.05, * p<0.1.




Figure 4 – Probability of Consulting with a GP or an ER

Note: These figures plot the point estimates of α from equation (2) using a linear trend specification and triangular weights. The standard errors for the point estimates are clustered at individual level. The dashed lines are 95 percent confidence intervals. *** p<0.01, ** p<0.05, * p<0.1.




Figure 5 – Probability of being Diagnosed or Treated for a Mental Health Issue

Note: These figures plot the point estimates of α from equation (2) using a linear trend specification and triangular weights. The standard errors for the point estimates are clustered at individual level. The dashed lines are 95 percent confidence intervals. *** p<0.01, ** p<0.05, * p<0.1.





Figure 6 - Heterogeneity of Selective School Effects by Changes in School Characteristics


(a) Changes in School Characteristics at the Thresholds

NOTE: Asterisks refer to the results of tests of the null hypothesis of no difference in the changes in inputs above or below the median estimated parameter where *** p<0.01, ** p<0.05, * p<0.1. All estimates are statistically different at the 5% level after accounting for multiple hypothesis testing using the procedure described in Romano and Wolf (2005).



(b) Changes in School Characteristics and Enrollment in Higher Education

NOTE: Asterisks refer to the results of tests of the null hypothesis of no difference in the changes in inputs above or below the median estimated parameter where *** p<0.01, ** p<0.05, * p<0.1. Joint tests of the estimates are no longer statistically different at the 10% (or lower) level after accounting for multiple hypothesis testing using the procedure described in Romano and Wolf (2005).



(c) Changes in School Characteristics and Mental Health Issues

NOTE: Asterisks refer to the results of tests of the null hypothesis of no difference in the changes in inputs above or below the median estimated parameter where *** p<0.01, ** p<0.05, * p<0.1. Joint tests of the estimates are no longer statistically different at the 10% (or lower) level after accounting for multiple hypothesis testing using the procedure described in Romano and Wolf (2005).

	(1)	(2)	(3)	(4)	(5)	(9)	(_)
	First stage	High School	Enrollment	GP - ER	Nb. of	Mental	Other
	enrollment	graduation	in HE	cons.	GP - ER cons.	health issue	health issue
Panel A: All							
Eligibility	0.083^{***}	0.023^{***}	0.016^{*}	-0.003	-0.343	-0.017*	-0.004
	$(0.005)^{+++}$	$^{++}(600.0)$	(0.009)	(0.004)	(0.359)	(0.009)	(0.004)
Control mean	.021	.542	.402	.964	17.7	.327	.962
	54916	54916	54916	54916	54916	54916	54916
Eligibility	Eligibility 0.091*** 0.00	0.031^{***}	0.026^{**}	-0.003	-0.738	-0.032***	-0.004
ioihilitv	0.091***	0.031 * * *	0.026**	-0.003	-0.738	-0.032***	-0.004
	$(0.007)^{+++}$	$(0.011)^{+}$	$(0.012)^{+}$	(0.005)	(0.457)	$(0.011)^{+++}$	(0.005)
Control mean	.027	969.	.539	.961	16.6	.291	.960
	30516	30516	30516	30516	30516	30516	30516
tnel C: Lower	Panel C: Lower selectivity Levels	evels					
Eligibility	0.073^{***}	0.015	0.004	-0.005	0.185	0.002	-0.006
	(0.006)+++	(0.013)	(0.011)	(0.005)	(0.555)	(0.014)	(0.005)
Control mean	.013	.321	.206	969.	19.2	.380	.965
	24400	24400	24400	24400	24400	24400	24400

Table 1 – High School Selectivity, Education, and Health

variable is for the control group, i.e., those with a score distance to admission cutoffs at most two points below the cutoff. Clustered standard errors (at individual level) in parentheses. *** p<0.01, ** p<0.05, * p<0.01, ⁺⁺ p<0.05, ⁺ p<0: outcome Note: This

	(1) Depression/Anxiety	(2) Subs. abuse	(3) ADHD	(4) Other psy.
Panel A: All				
Eligibility	-0.015*	0.001	-0.004	-0.008
0	(0.008)	(0.004)	(0.003)	(0.007)
Control mean	.233	.0514	.0334	.153
Ν	54916	54916	54916	54916
Panel B: High	er Selectivity Levels			
Eligibility	-0.028***	-0.001	-0.006	-0.013
	$(0.010)^{+++}$	(0.005)	(0.004)	(0.009)
Control mean	.211	.0384	.024	.134
Ν	30516	30516	30516	30516
Panel C: Lowe	r Selectivity Levels			
Eligibility	0.002	0.004	-0.001	-0.001
	(0.013)	(0.008)	(0.006)	(0.011)
Control mean	.264	.0701	.0468	.18
Ν	24400	24400	24400	24400

Table 2 - High School Selectivity and Mental Health Diagnoses and Treatments

NOTE: This table reports the point estimates of α from equation (2) using a linear trend specification and triangular weights. The calculated mean of the outcome variable is for the control group, i.e., those with a score distance to admission cutoffs at most two points below the cutoff. Clustered standard errors (at individual level) in parentheses. *** p<0.01, ** p<0.05, * p<0.1; **+ p<0.01, ** p<0.05, * p<0.1; after accounting for multiple hypothesis testing using the procedure described in Romano and Wolf (2005).

	(1)	(2)	(3)	(4)
	Peers' av. MS GPA	Prop. of female peers	Parents o	f Peers
			Av. inc. (log)	Education
Panel A: All				
Eligibility	0.044***	0.006	0.016***	0.011***
	$(0.010)^{+++}$	(0.004)	$(0.005)^{+++}$	$(0.003)^{+++}$
Control mean	.0644	.463	13.5	.481
Ν	54916	54916	54916	54916
Panel B: Highe	er Selectivity Levels			
Eligibility	0.039***	0.012***	0.011	0.007
	$(0.012)^{+++}$	$(0.004)^{+++}$	(0.007)	(0.004)
Control mean	.353	.496	13.8	.568
Ν	30516	30516	30516	30516
Panel C: Lowe	r Selectivity Levels			
Eligibility	0.046***	0.000	0.018***	0.015***
	$(0.015)^{+++}$	(0.007)	$(0.007)^{+++}$	$(0.005)^{+++}$
Control mean	349	.416	13.1	.357
Ν	24400	24400	24400	24400

Table 3 – Characteristics of High School Peers

NOTE: This table reports the point estimates of α from equation (2) using a linear trend specification and triangular weights. The calculated mean of the outcome variable is for the control group, i.e., those with a score distance to admission cutoffs at most two points below the cutoff. Clustered standard errors (at individual level) in parentheses. *** p<0.01, ** p<0.05, * p<0.1; **+ p<0.01, ** p<0.05, * p<0.1; #*+ p<0.05, * p<0.1 after accounting for multiple hypothesis testing using the procedure described in Romano and Wolf (2005).

	(1)	(7)	(c)	E			\sim	
	General	Vocational	#Stud.	#Stud.	#Stud.	Share teachers	Teachers'	Share female
	track	track	own program	/teachers	/non-teacher	w. masters	mean age	teachers
Panel A: All								
Eligibility	0.022^{**}	-0.018^{**}	4.757***	-0.475*	0.189	-0.001	0.049	0.005^{**}
	$(0.009)^{++}$	$^{++}(800.0)$	$(1.153)^{+++}$	(0.280)	(0.348)	(0.003)	(0.089)	$(0.002)^{+}$
Control mean	.539	.403	69.3	15	21.2	.225	45.6	.498
Z	54916	54916	54916	54916	54916	54916	54916	54916
Panel B: Higher Selectivity Levels	er Selectivity	Levels						
Eligibility	0.007	-0.002	3.032*	-0.539	-0.142	-0.007	0.104	0.005
	(0.012)	(0.010)	(1.671)	(0.351)	(0.430)	(0.005)	(0.124)	(0.003)
Control mean	.673	.241	92.1	15.6	22.8	.244	45.7	.517
N	30516	30516	30516	30516	30516	30516	30516	30516
Panel C: Lower Selectivity Levels	• Selectivity .	Levels						
Eligibility	0.042^{***}	-0.041***	6.890^{***}	-0.450	0.569	0.006	-0.024	0.006
	$(0.014)^{+++}$	$(0.013)^{+++}$	$(1.481)^{+++}$	(0.530)	(0.552)	(0.005)	(0.124)	(0.004)
Control mean	.346	.635	36.7	14.2	18.8	.197	45.4	.472
Z	24400	24400	24400	24400	24400	24400	24400	24400

Table 4 – High School Education and Characteristics of High Schools Attended

Appendix A




Figure A1 – Density of Observations around Admission Cutoffs

NOTE: These figures present nonparametric estimates of the density of observations on either side of the cutoff score following McCrary (2008). Each circle shows the average frequency of students per bin of the running variable. The solid lines represent estimated density functions, and the dashed lines are the 95 percent confidence intervals around it. The bottom right of each figure includes the estimated discontinuity for the density at the cutoff (standard errors in parentheses).





Figure A2 – Balancing of Covariates

(c) Lower selectivity levels



Note: These figures plot the point estimates of α from equation (2) using a linear trend specification and triangular weights. The standard errors for the point estimates are clustered at individual level. The dashed lines are 95 percent confidence intervals. *** p<0.01, ** p<0.05, * p<0.1.




Figure A3 – Prevalence of Mental Health Diagnoses and Treatments




Figure A4 – Robustness to Bandwidth Selection

Note: Each point reports α from equation (2) with varying bandwidths. The solid red line represents the point estimates from a global linear specification with triangular weights. The vertical blue line shows the optimal bandwidth. The dashed lines are 95 percent confidence intervals.

Table A1 – Descriptive Statistics

	(1)	(2)	(3)	(4)	(5)	(6)
	-	All	Bergen are		RD Sa	
	Mean	SD	Mean	SD	Mean	SD
Female	0.486	0.500	0.486	0.500	0.476	0.499
Age	16.078	0.906	16.038	0.649	16.008	0.154
Norwegian origin	0.827	0.378	0.793	0.405	0.734	0.442
Sd. results in Norwegian	0.000	0.987	0.112	0.965	0.081	0.858
Sd. results in Math	-0.000	0.985	0.074	0.982	0.054	0.916
Parental Background						
Parents' educ.	0.429	0.495	0.460	0.498	0.516	0.500
Parents' income	1018.177	1052.238	1091.964	1648.111	1159.468	1355.331
School Environment						
General studies	0.398	0.489	0.462	0.499	0.541	0.498
Vocational studies	0.509	0.500	0.475	0.499	0.405	0.491
#Students/Teacher	13.021	17.246	13.117	14.509	14.862	16.794
#Students/Non-Teacher	20.701	15.225	19.922	13.803	21.084	16.145
Share Teachers with Masters	0.308	0.206	0.276	0.232	0.253	0.253
Teachers age	48.308	4.031	48.122	4.379	47.470	4.628
Sh Female Teachers	0.508	0.125	0.499	0.133	0.518	0.132
#Stud own Program	53.859	71.566	55.685	64.991	71.757	71.139
Peers' Characteristics						
Peers' mean MS GPA	-0.010	0.693	0.104	0.703	0.134	0.715
Prop of female peers	0.461	0.285	0.462	0.277	0.472	0.251
Av Inc of Peers' parents	973147.298	345181.207	1039018.858	406465.607	1128266.195	447111.26
Education of Peers' parents	0.405	0.219	0.432	0.230	0.485	0.225
Mental Health of Peers' parents	0.243	0.090	0.243	0.086	0.248	0.078
Education						
HS graduation	0.615	0.487	0.634	0.482	0.657	0.475
Enrollment in HE	0.381	0.486	0.394	0.489	0.423	0.494
General Health						
GP - ER cons.	0.975	0.155	0.970	0.170	0.966	0.181
Nb. of GP - ER cons.	20.654	21.987	18.980	20.955	17.672	19.398
Physical health issue	0.973	0.163	0.968	0.177	0.963	0.188
Mental health issue	0.320	0.466	0.326	0.469	0.314	0.464
Mental Health Disorders						
Depression/Anxiety	0.220	0.414	0.232	0.422	0.223	0.416
Substance Use	0.053	0.223	0.057	0.232	0.052	0.222
ADHD	0.041	0.199	0.035	0.185	0.031	0.174
Other Psychological	0.155	0.361	0.153	0.360	0.143	0.350
N	312267		41306		19932	

NOTE: Means and (standard deviations) of background, school environment, education, and health during the period studied (i.e., 10th graders completing middle school between 2006 and 2010). The table includes three samples: all students completing the 10th grade in Norway between 2006 and 2010, students completing the 10th grade in the county of Hordaland (where the city of Bergen is located) between 2006 and 2010 and in Oslo in 2009 and 2010, and our regression discontinuity (RD) sample.

\cdot AgeNor. originSd. results in NorwegianSd. results in MathParents' educ. 0.000 -0.002 -0.006 0.014 -0.020^{**} $0.003)$ (0.008) (0.0011) (0.001) (0.009) + 16 $.713$ 00739 0467 $.532$ 54916 54916 54916 54916 $.53216$ 54916 54916 54916 $.0020$ 0.015 $inity Levels$ 0.003 0.003 0.0020 0.015 $inity Levels$ $.748$ $.391$ $.316$ $.622$	Female Ay IA: All I Jility 0.015 0.0 oil ity 0.0100 (0.0 ool mean .451 1 ool mean .451 1 s4916 549 ue F-Test 0.878 bility 0.021 -0.0 col mean .486 1			Sd. results in Norwegian -0.006	Sd. results in Math	Parents' educ.	Parents' Income (log)
	IA:AII 0.015 0.0 $oility$ 0.015 0.0 $ool mean$ 451 1 $ool mean$ 451 1 $sol mean$ 54916 54 $sol F-Test$ 0.878 9.021 $ool Her Selectivity L$ 0.021 0.0 $ool mean$ $.486$ 1		.002 008)	-0.006	0.014		-0.018
	 jility 0.015 0.0 jol mean .451 1 ol mean .451 1 a F-Test 0.878 bility 0.878 bility 0.021 -0.0 col mean .486 1 		.002	-0.006	0.014		-0.018
	(0.010) (0.0 (0.010) (0.0 (0.010) (0.0 (0.013) (0.0 (0.013) (0.0 (0.013) (0.0		(800		110.0	-0.020**	010.0-
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	ol mean .451 1 54916 549 ue F-Test 0.878 <i>I B: Higher Selectivity L</i> 5011ty 0.021 -0.0 (0.013) (0.0 10.0 mean .486 1		(000)	(0.008)	(0.011)	+(600.0)	(0.019)
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	54916 549 ue F-Test 0.878 <i>I B: Higher Selectivity L</i> , bility 0.021 -0.0 (0.013) (0.0 rol mean .486 1		713	00739	0467	.532	13.8
0.878 er Selectivity Levels 0.021 -0.000 0.021 -0.009 0.020 0.013) (0.011) (0.010) (0.015) .486 16 .748 .391 .316	ue F-Test 0.878 B: Higher Selectivity L , bility 0.021 -0.0 (0.013) (0.0 rol mean .486 1		1916	54916	54916	54916	54916
0.003 -0.009 0.020 (0.011) (0.010) (0.015) .748 .391 .316	<i>I</i> B: Higher Selectivity L ₄ bility 0.021 -0.0 (0.013) (0.0 rol mean .486 1						
0.021 -0.000 0.003 -0.009 0.020 (0.013) (0.003) (0.011) (0.010) (0.015) can .486 16 .748 .391 .316	0.021 (0.013) ean .486	evels					
(0.013) (0.003) (0.011) (0.010) (0.015) .486 16 .748 .391 .316	(0.013) .486		003	-0.009	0.020	-0.015	0.004
.486 16 .748 .391 .316	.486		011)	(0.010)	(0.015)	(0.012)	(0.023)
			748	.391	.316	.622	13.9
30516 30516 30516 30516 30516	30516 305		0516	30516	30516	30516	30516
p-value F-Test 0.715							
Panel C: Lower Selectivity Levels	l C: Lower Selectivity Le	vels					
Eligibility 0.006 -0.000 -0.007 -0.003 0.005 -0.026*	0.006		.007	-0.003	0.005	-0.026*	-0.043
(0.015) (0.006) (0.013) (0.012) (0.016) (0.014)	(0.015) (0.0		013)	(0.012)	(0.016)	(0.014)	(0.029)
582577	4.		564	582	577	4.	13.7
V 24400 24400 24400 24400 24400 24400 24400 24400			1400	24400	24400	24400	24400
p-value F-Test 0.529							

Table A2 – Balancing tests

	(1)	(2)	(3)	(4)
	High School	Enrollment	GR - ER	Mental health
	Graduation	in HE	cons.	issue
Panel A: All	,			
Enrollment	0.280***	0.191*	-0.041	-0.208*
	$(0.103)^{+++}$	$(0.104)^+$	(0.044)	$(0.107)^+$
Ν	54916	54916	54916	54916
Panel B: Hig	gher selectivity	Levels		
Enrollment	0.348***	0.292**	-0.032	-0.356***
	$(0.127)^{+++}$	$(0.139)^{++}$	(0.057)	$(0.129)^{+++}$
Ν	30516	30516	30516	30516
Panel C: Lo	wer selectivity I	Levels		
Enrollment	0.208	0.055	-0.064	0.025
	(0.176)	(0.155)	(0.071)	(0.191)
Ν	24400	24400	24400	24400

Table A3 – Local Average Treatment Effects

Note: This table reports the point estimates when instrumenting enrollment in a higher-ranked school by eligibility for enrollment, using a linear trend specification and triangular weights. Clustered standard errors (at individual level) in parentheses. *** p<0.01, ** p<0.05, * p<0.1; *** p<0.01, ** p<0.05, * p<0.01, ** p<0.05, * p<0.01; *** p<0.05; * p<0.01; *** p<0.01; *** p<0.05; * p<0.01; *** p<0.01

Mental Health Condition Gro	Juping
Anxiety	P01 Feeling anxious/nervous/tense
-	P02 Acute stress reaction
	P06 Sleep disturbance
	P74 Anxiety disorder/anxiety state
Depression	P03 Feeling depressed
	P76 Depressive disorder
	P77 Suicide/suicide attempt
Substance Use	P15 Chronic alcohol abuse
	P16 Acute alcohol abuse
	P17 Tobacco abuse
	P18 Medication abuse
	P19 Drug abuse
Hyperkinetic Disorders	P81 Hyperkinetic disorder
Other	P04 Feeling/behaving irritable/angry
	P07 Sexual desire reduced
	P08 Sexual fulfilment reduced
	P09 Sexual preference concern
	P10 Stammering/stuttering/tic
	P11 Eating problem in child
	P12 Bedwetting/enuresis
	P13 Encopresis/bowel training problem
	P20 Memory disturbance
	P22 Child behaviour symptom/complaint
	P23 Adolescent behav. Symptom/complt
	P24 Specific learning problem
	P25 Phase of life problem adult
	P27 Fear of mental disorder
	P28 Limited function/disability (p)
	P29 Psychological symptom/complt othe
	P70 Dementia
	P71 Organic psychosis other
	P72 Schizophrenia
	P73 Affective psychosis
	P75 Somatization disorder
	P78 Neuraesthenia/surmenage
	P79 Phobia/compulsive disorder
	P80 Personality disorder
	P82 Post-traumatic stress disorder
	P85 Mental retardation
	P86 Anorexia nervosa/bulimia
	P98 Psychosis NOS/other
	P99 Psychological disorders, other

	Table A4 –	Classification	of Mental	Health	Conditions
--	------------	----------------	-----------	--------	------------

NOTE: This table presents the grouping of mental health problems based on the ICPC-02 diagnoses.

	(1)	(2)
	High School Years	Post-High School Years
Panel A: All		
Eligibility (α)	0.004	-0.018**
	(0.007)	$(0.008)^{++}$
Control Mean	.182	.239
Ν	54916	54916
P-Value: HA: $\alpha_{col1} < \alpha_{col2}$	0.008	
Panel B: Higher Levels of S	electivity	
Eligibility (α)	-0.006	-0.027***
	(0.009)	$(0.010)^{++}$
Control Mean	.155	.211
Ν	30516	30516
P-Value: HA: $\alpha_{col1} < \alpha_{col2}$	0.036	
Panel C: Lower Levels Selec	etivity	
Eligibility (α)	0.018	-0.006
	(0.012)	(0.013)
Control Mean	.220	.279
Ν	24400	24400
P-Value: HA: $\alpha_{col1} < \alpha_{col2}$	0.048	

Table A5 – Reduced Form Estimates: Mental Health Impacts During and After High School Years

Note: This table reports the point estimates of α from equation (2) using a linear trend specification and triangular weights. The calculated mean of the outcome variable is for the control group, i.e., those with a score distance to admission cutoffs at most two points below the cutoff. Clustered standard errors (at individual level) in parentheses. *** p<0.01, ** p<0.05, * p<0.1; *** p<0.01, ** p<0.05, * p<0.1; #** p<0.05, * p<0.1 after accounting for multiple hypothesis testing using the procedure described in Romano and Wolf (2005).

	No controls	Double Lasso	No controls	Double Lasso	No controls	Double Lasso	No controls	Double Lasso	No controls	Double Lasso
Panel A: All Eligibility	0.083***	0.082^{***}	0.024***	0.022**	0.017^{**}	0.015*	-0.003	-0.003	-0.016*	-0.018**
	(0.005)	(0.005)	(0000)	(600.0)	(600.0)	(0000)	(0.004)	(0.004)	(0000)	(600.0)
anel B: Hig	Panel B: Higher Selectivity Levels	ty Levels								
Eligibility	0.090^{***}	0.091^{***}	0.033^{***}	0.032^{***}	0.029^{**}	0.025**	-0.002	-0.002	-0.031***	-0.032***
	(0.007)	(0.007)	(0.011)	(0.012)	(0.013)	(0.012)	(0.005)	(0.005)	(0.012)	(0.011)
Panel C: Low Eligibility	Panel C: Lower Selectivity Levels Elicibility 0.073*** 0.070*	y Levels 0.070***	0.015	0.015	0.004	0.001	-0.004	-0.005	0.001	-0.000
0	(900.0)	(0.006)	(0.013)	(0.012)	(0.012)	(0.011)	(0.005)	(0.005)	(0.014)	(0.014)

Table A6 - Robustness Checks: Controls

	(1)	(2) First stage enrollment	(3)	(4)	(c) High School Graduation	(0)	S	(8) Enrollment in HE	(6)	(10)	(11) GR - ER cons.	(12)	(13)	(14) Mental health issue	((1)
** 0.083 *** 0.084 *** 0.025 *** 0.023 *** 0.024 ** 0.017 * 0.016 * 0.014 -0.004 -0.003 -0.003 1 1 (0.005) (0.005) (0.009) (0.009) (0.011) (0.009) (0.011) (0.004) (0.004) (0.004) (0.004) (0.004) <i>ectivity Levels</i> ** 0.091 *** 0.092 *** 0.033 *** 0.054 *** 0.027 ** 0.026 ** 0.029 ** -0.003 -0.003 -0.002 (0.007) (0.007) (0.012) (0.018) (0.013) (0.013) (0.012) (0.014) (0.005) (0.005) (0.006) (0.006) (0.006) (0.006) (0.011) (0.011) (0.014) (0.005) (0.005) (0.006) (0.006) (0.011) (0.011) (0.011) (0.014) (0.005) (0.005) (0.006) (0.006) (0.0013) (0.013) (0.011) (0.011) (0.014) (0.005) (0.005) (0.006) (0.006) (0.013) (0.013) (0.011) (0.011) (0.014) (0.005) (0.005) (0.006) (0.006) (0.006) (0.013) (0.015) (0.011) (0.011) (0.011) (0.014) (0.005) (0.005) (0.006) (0.006) (0.006) (0.005) (0.006) (0.005) (0.005) (0.006) (0.006) (0.013) (0.015) (0.011) (0.011) (0.014) (0.005) (0.005) (0.006) (0.006) (0.005) (0.005) (0.006) (0.006) (0.006) (0.013) (0.015) (0.011) (0.011) (0.011) (0.014) (0.005) (0.005) (0.006) (0.006) (0.005) (0.006) (0.006) (0.005) (0.006) (0.005) (0.006) (0.005) (0.005) (0.006) (0.005) (0.005) (0.006) (0.006) (0.005) (0.005) (0.006) (0.005) (0.006) (0.005) (0.005) (0.006) (0.005) (0.005) (0.005) (0.006) (0.006) (0.005) (0.005) (0.006) (0.006) (0.005) (0.005) (0.005) (0.006) (0.005) (0.005) (0.005) (0.005) (0.006) (0.006) (0.005) (0.005) (0.006) (0.006) (0.005) (0.005) (0.005) (0.005) (0.006) (0.006) (0.005) (0.005) (0.005) (0.006) (0.006) (0.005) (0.005) (0.005) (0.006) (0.006) (0.005) (0.005) (0.005) (0.006) (0.006) (0.005) (0.005) (0.006) (0.006) (0.005) (0.005) (0.005) (0.006) (0.006) (0.006) (0.006) (0.005) (0.005) (0.006) (0.006) (0.005) (0.005) (0.005) (0.005) (0.005) (0.006) (0.006) (0.006) (0.005) (0.005) (0.006) (0.006) (0.006) (0.0013) (0.015) (0.011) (0.011) (0.011) (0.011) (0.011) (0.011) (0.011) (0.005) (0.005) (0.006) (0.006) (0.006) (0.005) (0.005) (0.005) (0.006) (0.006) (0.006) (0.006) (0.006) (0.006) (0.006) (0.006) (0.006) (0.006) (0.005) (0.005) (0.005) (0.	Cutoffs trends		Local linear	Cutoffs trends	Optimal	Local linear	Cutoffs trends		Local linear		Optimal	Local linear	Cutoffs trends	Optimal	Local linear
$\begin{array}{c} \textit{ectivity Levels} \\ \textit{ectivity Levels} \\ (0.007) & (0.007) & (0.012) & (0.013) & (0.013) & (0.013) & (0.026** \ 0.026** \ 0.003 & -0.003 & -0.002 \\ 0.007) & (0.007) & (0.012) & (0.018) & (0.013) & (0.013) & (0.012) & (0.014) & (0.005) & (0.005) \\ 1 & 1 & 1 \\ 00000000000000000000000000000000000$	<i>el A: All</i> ibility 0.084** (0.005) <i>ree of opt. poly.</i>		0.084^{***} (0.005)	0.025*** (0.009)	0.023*** (0.009) 1	0.024** (0.011)	0.017* (0.009)	0.016* (0.009) 1	0.014 (0.011)		-0.003 (0.004) 1	-0.003 (0.004)	-0.019** (0.009)	-0.017* (0.009) 1	-0.017* (0.010)
<i>ivity Levels</i> * 0.089**** 0.073*** 0.015 0.013 0.004 0.004 -0.001 -0.005 -0.005 -0.004 (0.010) (0.006) (0.013) (0.015) (0.011) (0.011) (0.014) (0.005) (0.006)	Panel B: Higher select Eligibility 0.091*** (0.007) Degree of opt. poly.	<i>:tivity Levels</i> * 0.091*** (0.007) 1	0.092*** (0.007)	0.033*** (0.012)	0.054^{***} (0.018) 2	0.035*** (0.013)	0.027** (0.013)	0.026** (0.012) 1		-0.003 (0.005)	-0.003 (0.005) 1		-0.033*** (0.012)	-0.052*** (0.018) 2	-0.032** (0.013)
	el C: Lower select ibility 0.073*** (0.006) ree of opt. poly.	<i>ivity Levels</i> * 0.089*** (0.010) 2	0.073*** (0.006)	0.015 (0.013)	0.015 (0.013) 1	0.013 (0.015)	0.004 (0.011)	0.004 (0.011) 1	-0.001 (0.014)	-0.005 (0.005)		-0.004 (0.006)	0.001 (0.014)	0.036 (0.033) 3	-0.000 (0.016)

Table A7 - Robustness Checks: Functional Forms

where we polynomial is obtained from a bins test (i.e., estimating models with a full set of score dummies together with the different parametric trends for order 1 to 4 polynomials, and where the recommended polynomial is the specification in which the set of bin dummies are jointly insignificant). The third column reports point estimates of α using local linear estimations. All estimates include triangular weights. *** p<0.01, ** p<0.05, * p<0.1. No^T whe

	(\mathbf{r})	(7)	(c)	(t	(c)	0)	Ξ	0	(4)	(11)
	First	First stage	High (High School	Enrol	Enrollment	GR	GR - ER	Menta	Mental health
I	enrol	enrollment	Gradı	Graduation	in	in HE	cons.	ns.	is	issue
	Bergen	Oslo	Bergen	Oslo	Bergen	Oslo	Bergen	Oslo	Bergen	Oslo
Panel A: All										
Eligibility	0.099^{***}	0.066^{***}	0.022^{**}	0.024^{*}	0.015	0.018	-0.003	-0.004	-0.015	-0.018
	$(0.007)^{+++}$	$(0.006)^{+++}$	$(0.011)^{+}$	(0.013)	(0.011)	(0.014)	(0.005)	(0.006)	(0.011)	(0.014)
Control mean	0.029	0.013	0.547	0.537	0.352	0.455	0.966	0.962	0.334	0.321
	28516	26400	28516	26400	28516	26400	28516	26400	28516	26400
Panel B: Higher selectivity I	r selectivity .	Levels								
Eligibility	0.107^{***}	0.075^{***}	0.030^{**}	0.035^{**}	0.025	0.030*	-0.002	-0.004	-0.028*	-0.035**
	$(0.011)^{+++}$	$(0.008)^{+++}$	$(0.015)^{+}$	$(0.017)^{+}$	(0.017)	(0.018)	(0.007)	(0.008)	(0.015)	$(0.017)^{+}$
Control mean	.040	.014	.718	.676	.498	.577	.960	.963	.282	.299
	14809	15707	14809	15707	14809	15707	14809	15707	14809	15707
Panel C: Lower selectivity Levels	selectivity L	evels								
Eligibility	0.090^{***}	0.052^{***}	0.016	0.012	0.005	0.002	-0.005	-0.004	-0.001	0.007
	+++(600.0)	$(0.008)^{+++}$	(0.017)	(0.020)	(0.014)	(0.019)	(0.007)	(0.008)	(0.018)	(0.021)
Control mean	.015	.012	.336	.302	.172	.249	.974	.961	.398	.356
	13707	10693	13707	10693	13707	10693	13707	10693	13707	10693

Table A8 - Robustness Checks: Analysis by City

Nore: This table reports the point estimates of α from equation (2) using a linear trend specification and triangular weights. Equation (2) estimated separately for students located in Hordaland (Bergen) or Oslo. The calculated mean of the outcome variable is for the control group, i.e., those with a score distance to admission cutoffs at most two points below the cutoff. Clustered standard errors (at individual level) in parentheses. *** p<0.01, ** p<0.05, * p<0.1; +++ p<0.05, + p<0.1 after accounting for multiple hypothesis testing using the procedure described in Romano and Wolf (2005).

	(1)	(2)	(3)	(4)	(5)
	First stage	High School	Enrollment	GR - ER	Mental health
	enrollment	Graduation	in HE	cons.	issue
Panel A: Girls					
Eligibility	0.076***	0.019	0.010	-0.001	-0.032**
	$(0.007)^{+++}$	(0.013)	(0.013)	(0.004)	$(0.014)^{++}$
Control mean	0.023	0.620	0.481	0.986	0.386
N	25561	25561	25561	25561	25561
Panel B: Boys					
Eligibility	0.089***	0.029**	0.022*	-0.005	-0.005
0 9	$(0.006)^{+++}$	$(0.011)^{++}$	$(0.011)^+$	(0.006)	(0.012)
Control mean	0.020	0.478	0.338	0.947	0.279
N	29355	29355	29355	29355	29355
Panel C: Paren	ts with higho	r education			
Eligibility	0.099***	0.012	0.012	-0.002	-0.015
Englointy	$(0.007)^{+++}$	(0.012)	(0.012)	(0.002)	(0.012)
Control mean	0.026	0.631	0.471	0.958	0.311
N	29478	29478	29478	29478	29478
Panel D: Paren	nts without hi	aher education			
Eligibility	0.064***	0.035***	0.020*	-0.005	-0.020
Englointy	$(0.004)^{+++}$	$(0.013)^{+++}$	(0.012)	(0.005)	(0.013)
Control mean	0.016	0.444	0.327	0.971	0.346
N	25438	25438	25438	25438	25438
Panel E: high	narontal inco	mo			
Eligibility	0.097***	0.024**	0.006	-0.007	-0.026**
Liigiointy	$(0.097)^{+++}$	$(0.024)^{+}$	(0.012)	(0.006)	$(0.012)^{++}$
Control mean	0.023	0.634	0.481	0.962	0.292
N	27738	27738	27738	27738	27738
11	21150	21150	21150	21130	21130
Panel F: low p				0.001	0.010
Eligibility	0.068***	0.021*	0.025**	0.001	-0.010
~ .	$(0.006)^{+++}$	(0.012)	(0.012)++	(0.005)	(0.013)
Control mean	0.020	0.455	0.327	0.966	0.361
Ν	27178	27178	27178	27178	27178

Table A9 - Heterogeneity Analysis by Student Gender and Social Background

NOTE: This table reports the point estimates of α from equation (2) using a linear trend specification and triangular weights. The calculated mean of the outcome variable is for the control group, i.e., those with a score distance to admission cutoffs at most two points below the cutoff. Clustered standard errors (at individual level) in parentheses. *** p<0.01, ** p<0.05, * p<0.1; **+ p<0.01, ** p<0.05, * p<0.1; **+ p<0.05, * p<0.1 after accounting for multiple hypothesis testing using the procedure described in Romano and Wolf (2005).

Appendix B

ICPC-2 – English	Blood, Blood Forming	Eye F	Musculoskeletal I
International Classification of	Organs and Immune	F01 Eye pain F02 Red eye	L01 Neck symptom/complain L02 Back symptom/complaint
Primary Care – 2 nd Edition	Mechanism B	F03 Eye discharge	L03 Low back symptom/complaint
Wonca International 🛛 🛛 🌮	B02 Lymph gland(s) enlarged/painful	F04 Visual floaters/spots	L04 Chest symptom/complaint
Wonca International Classification Committee	B02 Lymph gland(s) enlarged/painful B04 Blood symptom/complaint	F05 Visual disturbance other	L05 Flank/axilla symptom/complaint L07 Jaw symptom/complaint
WICC) Wonco	B25 Fear of aids/HIV	F13 Eye sensation abnormal F14 Eye movements abnormal	L07 Jaw symptom/complaint L08 Shoulder symptom/complaint
(W100) (10100	B26 Fear cancer blood/lymph	F14 Eye movements abnormal F15 Eye appearance abnormal	L09 Arm symptom/complaint
	B27 Fear blood/lymph disease other B28 Limited function/disability	F16 Eyelid symptom/complaint	L10 Elbow symptom/complaint
Process codes	B28 Limited function/disability B29 Sympt/complt lymph/immune other	F17 Glasses symptom/complaint	L11 Wrist symptom/complaint
30 Medical Exam/Eval-Complete	B70 Lymphadenitis acute	F18 Contact lens symptom/complaint	L12 Hand/finger symptom/complaint L13 Hip symptom/complaint
30 Medical Exam/Eval-Complete 31 Medical Examination/Health Evaluation-	B71 Lymphadenitis non-specific	F27 Fear of eye disease F28 Limited function/disability (f)	Ll4 Leg/thigh symptom/complaint
Partial/Pre-op check	B72 Hodgkin's disease/lymphoma	F29 Eye symptom/complaint other	L15 Knee symptom/complaint
32 Sensitivity Test	B73 LeukaemiaB74 Malignant neoplasm blood other	F70 Conjunctivitis infectious	L16 Ankle symptom/complaint
33 Microbiological/Immunological Test	B75 Benign/unspecified neoplasm blood	F71 Conjunctivitis allergic	L17 Foot/toe symptom/complaint L18 Muscle pain
34 Blood Test 35 Urine Test	B76 Ruptured spleen traumatic	F72 Blepharitis/stye/chalazion F73 Eye infection/inflammation other	L19 Muscle symptom/complaint NOS
36 Faeces Test	B77 Injury blood/lymph/spleen other	F74 Neoplasm of eye/adnexa	L20 Joint symptom/complaint NOS
37 Histological/Exfoliative Cytology	B78Hereditary haemolytic anaemiaB79Congen.anom. blood/lymph other	F75 Contusion/haemorrhage eye	L26 Fear of cancer musculoskeletal
38 Other Laboratory Test NEC	B80 Iron deficiency anaemia	F76 Foreign body in eye	L27 Fear musculoskeletal disease other
39 Physical Function Test	B81 Anaemia, Vitamin B12/folate def.	F79 Injury eye other	L28 Limited function/disability (l) L29 Sympt/complt. Musculoskeletal other
40 Diagnostic Endoscopy 41 Diagnostic Radiology/Imaging	B82 Anaemia other/unspecified	F80 Blocked lacrimal duct of infant F81 Congenital anomaly eye other	L70 Infections musculoskeletal system
42 Electrical Tracings	B83 Purpura/coagulation defect	F82 Detached retina	L71 Malignant neoplasm musculoskeletal
43 Other Diagnostic Procedures	B84 Unexplained abnormal white cells	F83 Retinopathy	L72 Fracture: radius/ulna
44 Preventive Imunisations/Medications	B87 Splenomegaly B90 HIV-infection/aids	F84 Macular degeneration	L73 Fracture: tibia/fibula
45 Observe/Educate/Advice/Diet	B99 Blood/lymph/spleen disease other	F85 Corneal ulcer	L74 Fracture: hand/foot bone L75 Fracture: femur
46 Consult with Primary Care Provider47 Consultation with Specialist		F86 Trachoma F91 Refractive error	L75 Fracture: femur L76 Fracture: other
41 Consultation with Specialist 48 Clarification/Discuss Patient's RFE	DROCESS CODES	F91 Refractive error F92 Cataract	L77 Sprain/strain of ankle
49 Other Preventive Procedures	PROCESS CODES	F93 Glaucoma	L78 Sprain/strain of knee
50 Medicat-Script/Reqst/Renew/Inject	SYMPTOMS/COMPLAINTS	F94 Blindness	L79 Sprain/strain of joint NOS
51 Incise/Drain/Flush/Aspirate		F95 Strabismus	L80 Dislocation/subluxation
52 Excise/Remove/Biopsy/Destruction/ Debride	INFECTIONS	F99 Eye/adnexa disease, other	L81 Injury musculoskeletal NOS L82 Congenital anomaly musculoskeletal
Debride 53 Instrument/Catheter/Intubate/Dilate		Ear H	L83 Neck syndrome
54 Repair/Fixate-Suture/Cast/Prosthetic	NEOPLASMS	H01 Ear pain/earache	L84 Back syndrome w/o radiating pain
55 Local Injection/Infiltration	INITIDIES	H02 Hearing complaint	L85 Acquired deformity of spine
56 Dress/Press/Compress/Tamponade	INJURIES	H03 Tinnitus, ringing/buzzing ear	L86 Back syndrome with radiating pain L87 Bursitis/tendinitis/synovitis NOS
57 Physical Medicine/Rehabilitation	CONGENITAL ANOMALIES	H04 Ear discharge H05 Bleeding ear	L87 Bursitis/tendinitis/synovitis NOS L88 Rheumatoid/seropositive arthritis
58 Therapeutic Counselling/Listening 59 Other Therapeutic Procedure NEC	CONGENITALIANOMALIES	H13 Plugged feeling ear	L89 Osteoarthrosis of hip
80 Results Tests/Procedures	OTHER DIAGNOSES	H15 Concern with appearance of ears	L90 Osteoarthrosis of knee
1 Results Exam/Test/Record	O THER DIMONODED	H27 Fear of ear disease	L91 Osteoarthrosis other
62 Administrative Procedure		H28 Limited function/disability ear	L92 Shoulder syndrome
53 Follow-up Encounter Unspecified	Digestive D	H29 Ear symptom/complaint other	L93 Tennis elbow L94 Osteochondrosis
64 Encounter Initiated by Provider	D01 Abdominal pain/cramps general	H70 Otitis externa H71 Acute otitis media/myringitis	L94 Osteochondrosis L95 Osteoporosis
 Encounter Initiated third person Refer to Other Provider (EXCL. M.D.) 	D02 Abdominal pain epigastric	H72 Serous otitis media	L96 Acute internal damage knee
67 Referral to Physician/Specialist/	D03 Heartburn	H73 Eustachian salpingitis	L97 Neoplasm benign/unspec musculo.
Clinic/Hospital	D04 Rectal/anal pain D05 Perianal itching	H74 Chronic otitis media	L98 Acquired deformity of limb
68 Other Referrals NEC	D06 Abdominal pain localized other	H75 Neoplasm of ear	L99 Musculoskeletal disease, other
69 Other Reason for Encounter NEC	D07 Dyspepsia/indigestion	H76 Foreign body in ear H77 Perforation ear drum	Neurological N
General and	D08 Flatulence/gas/belching	H77 Perforation ear drum H78 Superficial injury of ear	N01 Headache
Unspecified A	D09 Nausea D10 Vomiting	H79 Ear injury other	N03 Pain face
	D10 Vomiting D11 Diarrhoea	H80 Congenital anomaly of ear	N04 Restless legs
A01 Pain general/multiple sites	D12 Constipation	H81 Excessive ear wax	N05 Tingling fingers/feet/toes
102 Chills 103 Fever	D13 Jaundice	H82 Vertiginous syndrome	N06 Sensation disturbance other N07 Convulsion/seizure
105 rever 104 Weakness/tiredness general	D14 Haematemesis/vomiting blood	H83 Otosclerosis H84 Presbyacusis	N07 Convulsion/seizure N08 Abnormal involuntary movements
	D15 Melaena		N16 Disturbance of smell/taste
105 Feeling ill		H85 Acoustic trauma	
	D16 Rectal bleeding	H85 Acoustic trauma H86 Deafness	N17 Vertigo/dizziness
06 Fainting/syncope 07 Coma	D16 Rectal bleeding D17 Incontinence of bowel		N18 Paralysis/weakness
.06 Fainting/syncope .07 Coma .08 Swelling	D16 Rectal bleeding D17 Incontinence of bowel D18 Change faeces/bowel movements	H86 Deafness H99 Ear/mastoid disease, other	N18 Paralysis/weakness N19 Speech disorder
106 Fainting/syncope 107 Coma 108 Swelling 109 Sweating problem	D16 Rectal bleeding D17 Incontinence of bowel	H86 Deafness H99 Ear/mastoid disease, other Cardiovascular K	N18 Paralysis/weakness N19 Speech disorder N26 Fear cancer neurological system
106 Fainting/syncope 107 Coma 108 Swelling 109 Sweating problem 110 Bleeding/haemorrhage NOS	D16 Rectal bleeding D17 Incontinence of bowel D18 Change facecs/bowel movements D19 Teeth/gum symptom/complaint D20 Mouth/tongue/lip symptom/complit. D21 Swallowing problem	H86 Deafness H99 Ear/mastoid disease, other Cardiovascular K K01 Heart pain	N18 Paralysis/weakness N19 Speech disorder N26 Fear cancer neurological system N27 Fear of neurological disease other
106 Fainting/syncope 107 Coma 108 Swelling 109 Sweating problem 110 Bleeding/haemorrhage NOS 111 Chest pain NOS	D16 Rectal bleeding D17 Incontinence of bowel D18 Change faceschowel movements D19 Teeth/gum symptom/complaint D20 Mouth/tongue/lip symptom/complt. D21 Swallowing problem D23 Hepatomegaly	H86 Deafness H99 Ear/mastoid disease, other Cardiovascular K K01 Heart pain K02 Pressure/lightness of heart	N18 Paralysis/weakness N19 Speech disorder N26 Fear cancer neurological system N27 Fear of neurological disease other
06 Fainting/syncope 07 Coma 08 Swelling 09 Sweating problem 10 Bleeding/haemorrhage NOS 11 Chest pain NOS 13 Concern/fear medical treatment 16 Irritable infant	D16 Rectal bleeding D17 Incontinence of bowel D18 Change faeces/bowel movements D19 Teeth/yum symptom/complaint D20 Mouth/tongue/lip symptom/complt. D21 Swallowing problem D23 Hepatomegaly D24 Abdominal mass NOS	H86 Deafness H99 Ear/mastoid disease, other Cardiovascular K K01 Heart pain	N18 Paralysis/weakness N19 Speech disorder N26 Fear cancer neurological system N27 Fear of neurological disease other N28 Limited function/disability (n) N29 Neurological symptom/complt. other N70 Poliomyelitis
006 Fainting/syncope 007 Coma 008 Swelling 009 Sweating problem 100 Bleeding/haemorrhage NOS 111 Chest pain NOS 132 Concern/fear medical treatment 143 Irritable infant 146 Corcern about appearance	D16 Rectal bleeding D17 Incontinence of bowel D18 Change facecs/bowel movements D19 Teeth/gum symptom/complaint D20 Mouth/tongue/lip symptom/complit. D21 Swallowing problem D23 Hepatomegaly D24 Abdominal mass NOS D25 Abdominal distension	H86 Deafness H99 Ear/mastoid disease, other Cardiovascular K K01 Heart pain K02 Pressure/tightness of heart K03 Cardiovascular pain NOS K04 Palpitations/awareness of heart K05 Irregular heartbeat other	N18 Paralysis/weakness N19 Speech disorder N26 Fear cancer neurological system N27 Fear of neurological disease other N28 Limited function/disability (n) N29 Neurological symptom/compil. other N70 Poliomyelitis N71 Meningitis/encephalitis
106 Fainting/syncope 107 Coma 108 Swelling 109 Sweating problem 110 Bleeding/haemorrhage NOS 111 Chest pain NOS 113 Concern/fear medical treatment 116 Irritable infant 118 Concern about appearance 120 Euthanasia request/discussion	D16 Rectal bleeding D17 Incontinence of bowel D18 Change faeces/bowel movements D19 Teeth/yum symptom/complaint D20 Mouth/tongue/lip symptom/complt. D21 Swallowing problem D23 Hepatomegaly D24 Abdominal mass NOS	H86 Deafness H99 Ear/mastoid disease, other Cardiovascular K K01 Heart pain K02 Pressure/tightness of heart K03 Cardiovascular pain NOS K04 Palpitations/awareness of heart K05 Irregular heartbeat other K06 Prominent veins	N18 Paralysis/weakness N19 Speech disorder N26 Fear cancer neurological system N27 Fear cancer neurological disease other N28 Limited function/disability (n) N29 Neurological symptom/compil. other N70 Poliomyelitis N71 Meningitis/encephalitis N72 Tetanus
06 Fainting/syncope 07 Coma 08 Swelling 09 Sweating problem 10 Bleeding/haemorrhage NOS 11 Chest pain NOS 12 Concern/fear medical treatment 16 Irritable infant 17 Concern about appearance 20 Euthansaia request/discussion 21 Risk factor for malignancy	D16 Rectal bleeding D17 Incontinence of bowel D18 Change facecs/bowel movements D19 Teeth/gum symptom/complaint D20 Mouth/tongue/lip symptom/complt. D21 Swallowing problem D23 Hepatomegaly D24 Abdominal mass NOS D25 Abdominal distension D26 Fear of cancer of digestive system	H86 Deafness H99 Ear/mastoid disease, other Cardiovascular K K01 Heart pain K K02 Pressure/tightness of heart K K03 Cardiovascular pain NOS K K04 Palpitations/awareness of heart K K06 Prominent veins K K07 Swollen ankles/oedema K	N18 Paralysis/weakness N19 Speech disorder N26 Fear cancer neurological system N27 Fear cancer neurological disease other N28 Limited function/disability (n) N29 Neurological symptom/complt. other N70 Poliomyelitis N71 Meningitis/encephalitis N72 Tetanus N73 Neurological infection other
006 Fainting/syncope 007 Coma 008 Swelling 009 Sweating problem 100 Bleeding/haemorrhage NOS 111 Chest pain NOS 123 Concern/fear medical treatment 146 Irritable infant 158 Concern about appearance 201 Euthanasia request/discussion 213 Risk factor for malignancy 23 Risk factor NOS	D16 Rectal bleeding D17 Incontinence of bowel D18 Change facecs/bowel movements D19 Teeth/gum symptom/complaint D20 Mouth/tongue/lip symptom/complt. D21 Swallowing problem D23 Hepatomegaly D24 Abdominal mass NOS D25 Abdominal distension D26 Fear of cancer of digestive system D27 Fear of cancer of digestive (d) D28 Limited function/disability (d) D29 Digestive symptom/complaint other	H86 Deafness H99 Ear/mastoid disease, other Cardiovascular K K01 Heart pain K02 Pressure/tightness of heart K03 Cardiovascular pain NOS K04 Palpitations/awareness of heart K05 Irregular heartbeat other K06 Prominent veins K07 Swollen ankles/oedema K12 Risk factor cardiovascular disease	N18 Paralysis/weakness N19 Speech disorder N26 Fear cancer neurological system N27 Fear of neurological disease other N28 Limited function/disability (n) N29 Neurological symptom/complt. other N70 Poliomyelitis N71 Meningitis/encephalitis N72 Tetanus N73 Neurological infection other N74 Malignant neoplasm nervous system
106 Fainting/syncope 107 Coma 108 Swelling 109 Sweating problem 101 Bleeding/haemorrhage NOS 111 Chest pain NOS 113 Concern/fear medical treatment 116 Irritable infant 118 Concern about appearance 120 Euthanasia request/discussion 121 Risk factor for malignancy 123 Risk factor NOS 124 Fear of death/dying	D16 Rectal bleeding D17 Incontinence of bowel D18 Change facecs/bowel movements D19 Teeth/gum symptom/complaint D20 Mouth/tongue/lip symptom/complaint D21 Swallowing problem D23 Hepatomegaly D24 Abdominal mass NOS D25 Abdominal distension D26 Fear of cancer of digestive system D27 Fear of diagestive disease other D28 Limited function/disability (d) D29 Digestive symptom/complaint other D70 Gastrointestinal infection	H86 Deafness H99 Ear/mastoid disease, other Cardiovascular K K01 Heart pain K02 Pressure/tightness of heart K03 Cardiovascular pain NOS K04 Palpitations/awareness of heart K05 Irregular heartbeat other K06 Prominent veins K07 Swollen ankles/oedema K22 Risk factor cardiovascular disease K24 Fear of heart disease	N18 Paralysis/weakness N19 Speech disorder N26 Fear cancer neurological system N27 Fear of neurological disease other N28 Limited function/disability (n) N29 Neurological symptom/compit. other N70 Poliomyelitis N71 Meningitis/encephalitis N72 Tetanus N73 Neurological infection other N74 Malignant neoplasm nervous system
106 Fainting/syncope 107 Coma 108 Swelling 109 Sweating problem 101 Bleeding/haemorrhage NOS 111 Chest pain NOS 113 Concern/fear medical treatment 116 Irritable infant 118 Concern about appearance 120 Euthanasia request/discussion 121 Risk factor for malignancy 122 Risk factor NOS 125 Fear of cancer NOS 126 Fear of conter NOS 127 Fear of other disease NOS	D16 Rectal bleeding D17 Incontinence of bowel D18 Change facecs/bowel movements D19 Teeth/gum symptom/complaint D20 Mouth/tongue/lip symptom/complt. D21 Swallowing problem D23 Hepatomegaly D24 Abdominal mass NOS D25 Abdominal distension D26 Fear of cancer of digestive system D27 Fear of digestive disease other D28 Limited function/disability (d) D29 Digestive symptom/complaint other D70 Gastrointestinal infection D71 Mumps	H86 Deafness H99 Ear/mastoid disease, other Cardiovascular K K01 Heart pain K02 Pressure/tightness of heart K03 Cardiovascular pain NOS K04 Palpitations/awareness of heart K05 Irregular heartbeat other K06 Prominent veins K07 Swollen ankles/oedema K22 Risk factor cardiovascular disease K24 Fear of heart disease K25 Fear of hypertension K27 Fear cardiovascular disease other	N18 Paralysis/weakness N19 Speech disorder N26 Fear cancer neurological system N27 Fear of neurological disease other N28 Limited function/disability (n) N29 Neurological symptom/compil. other N70 Poliomyelitis N71 Meningitis/encephalitis N72 Tetanus N73 Neurological infection other N74 Benign neoplasm nervous system N75 Benign nervous system unspec. N79 Concussion
006 Fainting/syncope 007 Coma 008 Swelling 009 Sweating problem 100 Bleeding/haemorrhage NOS 111 Chest pain NOS 112 Concern/fear medical treatment 113 Concern/fear medical treatment 116 Irritable infant 118 Concern about appearance 120 Euthanasia request/discussion 121 Risk factor for malignancy 223 Risk factor NOS 235 Fear of cancer NOS 246 Fear of cancer NOS 247 Fear of cancer NOS 248 Limited function/disability NOS	D16 Rectal bleeding D17 Incontinence of bowel D18 Change facecs/bowel movements D19 Teeth/gum symptom/complaint D20 Mouth/tongue/lip symptom/complt. D13 Shallowing problem D23 Hepatomegaly D24 Abdominal mass NOS D25 Abdominal distension D26 Fear of cancer of digestive system D27 Fear of digestive disease other D28 Ligestive symptom/complaint other D29 Digestive symptom/complaint other D70 Gastrointestinal infection D71 Mumps D72 Viral hepatitis	H86 Deafness H99 Ear/mastoid disease, other Cardiovascular K K01 Heart pain K K02 Pressure/tightness of heart K K03 Cardiovascular pain NOS K K04 Palpitations/awareness of heart K K05 Irregular heartbeat other K K06 Prominent veins K K07 Swollen ankles/oedema K K22 Risk factor cardiovascular disease K K24 Fear of hypertension K K27 Fear cardiovascular disease other K K28 Limited function/disability (k) K	N18 Paralysis/weakness N19 Speech disorder N26 Fear cancer neurological system N27 Fear cancer neurological system N27 Fear cancer neurological disease other N28 Jimited function/disability (n) N29 Neurological symptom/complt. other N70 Poliomyelitis N71 Meningitis/encephalitis N72 Tetanus N73 Neurological infection other N74 Malignant neoplasm nervous system N75 Benign neoplasm nervous system N76 Neoplasm nervous system unspec. N77 Ocncussion N80 Head injury other
006 Fainting/syncope 007 Coma 008 Swelling 009 Sweating problem 100 Bleeding/haemorrhage NOS 111 Chest pain NOS 123 Concern/fear medical treatment 131 Concern about appearance 121 Risk factor for malignancy 123 Risk factor NOS 124 Fear of death/dying 125 Fear of cancer NOS 126 Fear of other disease NOS 128 Limited function/disability NOS 129 General symptom/complaint other	D16 Rectal bleeding D17 Incontinence of bowel D18 Change facecs/bowel movements D19 Teeth/gum symptom/complaint D20 Mouth/tongue/lip symptom/complt. D21 Swallowing problem D23 Hepatomegaly D24 Abdominal mass NOS D25 Abdominal distension D26 Fear of cancer of digestive system D27 Fear of digestive disease other D28 Limited function/disability (d) D29 Digestive symptom/complaint other D70 Gastrointestinal infection D71 Mumps	H86 Deafness H99 Ear/mastoid disease, other Cardiovascular K K01 Heart pain K K02 Pressure/tightness of heart K K03 Cardiovascular pain NOS K K04 Palpitations/awareness of heart K K05 Irregular heartbeat other K K07 Swollen ankles/oedema K K22 Risk factor cardiovascular disease K K24 Fear of hypertension K K27 Fear cardiovascular disease other K K28 Limited function/disability (k) K K29 Cardiovascular sympt./compil. other	N18 Paralysis/weakness N19 Speech disorder N26 Fear cancer neurological system N27 Fear cancer neurological system N27 Fear cancer neurological disease other N28 Limited function/disability (n) N29 Neurological symptom/complt. other N70 Poliomyelitis N71 Meningitis/encephalitis N72 Tetanus N73 Neurological infection other N74 Malignant neoplasm nervous system N75 Benign neoplasm nervous system N76 Neoplasm nervous system unspec. N77 Concussion N80 Head injury other N81 Injury nervous system other
006 Fainting/syncope 007 Coma 008 Swelling 009 Sweating problem 100 Bleeding/haemorrhage NOS 111 Chest pain NOS 123 Concern/fear medical treatment 131 Concern about appearance 148 Concern about appearance 149 Euthanasia request/discussion 121 Risk factor NOS 223 Risk factor NOS 235 Fear of cancer NOS 247 Fear of cancer NOS 257 Fear of other disease NOS 28 Limited function/disability NOS 29 General symptom/complaint other 70 Tuberculosis	D16 Rectal bleeding D17 Incontinence of bowel D18 Change facecs/bowel movements D19 Teeth/gum symptom/complaint D20 Mouth/tongue/lip symptom/complaint D21 Swallowing problem D23 Hepatomegaly D24 Abdominal distension D25 Abdominal distension D26 Fear of cancer of digestive system D27 Fear of diagestive disease other D28 Limited function/disability (d) D29 Digestive symptom/complaint other D70 Gastrointestinal infection D71 Mumps D72 Viral hepatitis D73 Gastroenterinis presumed infection	H86 Deafness H99 Ear/mastoid disease, other Cardiovascular K K01 Heart pain K02 Pressure/tightness of heart K03 Cardiovascular pain NOS K04 Palpitations/awareness of heart K05 Irregular heartbeat other K06 Prominent veins K07 Swollen ankles/oedema K12 Risk factor cardiovascular disease K24 Fear of hypertension K27 Fear cardiovascular sympt./complt. other K28 Limited function/disability (k) K29 Cardiovascular sympt./complt. other K70 Infection of circulatory system	N18 Paralysis/weakness N19 Speech disorder N26 Fear cancer neurological system N27 Fear of neurological disease other N28 Limited function/disability (n) N29 Neurological symptom/compil. other N70 Poliomyelitis N71 Meningitis/encephalitis N72 Tetanus N73 Neurological infection other N74 Benign neoplasm nervous system N76 Benign neoplasm nervous system N77 Concussion N80 Head injury other N81 Injury nervous system other N85 Congenital anomaly neurological
006 Fainting/syncope 007 Coma 008 Swelling 009 Sweating problem 100 Bleeding/haemorrhage NOS 110 Bleeding/haemorrhage NOS 111 Chest pain NOS 112 Concern/fear medical treatment 116 Irritable infant 118 Concern about appearance 120 Euthanasia request/discussion 121 Risk factor for malignancy 223 Risk factor NOS 225 Fear of cancer NOS 226 Fear of cancer NOS 227 Fear of cancer NOS 228 Limited function/disability NOS 239 Elamited function/complaint other 240 Fear of sease NOS 251 Limited function/sis 270 Tuberculosis 271 Meales	D16 Rectal bleeding D17 Incontinence of bowel D18 Change facecs/bowel movements D19 Teeth/gum symptom/complaint D20 Mouth/tongue/lip symptom/complaint D21 Swallowing problem D23 Hepatomegaly D24 Abdominal distension D25 Fear of cancer of digestive system D26 Fear of digestive disease other D28 Limited function/disability (d) D29 Digestive symptom/complaint other D70 Gastrointestinal infection D71 Mumps D72 Viral hepatitis D73 Gastroenteritis presumed infection D74 Malignant neoplasm stomach D75 Malignant neoplasm plasm colon/rectum	H86 Deafness H99 Ear/mastoid disease, other Cardiovascular K K01 Heart pain K02 Pressure/tightness of heart K03 Cardiovascular pain NOS K04 Palpitations/awareness of heart K05 Irregular heartbeat other K06 Prominent veins K07 Swollen ankles/oedema K22 Risk factor cardiovascular disease K23 Fear of hypertension K27 Fear cardiovascular sympt./complt. other K28 Cardiovascular sympt./complt. other K29 Cardiovascular sympt./complt. other K70 Infection of circulatory system K71 Rheumatic fever/heart disease	N18 Paralysis/weakness N19 Speech disorder N26 Fear cancer neurological system N27 Fear cancer neurological system N27 Fear cancer neurological disease other N28 Limited function/disability (n) N29 Neurological symptom/complt. other N70 Poliomyelitis N71 Meningitis/encephalitis N72 Tetanus N73 Neurological infection other N74 Malignant neoplasm nervous system N75 Beniggn neoplasm nervous system N76 Concussion N77 Concussion N80 Head injury other N81 Injury nervous system other
006 Fainting/syncope 007 Coma 008 Swelling 009 Sweating problem 100 Bleeding/haemorrhage NOS 111 Chest pain NOS 123 Concern/fear medical treatment 131 Concern about appearance 143 Concern about appearance 144 Concern about appearance 145 Edutansia request/discussion 121 Risk factor NOS 123 Risk factor NOS 126 Fear of cancer NOS 127 Fear of other disease NOS 128 General symptom/complaint other 129 General symptom/complaint other 120 General symptom/complaint other 121 Measles 122 Chickenpox	D16 Rectal bleeding D17 Incontinence of bowel D18 Change faces/bowel movements D19 Teeth/gum symptom/complaint D20 Mouth/tongue/lip symptom/complaint D21 Mouth/tongue/lip symptom/complaint D23 Hepatomegaly D23 Hepatomegaly D24 Abdominal distension D25 Fear of cancer of digestive system D26 Fear of digestive disease other D21 Limited function/disability (d) D29 Digestive symptom/complaint other D70 Gastroenteritis presumed infection D71 Mumps D72 Viral hepatitis D73 Gastroenteritis presumed infection D74 Malignant neoplasm stomach D75 Malignant neoplasm stomach D76 Malignant neoplasm tolon/rectum D76 Malignant neoplasm tolon/rectum D76 Malignant neoplasm tolon/rectum D76 Malignant neoplasm tolon/rectum	H86 Deafness H99 Ear/mastoid disease, other Cardiovascular K K01 Heart pain K K02 Pressure/tightness of heart K K03 Cardiovascular pain NOS K K04 Palpitations/awareness of heart K K05 Irregular heartbeat other K K07 Swollen ankles/oedema K K22 Risk factor cardiovascular disease K K24 Fear of hypertension K K27 Fear cardiovascular disease other K K28 Limited function/disability (k) K K29 Cardiovascular sympt./complt. other K K70 Infection of circulatory system K K71 Rheumatic fever/heart disease K	N18 Paralysis/weakness N19 Speech disorder N26 Fear cancer neurological system N27 Fear oncor neurological system N27 Fear oncor neurological disease other N28 Limited function/disability (n) N29 Neurological symptom/compil. other N70 Poliomyelitis N71 Meningitis/encephalitis N72 Tetanus N73 Neurological infection other N74 Malignant neoplasm nervous system N75 Benign neoplasm nervous system N76 Neoplasm nervous system unspec. N77 Concussion N80 Head injury other N81 Injury nervous system other N86 Multiple sclerosis N87 Parkinsonism N88 Epilepsy
006 Fainting/syncope 007 Coma 008 Swelling 009 Sweating problem 100 Bleeding/haemorrhage NOS 101 Chest pain NOS 113 Concern/fear medical treatment 116 Irritable infant 118 Concern about appearance 120 Euthanasia request/discussion 121 Risk factor NOS 223 Risk factor NOS 225 Fear of cancer NOS 226 Fear of other disease NOS 227 Fear of other disease NOS 238 Limited function/disability NOS 249 General symptom/complaint other 700 Tuberculosis 71 Measles 723 Malaria 734 Rubella	D16 Rectal bleeding D17 Incontinence of bowel D18 Change facecs/bowel movements D19 Teeth/gum symptom/complaint D20 Mouth/tongue/lip symptom/complit. D21 Swallowing problem D23 Hepatomegaly D24 Abdominal distension D25 Abdominal distension D26 Fear of cancer of digestive system D27 Fear of cancer of digestive system D28 Ligestive disease other D28 Ligestive symptom/complaint other D29 Digestive symptom/complaint other D70 Gastrointestinal infection D71 Mumps D72 Viral hepatitis D73 Gastroenteritis presumed infection D74 Malignant neoplasm stomach D75 Malignant neoplasm pancreas D76 Malign.neoplasm digest other/NOS D78 Neoplasm digest benign/uncertain	H86 Deafness H99 Ear/mastoid disease, other Cardiovascular K K01 Heart pain K02 Pressure/tightness of heart K03 Cardiovascular pain NOS K04 Palpitations/awareness of heart K05 Irregular heartbeat other K06 Prominent veins K07 Swollen ankles/oedema K22 Risk factor cardiovascular disease K24 Fear of heart disease K25 Fear of hypertension K27 Fear cardiovascular sympt./complt. other K28 Limited function/disability (k) K29 Cardiovascular sympt./complt. other K70 Infection of circulatory system K71 Rheumatic fever/heart disease K72 Neoplasm cardiovascular K73 Congenital anomaly cardiovascular K74 Ischaemic heart disease w. angina	N18 Paralysis/weakness N19 Speech disorder N26 Fear cancer neurological system N27 Fear cancer neurological system N27 Fear cancer neurological disease other N28 Jimited function/disability (n) N29 Neurological symptom/compil. other N70 Poliomyelitis N71 Menigits/encephalitis N72 Tetanus N73 Neurological infection other N74 Malignant neoplasm nervous system N75 Benign neoplasm nervous system N76 Neoplasm nervous system unspec. N77 Ocncussion N80 Head injury other N81 Injury nervous system other N85 Congenital anomaly neurological N86 Multiple sclerosis N87 Parkinsonism N88 Epilepsy N83 Migraine
106 Fainting/syncope 107 Coma 108 Swelling 109 Sweating problem 101 Bleeding/haemorrhage NOS 111 Chest pain NOS 113 Concern/fear medical treatment 116 Irritable infant 117 Bits factor for malignancy 128 Risk factor NOS 129 Fear of death/dying 126 Fear of cancer NOS 127 Fear of other disease NOS 128 Imited function/disability NOS 129 General symptom/complaint other 120 Tuberculosis 121 Measles 122 Kikenpox 123 Rubella	D16 Rectal bleeding D17 Incontinence of bowel D18 Change facecs/bowel movements D19 Teeth/gum symptom/complaint D20 Mouth/tongue/lip symptom/complaint D21 Swallowing problem D23 Hepatomegaly D24 Abdominal distension D25 Fear of cancer of digestive system D26 Fear of digestive disease other D27 Fear of digestive disease other D28 Limited function/disability (d) D29 Digestive symptom/complaint other D70 Gastrointestinal infection D71 Mumps D72 Viral hepatitis D73 Gastroenteritis presumed infection D74 Malignant neoplasm stomach D75 Malignant neoplasm stomach D76 Malignant neoplasm digest other/NOS D77 Malignant neoplasm digest other/NOS D78 Neoplasm digest benign/uncertain D74 Neoplasm digest benign/uncertain	H86 Deafness H99 Ear/mastoid disease, other Cardiovascular K K01 Heart pain K K02 Pressure/tightness of heart K K03 Cardiovascular pain NOS K K04 Palpitations/awareness of heart K K05 Irregular heartbeat other K K06 Prominent veins K K07 Swollen ankles/oedema K K22 Risk factor cardiovascular disease K K24 Fear of hypertension K K27 Fear cardiovascular sympt./compt. other K K28 Limited function/disability (k) L K29 Cardiovascular sympt./compt. other K K70 Infection of circulatory system K K71 Rheumatic fever/heart disease K K73 Congenital anomaly cardiovascular K K74 Ischaemic heart disease w. angina K K75 Acute myocardial infarction K	N18 Paralysis/weakness N19 Speech disorder N26 Fear cancer neurological system N27 Fear of neurological disease other N28 Imited function/disability (n) N29 Neurological symptom/compil. other N70 Poliomyelitis N71 Meningitis/encephalitis N72 Tetanus N73 Neurological infection other N74 Benign neoplasm nervous system N75 Benign neoplasm nervous system N76 Neoplasm nervous system unspec. N79 Concussion N80 Head injury other N81 Injury nervous system other N85 Congenital anomaly neurological N86 Multiple sclerosis N87 Parkinsonism N88 Epilepsy N89 Migraine N90 Cluster headache
106 Fainting/syncope 107 Coma 108 Swelling 109 Sweating problem 101 Bleeding/haemorrhage NOS 110 Bleeding/haemorrhage NOS 111 Chest pain NOS 112 Concern/fear medical treatment 113 Concern about appearance 124 Risk factor for malignancy 125 Fear of cancer NOS 126 Fear of cancer NOS 127 Fear of chert disease NOS 128 Limited function/disability NOS 129 General symptom/complaint other 120 Uberculosis 121 Measles 122 Chickenpox 133 Chickenpox 134 Rubella 135 Infectious mononucleosis	D16 Rectal bleeding D17 Incontinence of bowel D18 Change facecs/bowel movements D19 Teeth/gum symptom/complaint D20 Mouth/tongue/lip symptom/complit. D21 Swallowing problem D23 Hepatomegaly D24 Abdominal distension D25 Abdominal distension D26 Fear of cancer of digestive system D27 Fear of cancer of digestive system D28 Ligestive disease other D28 Ligestive symptom/complaint other D29 Digestive symptom/complaint other D70 Gastrointestinal infection D71 Mumps D72 Viral hepatitis D73 Gastroenteritis presumed infection D74 Malignant neoplasm stomach D75 Malignant neoplasm pancreas D76 Malign.neoplasm digest other/NOS D78 Neoplasm digest benign/uncertain	H86 Deafness H99 Ear/mastoid disease, other Cardiovascular K K01 Heart pain K K02 Pressure/tightness of heart K K03 Cardiovascular pain NOS K K04 Paipitations/awareness of heart K K05 Irregular heartbeat other K K06 Prominent veins K K07 Swollen ankles/oedema K K22 Risk factor cardiovascular disease K24 Fear of hypertension K27 Fear cardiovascular sympt./complt. other K70 Infection of circulatory system K71 K71 Rheumatic fever/heart disease K72 K73 Congenital anomaly cardiovascular K74 K74 Ischaemic heart disease w. angina K76	N18 Paralysis/weakness N19 Speech disorder N26 Fear cancer neurological system N27 Fear cancer neurological system N27 Fear cancer neurological system N28 Limited function/disability (n) N29 Neurological symptom/compil. other N70 Poliomyelitis N71 Meningitis/encephalitis N72 Tetanus N73 Neurological infection other N74 Malignant neoplasm nervous system N75 Benign neoplasm nervous system N76 Neoplasm nervous system unspec. N77 Concussion N80 Head injury other N81 Injury nervous system other N86 Multiple sclerosis N87 Parkinsonism N88 Epilepsy N89 Migraine N90 Cluster headache N91 Facial paralysis/bell's palsy
106 Fainting/syncope 107 Coma 108 Swelling 109 Sweating problem 110 Bleeding/haemorrhage NOS 111 Chest pain NOS 113 Concern/fear medical treatment 114 Fritable infant 115 Concern about appearance 126 Euthanasia request/discussion 121 Risk factor for malignancy 123 Risk factor NOS 124 Fear of cancer NOS 125 Fear of cancer NOS 126 Fear of cancer NOS 127 Fear of other disease NOS 128 Limited function/disability NOS 129 General symptom/complaint other 170 Tuberculosis 171 Measles 172 Chickenpox 173 Malaria 174 Rubella 175 Infectious monoucleosis 176 Viral exanthem other 177 Viral disease other/NOS	D16 Rectal bleeding D17 Incontinence of bowel D18 Change facecs/bowel movements D19 Teeth/gum symptom/complaint D20 Mouth/tongue/lip symptom/complit. D21 Symptom/complaint D23 Hepatomegaly D24 Abdominal distension D25 Fear of cancer of digestive system D26 Fear of diagestive disease other D27 Fear of diagestive disease other D28 Limited function/disability (d) D29 Digestive symptom/complaint other D70 Gastroenteritis presumed infection D71 Mumps D72 Viral hepatitis D73 Gastroenteritis presumed infection D74 Malignant neoplasm stomach D75 Malignant digest other/NOS D76 Neoplasm digest other/NOS D78 Neoplasm digest penign/uncertain D79 Foreign body digestive system D80 Injury digestive system other D81 Congen. anomaly digestive system D82 Teeth/gum disease	H86 Deafness H99 Ear/mastoid disease, other Cardiovascular K K01 Heart pain K K02 Pressure/tightness of heart K K03 Cardiovascular pain NOS K K04 Palpitations/wareness of heart K K05 Irregular heartbeat other K K06 Prominent veins K K07 Swollen ankles/oedema K K22 Risk factor cardiovascular disease K K24 Fear of hypertension K K27 Fear cardiovascular disease other K K28 Limited function/disability (k) K K29 Cardiovascular sympt./compil. other K K70 Infection of circulatory system K K71 Rheumatic fever/heart disease K K72 Neoplasm cardiovascular K K73 Congenital anomaly cardiovascular K K74 Ischaemic heart disease w.anqina K K75 Acute myocardial infarction K K76 Ischaemic heart disease w/o ang	N18 Paralysis/weakness N19 Speech disorder N26 Fear cancer neurological system N27 Fear of neurological disease other N28 Imited function/disability (n) N29 Neurological symptom/complt. other N70 Poliomyelitis N71 Meningitis/encephalitis N72 Tetanus N73 Neurological infection other N74 Malignant neoplasm nervous system N75 Benign neoplasm nervous system N76 Neoplasm nervous system other N80 Head injury other N81 Injury nervous system other N85 Congenital anomaly neurological N86 Multiple sclerosis N87 Parkinsonism N88 Epilepsy N80 Migraine N90 Cluster headache N91 Facial paralysis/bell's palsy
006 Fainting/syncope 007 Coma 008 Swelling 009 Sweating problem 100 Bleeding/haemorrhage NOS 111 Chest pain NOS 123 Concern/fear medical treatment 134 Concern about appearance 145 Euthansia request/discussion 121 Risk factor for malignancy 123 Risk factor NOS 125 Fear of cancer NOS 126 Fear of cancer NOS 127 Fear of other disease NOS 128 Limited function/disability NOS 129 General symptom/complaint other 170 Tuberculosis 171 Measles 172 Chickenpox 173 Malaria 174 Rubella 175 Infectious mononucleosis 176 Viral disease other/NOS 177 Viral disease other/NOS	D16 Rectal bleeding D17 Incontinence of bowel D18 Change faces/bowel movements D19 Teeth/gum symptom/complaint D20 Mouth/tongue/lip symptom/complaint D21 Mouth/tongue/lip symptom/complaint D23 Hepatomegaly D24 Abdominal mass NOS D25 Abdominal distension D26 Fear of cancer of digestive system D27 Fear of digestive disease other D28 Ligestive symptom/complaint other D29 Digestive symptom/complaint other D71 Mumps D72 Viral hepatitis D73 Gastroenteritis presumed infection D74 Malignant neoplasm colon/rectum D75 Malignant neoplasm stomach D76 Malignant digest ther/NOS D77 Malig.neoplasm digest ther/NOS D78 Neoplasm digest ther/NOS D79 Foreign body digestive system D80 Injury digestive system other D81 Congen. anomaly digestive system D82 Teeth/gum disease D83 Mouth/ton	H86 Deafness H99 Ear/mastoid disease, other Cardiovascular K K01 Heart pain K K02 Pressure/tightness of heart K K03 Cardiovascular pain NOS K K04 Palpitations/awareness of heart K K05 Irregular heartbeat other K K06 Prominent veins K K07 Swollen ankles/oedema K K28 Fear of hypertension K K27 Fear of hypertension K K29 Cardiovascular sympt./compt. other K K10 Infection of circulatory system K K71 Rheumatic fever/heart disease K K73 Congenital anomaly cardiovascular K K74 Ischaemic heart disease w. angina K K76 Ischaemic heart disease w/o angina K K74 Attrial fibrillation/flutter	N18 Paralysis/weakness N19 Speech disorder N26 Fear cancer neurological system N27 Fear cancer neurological system N27 Fear cancer neurological system N28 Limited function/disability (n) N29 Neurological symptom/compil. other N70 Poliomyelitis N71 Meningitis/encephalitis N72 Tetanus N73 Neurological infection other N74 Malignant neoplasm nervous system N75 Benign neoplasm nervous system N76 Neoplasm nervous system unspec. N77 Concussion N80 Head injury other N81 Injury nervous system other N86 Multiple sclerosis N87 Parkinsonism N88 Epilepsy N89 Migraine N90 Cluster headache N91 Facial paralysis/bell's palsy
06 Fainting/syncope 07 Coma 08 Swelling 09 Sweating problem 10 Bleeding/haemorrhage NOS 11 Bleeding/haemorrhage NOS 12 Concern/fear medical treatment 13 Concern/fear medical treatment 14 Inritable infant 18 Concern about appearance 20 Euthansaia request/discussion 21 Risk factor NOS 25 Fear of cancer NOS 26 Fear of other disease NOS 27 Fear of other disease NOS 28 Limited function/disability NOS 29 General symptom/complaint other 70 Tuberculosis 71 Meales 72 Chickenpox 73 Malaria 74 Rubella 75 Infectious mononucleosis 76 Viral exanthem other 77 Viral disease other/NOS 78 Malignancy NOS 79 Malignancy NOS	D16 Rectal bleeding D17 Incontinence of bowel D18 Change facecs/bowel movements D19 Teeth/gum symptom/complaint D20 Mouth/tongue/lip symptom/complaint D21 Swallowing problem D23 Hepatomegaly D24 Abdominal distension D25 Abdominal distension D26 Fear of cancer of digestive system D27 Fear of digestive disease other D28 Limited function/disability (d) D29 Digestive symptom/complaint other D70 Gastrointestinal infection D71 Mumps D72 Viral hepatitis D73 Gastroenterinis presumed infection D74 Malignant neoplasm stomach D75 Malignant neoplasm digest other/NOS D78 Neoplasm digest benign/uncertain D79 Foreign body digestive system D79 Foreign body digestive system D80 Injury digestive system other D81 Congen.anomaly digestive system D82 Teeth/gum disease D83 Mouth/tongue/	H86 Deafness H99 Ear/mastoid disease, other Cardiovascular K K01 Heart pain K K02 Pressure/tightness of heart K K03 Cardiovascular pain NOS K K04 Palpitations/awareness of heart K K05 Irregular heartbeat other K K06 Prominent veins K K07 Swollen ankles/oedema K K28 Fear of hypertension K K27 Fear of hypertension K K29 Cardiovascular sympt./compt. other K K10 Infection of circulatory system K K71 Rheumatic fever/heart disease K K73 Congenital anomaly cardiovascular K K74 Ischaemic heart disease w. angina K K76 Ischaemic heart disease w/o angina K K74 Attrial fibrillation/flutter	N18 Paralysis/weakness N19 Speech disorder N26 Fear cancer neurological system N27 Fear cancer neurological system N27 Fear ancer neurological disease other N28 Jimited function/disability (n) N29 Neurological symptom/complt. other N70 Poliomyelitis N71 Meningitis/encephalitis N72 Tetanus N73 Neurological infection other N74 Malignant neoplasm nervous system N75 Benign neoplasm nervous system N76 Neoplasm nervous system other N80 Head injury other N81 Injury nervous system other N85 Congenital anomaly neurological N86 Multiple sclerosis N87 Parkinsonism N88 Epilepsy N80 Migraine N90 Cluster headache N91 Facial paralysis/bell's palsy N93 Carpal tunnel syndrome N94 Peripheral neuritis/neuropathy
06 Fainting/syncope 07 Coma 08 Swelling 09 Sweating problem 10 Bleeding/haemorrhage NOS 11 Chesting/roblem 10 Bleeding/haemorrhage NOS 11 Chesting/roblem 12 Sieding/haemorrhage NOS 13 Concern/fear medical treatment 16 Irritable infant 16 Concern about appearance 20 Euthanasia request/discussion 21 Risk factor NOS 25 Fear of cancer NOS 26 Fear of cancer NOS 27 Fear of other disease NOS 28 General symptom/complaint other 70 Tuberculosis 71 Meales 72 Chickenpox 73 Malaria 74 Rubella 75 Infectious mononucleosis 76 Viral disease other/NOS 78 Malcrinancy NOS 80 Trauma/injury NOS 80 Trauma/injury NOS 80 Trauma/injury NOS	D16 Rectal bleeding D17 Incontinence of bowel D18 Change facecs/bowel movements D19 Teeth/gum symptom/complaint D20 Mouth/tongue/lip symptom/complaint D21 Mouth/tongue/lip symptom/complaint D23 Hepatomegaly D24 Abdominal distension D25 Fear of cancer of digestive system D26 Fear of diqestive disease other D28 Limited function/disability (d) D29 Digestive symptom/complaint other D70 Gastrointestinal infection D71 Mumps D72 Viral hepatitis D73 Gastroenteritis presumed infection D74 Malignant neoplasm stomach D75 Malignant neoplasm digest other/NOS D76 Neoplasm digest penign/uncertain D77 Foigest benign/steres D78 Foreign body digestive system D80 Injury digestive system other D81 Congen. anomaly digestive system D82 Mouth/tongue/lip disease D83 Mouth/tongue/lip disease D84	H86 Deafness H99 Ear/mastoid disease, other Cardiovascular K K01 Heart pain K K02 Pressure/tightness of heart K K03 Cardiovascular pain NOS K K04 Palpitations/awareness of heart K K05 Irregular heartbeat other K K06 Prominent veins K K07 Swollen ankles/oedema K K22 Risk factor cardiovascular disease K24 Fear of hypertension K27 Fear cardiovascular sympt/compt. other K28 Limited function/disability (k) K29 Cardiovascular sympt/compt. other K70 Infection of circulatory system K71 Rheumatic fever/heart disease K273 Congenital anomaly cardiovascular K73 Congenital anomaly cardiovascular K73 Congenital anomaly cardiovascular K73 Congenital anomaly cardiovascular K74 Ischaemic heart disease w. angina K74 Ischaemic heart disease w/o angina K76 Ischaemic heart disease w/o angina K76 Ischaemic heart disease w/o angina K77 <	N18 Paralysis/weakness N19 Speech disorder N26 Fear cancer neurological system N27 Fear cancer neurological system N27 Fear of neurological disease other N28 Limited function/disability (n) N29 Neurological symptom/compil. other N70 Poliomyelitis N71 Meningitis/encephalitis N72 Tetanus N73 Neurological infection other N74 Malignant neoplasm nervous system N75 Benign neoplasm nervous system N76 Neoplasm nervous system other N77 Rocncussion N80 Head injury other N81 Injury nervous system other N86 Multiple sclerosis N87 Parkinsonism N88 Byölepsy N88 Migraine N90 Cluster headache N91 Facial paralysis/bell's palsy N92 Trigeminal neuralgia N93 Carpal tunnel syndrome N94 Periphe
06 Fainting/syncope 07 Coma 08 Swelling 09 Sweating problem 10 Bleeding/haemorrhage NOS 11 Chest pain NOS 12 Chest pain NOS 13 Concern/fear medical treatment 16 Irritable infant 16 Concern about appearance 20 Euthansia request/discussion 21 Risk factor Nos 25 Fear of death/dying 26 Fear of cancer NOS 27 Fear of death/dying 28 General symptom/complaint other 70 Tuberculosis 71 Measles 72 Chickenpox 73 Malaria 74 Rubella 75 Infectious disease other/NOS 76 Malignancy NOS 78 Infectious disease other/NOS 79 Malignancy NOS 81 Multiple trauma/injury NOS 82 Secondary effect of trauma	D16 Rectal bleeding D17 Incontinence of bowel D18 Change faces/bowel movements D19 Teeth/gum symptom/complaint D20 Mouth/tongue/lip symptom/complit. D21 Stallowing problem D23 Hepatomegaly D24 Abdominal mass NOS D25 Abdominal distension D26 Fear of cancer of digestive system D27 Fear of cancer of digestive system D27 Fear of cancer of digestive system D28 Digestive symptom/complaint other D29 Digestive symptom/complaint other D70 Gastrointestinal infection D71 Mumps D72 Viral hepatitis D73 Gastroenteritis presumed infection D74 Malignant neoplasm colon/rectum D75 Malignant neoplasm digest other/NOS D78 Neoplasm digest benign/uncertain D79 Foreign body digestive system D80 Injury digestive system other D81 Congen. anomaly digestive system D82 Teeth/gum disease D83 M	H86 Deafness H99 Ear/mastoid disease, other Cardiovascular K K01 Heart pain K02 Pressure/tightness of heart K03 Cardiovascular pain NOS K04 Palpitations/awareness of heart K05 Cardiovascular pain NOS K04 Palpitations/awareness of heart K05 Freqular heartheat other K06 Prominent veins K07 Swollen ankles/oedema K22 Risk factor cardiovascular disease K24 Fear of hypertension K27 Fear cardiovascular disease other K28 Limited function/disability (k) K29 Cardiovascular sympt./complt. other K70 Infection of circulatory system K71 Rheumatic fever/heart disease K72 Neoplasm cardiovascular K73 Congenital anomaly cardiovascular K74 Ischaemic heart disease w. angina K77 Heart failure K74 Ischaemic heart disease w/o angina K77 Heart/arterial murmur NOS K88 Heart/arterial murmur	N18 Paralysis/weakness N19 Speech disorder N26 Fear cancer neurological system N27 Fear cancer neurological system N27 Fear ancer neurological disease other N28 Jimited function/disability (n) N29 Neurological symptom/complt. other N70 Poliomyelitis N71 Meningitis/encephalitis N72 Tetanus N73 Neurological infection other N74 Malignant neoplasm nervous system N75 Benign neoplasm nervous system N76 Neoplasm nervous system other N80 Head injury other N81 Injury nervous system other N85 Congenital anomaly neurological N86 Multiple sclerosis N87 Parkinsonism N88 Epilepsy N80 Migraine N90 Cluster headache N91 Facial paralysis/bell's palsy N93 Carpal tunnel syndrome N94 Peripheral neuritis/neuropathy
06 Fainting/syncope 07 Coma 08 Swelling 09 Sweating problem 10 Bleeding/haemorrhage NOS 11 Bleeding/haemorrhage NOS 12 Concern/fear medical treatment 13 Concern/fear medical treatment 14 Irritable infant 15 Concern about appearance 20 Euthansia request/discussion 21 Risk factor for malignancy 23 Risk factor NOS 25 Fear of cancer NOS 26 General symptom/complaint other 70 Tuberculosis 71 Measles 72 Chickenpox 73 Malaria 74 Rubella 75 Infectious mononucleosis 76 Viral exanthem other 77 Viral disease other/NOS 78 Malignancy NOS 79 Malignancy NOS 70 Trauma/injury NOS 81 Multiple trauma/injuries 82 Secondary effect of trauma 84 <t< td=""><td>D16 Rectal bleeding D17 Incontinence of bowel D18 Change faces/bowel movements D19 Teeth/gum symptom/complaint D20 Mouth/tongue/lip symptom/complit. D21 Stallowing problem D23 Hepatomegaly D24 Abdominal mass NOS D25 Abdominal distension D26 Fear of cancer of digestive system D27 Fear of cancer of digestive system D27 Fear of cancer of digestive system D28 Digestive symptom/complaint other D29 Digestive symptom/complaint other D70 Gastrointestinal infection D71 Mumps D72 Viral hepatitis D73 Gastroenteritis presumed infection D74 Malignant neoplasm colon/rectum D75 Malignant neoplasm digest other/NOS D78 Neoplasm digest benign/uncertain D79 Foreign body digestive system D80 Injury digestive system other D81 Congen. anomaly digestive system D82 Teeth/gum disease D83 M</td><td>H86 Deafness H99 Ear/mastoid disease, other Cardiovascular K K01 Heart pain K K02 Pressure/tightness of heart K K03 Cardiovascular pain NOS K K04 Palpitations/awareness of heart K K05 Irregular heartbeat other K K06 Prominent veins K K07 Swollen ankles/oedema K22 K28 Fear of hypertension K27 Fear of hypertension K27 Fear of nypertension K27 Fear cardiovascular disease other K10 Infection of circulatory system K71 Rheumatic fever/heart disease K72 Meoplasm cardiovascular K74 Ischaemic heart disease w. anqina K73 Congenital anomaly cardiovascular K74 Ischaemic heart disease w/o angina K73 Acute myocardial infarction K76 Ischaemic heart disease w/o angina K74 Ischaemic heart disease m/o angina K78 Atrial fibrillation/flutter K78 Atrial fibrillation/flutter K79 Paroxysmal tachycardia K80 <</td><td>N18 Paralysis/weakness N19 Speech disorder N26 Fear cancer neurological system N27 Fear cancer neurological system N27 Fear ancer neurological disease other N28 Jimited function/disability (n) N29 Neurological symptom/complt. other N70 Poliomyelitis N71 Meningitis/encephalitis N72 Tetanus N73 Neurological infection other N74 Malignant neoplasm nervous system N75 Benign neoplasm nervous system N76 Neoplasm nervous system other N80 Head injury other N81 Injury nervous system other N85 Congenital anomaly neurological N86 Multiple sclerosis N87 Parkinsonism N88 Epilepsy N80 Migraine N90 Cluster headache N91 Facial paralysis/bell's palsy N93 Carpal tunnel syndrome N94 Peripheral neuritis/neuropathy</td></t<>	D16 Rectal bleeding D17 Incontinence of bowel D18 Change faces/bowel movements D19 Teeth/gum symptom/complaint D20 Mouth/tongue/lip symptom/complit. D21 Stallowing problem D23 Hepatomegaly D24 Abdominal mass NOS D25 Abdominal distension D26 Fear of cancer of digestive system D27 Fear of cancer of digestive system D27 Fear of cancer of digestive system D28 Digestive symptom/complaint other D29 Digestive symptom/complaint other D70 Gastrointestinal infection D71 Mumps D72 Viral hepatitis D73 Gastroenteritis presumed infection D74 Malignant neoplasm colon/rectum D75 Malignant neoplasm digest other/NOS D78 Neoplasm digest benign/uncertain D79 Foreign body digestive system D80 Injury digestive system other D81 Congen. anomaly digestive system D82 Teeth/gum disease D83 M	H86 Deafness H99 Ear/mastoid disease, other Cardiovascular K K01 Heart pain K K02 Pressure/tightness of heart K K03 Cardiovascular pain NOS K K04 Palpitations/awareness of heart K K05 Irregular heartbeat other K K06 Prominent veins K K07 Swollen ankles/oedema K22 K28 Fear of hypertension K27 Fear of hypertension K27 Fear of nypertension K27 Fear cardiovascular disease other K10 Infection of circulatory system K71 Rheumatic fever/heart disease K72 Meoplasm cardiovascular K74 Ischaemic heart disease w. anqina K73 Congenital anomaly cardiovascular K74 Ischaemic heart disease w/o angina K73 Acute myocardial infarction K76 Ischaemic heart disease w/o angina K74 Ischaemic heart disease m/o angina K78 Atrial fibrillation/flutter K78 Atrial fibrillation/flutter K79 Paroxysmal tachycardia K80 <	N18 Paralysis/weakness N19 Speech disorder N26 Fear cancer neurological system N27 Fear cancer neurological system N27 Fear ancer neurological disease other N28 Jimited function/disability (n) N29 Neurological symptom/complt. other N70 Poliomyelitis N71 Meningitis/encephalitis N72 Tetanus N73 Neurological infection other N74 Malignant neoplasm nervous system N75 Benign neoplasm nervous system N76 Neoplasm nervous system other N80 Head injury other N81 Injury nervous system other N85 Congenital anomaly neurological N86 Multiple sclerosis N87 Parkinsonism N88 Epilepsy N80 Migraine N90 Cluster headache N91 Facial paralysis/bell's palsy N93 Carpal tunnel syndrome N94 Peripheral neuritis/neuropathy
06 Fainting/syncope 07 Coma 08 Swelling 09 Sweating problem 10 Bleeding/haemorrhage NOS 11 Chest pain NOS 12 Concern/fear medical treatment 13 Concern about appearance 14 Irritable infant 15 Concern about appearance 20 Euthansia request/discussion 21 Risk factor NOS 25 Fear of cancer NOS 26 Fear of cancer NOS 27 Fear of other disease NOS 28 Limited function/disability NOS 29 General symptom/complaint other 70 Tuberculosis 71 Measles 72 Chickenpox 73 Malaria 74 Rubella 75 Infectious disease other/NOS 76 Viral disease other/NOS 77 Viral disease other/NOS 78 Multiple trauma/injuries 82 Secondary effect of trauma 82 Secondary effect of trauma	D16 Rectal bleeding D17 Incontinence of bowel D18 Change facecs/bowel movements D19 Teeth/gum symptom/complaint D20 Mouth/tongue/lip symptom/complaint D21 Swallowing problem D23 Hepatomegaly D24 Abdominal distension D27 Fear of cancer of digestive system D28 Limited function/disability (d) D29 Digestive symptom/complaint other D20 Gastrointestinal infection D71 Mumps D72 Viral hepatitis D73 Gastroenteritis presumed infection D74 Malignant neoplasm stomach D75 Malignant neoplasm digest other/NOS D76 Rolpasm digest benign/uncertain D76 Moly digestive system D77 Malig. neoplasm digest other D78 Neoplasm digest benign/uncertain D79 Foreign body digestive system D70 Ractogest benign/uncertain D79 Foreign body digestive system D70 Natigestive system other D71 Malignal me	H86 Deafness H99 Ear/mastoid disease, other Cardiovascular K K01 Heart pain K K02 Pressure/tightness of heart K K03 Cardiovascular pain NOS K K04 Palpitations/awareness of heart K K05 Irregular heartbeat other K K06 Prominent veins K K07 Swollen ankles/oedema K K22 Risk factor cardiovascular disease K24 K24 Fear of hart disease K25 K25 Fear cardiovascular sympt/complt. other K20 K10 Infection of circulatory system K71 K71 Rheumatic fever/heart disease K72 K73 Congenital anomaly cardiovascular K73 K74 Ischaemic heart disease w/a angina K74 K75 Acute myocardioal infarction K76 Ischaemic heart disease w/a angina K74 Ischaemic heart disease w/a angina K77 Heart failure K74 Ischaemic heart disease w/a angina K77 Heart failure K78<	N18 Paralysis/weakness N19 Speech disorder N26 Fear cancer neurological system N27 Fear cancer neurological system N27 Fear ancer neurological disease other N28 Jimited function/disability (n) N29 Neurological symptom/complt. other N70 Poliomyelitis N71 Meningitis/encephalitis N72 Tetanus N73 Neurological infection other N74 Malignant neoplasm nervous system N75 Benign neoplasm nervous system N76 Neoplasm nervous system other N80 Head injury other N81 Injury nervous system other N85 Congenital anomaly neurological N86 Multiple sclerosis N87 Parkinsonism N88 Epilepsy N80 Migraine N90 Cluster headache N91 Facial paralysis/bell's palsy N93 Carpal tunnel syndrome N94 Peripheral neuritis/neuropathy
006 Fainting/syncope 007 Coma 008 Swelling 009 Sweating problem 100 Bleeding/haemorrhage NOS 111 Chest pain NOS 123 Concern/fear medical treatment 134 Concern about appearance 124 Euthansia request/discussion 125 Fear of actor for malignancy 126 Fear of cancer NOS 127 Fear of actor NOS 128 Limited function/disability NOS 129 General symptom/complaint other 170 Tuberculosis 171 Meales 172 Chickenpox 173 Malaria 174 Rubella 175 Infectious disease other/NOS 176 Viral exanthem other 177 Viral disease other/NOS 180 Trauma/injury NOS 181 Secondary effect of trauma 182 Secondary effect of trauma 183 Adverse effect medical agent 184 Adverse effect medical augent 185 Adverse ef	D16 Rectal bleeding D17 Incontinence of bowel D18 Change facecs/bowel movements D19 Teeth/gum symptom/complaint D20 Mouth/tongue/lip symptom/complaint D21 Wallowing problem D23 Hepatomegaly D24 Abdominal mass NOS D25 Abdominal distension D26 Fear of cancer of digestive system D27 Fear of digestive disease other D28 Limited function/disability (d) D29 Digestive symptom/complaint other D70 Gastrointestinal infection D71 Mumps D72 Viral hepatitis D73 Gastroenteritis presumed infection D74 Malignant neoplasm stomach D75 Malignant neoplasm digest other/NOS D76 Malignant meoplasm digest other/NOS D78 Neoplasm digest benign/uncertain D79 Foreign body digestive system D80 Injury digestive system other D81 Gogen.anomaly digest esses D82 Teeth/gum disease D83 Mouth/tongue/li	H86 Deafness H99 Ear/mastoid disease, other Cardiovascular K K01 Heart pain K K02 Pressure/tightness of heart K K03 Cardiovascular pain NOS K K04 Palpitations/wareness of heart K K05 Irregular heartbeat other K K06 Prominent veins K K07 Swollen ankles/oedema K22 K28 Fear of heart disease K24 Fear of hypertension K27 Fear cardiovascular disease other K29 Cardiovascular sympt./complt. other K70 Infection of circulatory system K72 Neoplasm cardiovascular K71 Rheumatic fever/heart disease K acute myocardial infarction K73 Acute myocardial infarction K factor factoria tavonagina K74 Ischaemic heart disease w/o angina K factoria tavoria K79 Acute myocardial infarction K factoria K80 Cardiac arrhythmia NOS K father/tarterial murmur NOS K81 Heart disease other K fath disease other K fath disease other <td>N18 Paralysis/weakness N19 Speech disorder N26 Fear cancer neurological system N27 Fear cancer neurological system N27 Fear cancer neurological disease other N28 Jimited function/disability (n) N29 Neurological symptom/compil. other N70 Poliomyelitis N71 Meningitis/encephalitis N72 Tetanus N73 Neurological infection other N74 Malignant neoplasm nervous system N75 Benign neoplasm nervous system N76 Neoplasm nervous system other N80 Head injury other N81 Injury nervous system other N85 Congenital anomaly neurological N86 Multiple sclerosis N87 Parkinsonism N88 Epilepsy N80 Garal paralysis/bell's palsy N92 Trigerninal neuralgia N93 Caral lunnel syndrome N94 Peripheral neuritis/neuropathy</td>	N18 Paralysis/weakness N19 Speech disorder N26 Fear cancer neurological system N27 Fear cancer neurological system N27 Fear cancer neurological disease other N28 Jimited function/disability (n) N29 Neurological symptom/compil. other N70 Poliomyelitis N71 Meningitis/encephalitis N72 Tetanus N73 Neurological infection other N74 Malignant neoplasm nervous system N75 Benign neoplasm nervous system N76 Neoplasm nervous system other N80 Head injury other N81 Injury nervous system other N85 Congenital anomaly neurological N86 Multiple sclerosis N87 Parkinsonism N88 Epilepsy N80 Garal paralysis/bell's palsy N92 Trigerninal neuralgia N93 Caral lunnel syndrome N94 Peripheral neuritis/neuropathy
106 Fainting/syncope 107 Coma 108 Swelling 109 Sweating problem 100 Bleeding/haemorrhage NOS 111 Chest pain NOS 113 Concern/fear medical treatment 116 Irritable infant 120 Euthansia request/discussion 121 Risk factor NOS 122 Risk factor NOS 123 Fear of death/dying 126 Fear of cancer NOS 127 Fear of other disease NOS 128 General symptom/complaint other 129 General symptom/complaint other 120 Editorial symptom/complaint other 121 Infectious mononucleosis 121 Infectious mononucleosis 122 Chickenpox 123 Infectious disease other/NOS 124 Infectious disease other/NOS 125 Infectious disease other/NOS 126 Trauma/injury NOS 127 Viral disease other/NOS 128 Escondary effect of trauma 129 Secondary effect di trauma	D16 Rectal bleeding D17 Incontinence of bowel D18 Change faces/bowel movements D19 Teeth/gum symptom/complaint D20 Mouth/tongue/lip symptom/complit. D21 Mouth/tongue/lip symptom/complit. D23 Hepatomegaly D24 Abdominal mass NOS D25 Abdominal distension D26 Fear of cancer of digestive system D27 Fear of cancer of digestive system D28 Limited function/disability (d) D29 Digestive symptom/complaint other D70 Gastroenteritis presumed infection D71 Mumps D72 Viral hepatitis D73 Gastroenteritis presumed infection D74 Malignant neoplasm stomach D75 Malignant neoplasm stomach D76 Malignant digest other/NOS D77 Malignant digest other/NOS D78 Foreign body digestive system D80 Injury digestive system other D81 Congen. anomaly digestive system D82 Toeth/yum disease D83 Mouth/to	H86 Deafness H99 Ear/mastoid disease, other Cardiovascular K K01 Heart pain K K02 Pressure/tightness of heart KO K03 Cardiovascular pain NOS KM K04 Palpitations/awareness of heart KO K05 Irregular heartbeat other K K06 Prominent veins K K07 Swollen ankles/oedema K22 K28 Fear of hypertension K27 K27 Fear cardiovascular disease other K28 K28 Limited function/disability (k) K12 K29 Cardiovascular sympt./complt. other K70 K70 Infection of circulatory system K71 K71 Rheumatic fever/heart disease K73 K73 Congenital anomaly cardiovascular K74 Ischaemic heart disease w/o angina K73 Acute myocardial infarction K74 Ischaemic heart disease w/o angina K75 Paroxysmal tachycardia K80 Cardiac arrhythmia NOS K81 Heart valve disease N	N18 Paralysis/weakness N19 Speech disorder N26 Fear cancer neurological system N27 Fear cancer neurological system N27 Fear ancer neurological disease other N28 Jimited function/disability (n) N29 Neurological symptom/complt. other N70 Poliomyelitis N71 Meningitis/encephalitis N72 Tetanus N73 Neurological infection other N74 Malignant neoplasm nervous system N75 Benign neoplasm nervous system N76 Neoplasm nervous system other N80 Head injury other N81 Injury nervous system other N85 Congenital anomaly neurological N86 Multiple sclerosis N87 Parkinsonism N88 Epilepsy N80 Migraine N90 Cluster headache N91 Facial paralysis/bell's palsy N93 Carpal tunnel syndrome N94 Peripheral neuritis/neuropathy
106 Fainting/syncope 107 Coma 108 Swelling 109 Sweating problem 110 Bleeding/haemorrhage NOS 111 Chest pain NOS 112 Concern/fear medical treatment 113 Concern about appearance 120 Euthansaia request/discussion 121 Risk factor NOS 122 Fear of cancer NOS 123 Bisk factor NOS 124 Fear of cancer NOS 125 Fear of cancer NOS 126 Fear of cancer NOS 127 Fear of cancer NOS 128 Limited function/disability NOS 129 General symptom/complaint other 170 Tuberculosis 171 Meales 172 Chickenpox 173 Malaria 174 Rubella 175 Infectious disease other/NOS 176 Infectious disease other/NOS 177 Viral disease other/NOS 178 Infectious disease other/NOS 179 Malignancy NOS	D16 Rectal bleeding D17 Incontinence of bowel D18 Change faces/bowel movements D19 Teeth/gum symptom/complaint D20 Mouth/tongue/lip symptom/complaint D21 Wallowing problem D23 Hepatomegaly D24 Abdominal mass NOS D25 Abdominal distension D26 Fear of cancer of digestive system D27 Fear of digestive disease other D28 Limited function/disability (d) D29 Digestive symptom/complaint other D70 Gastrointestinal infection D71 Mumps D72 Viral hepatitis D73 Gastroenteritis presumed infection D74 Malignant neoplasm pancreas D77 Malignant neoplasm digest other/NOS D78 Molguestive system D79 Foreign body digestive system D70 Rogest benig/nuncertain D71 Malignant neoplasm cigest other/NOS D73 Malignant neoplasm digest other D74 Malignant neoplasm digest other/NOS D75 Nolagest ben	H86 Deafness H99 Ear/mastoid disease, other Cardiovascular K K01 Heart pain K K02 Pressure/tightness of heart K K03 Cardiovascular pain NOS K K04 Palpitations/wareness of heart K K05 Irregular heartbeat other K K06 Prominent veins K K07 Swollen ankles/oedema K22 K28 Fear of heart disease K24 Fear of hypertension K27 Fear cardiovascular disease other K29 Cardiovascular sympt./complt. other K70 Infection of circulatory system K72 Neoplasm cardiovascular K71 Rheumatic fever/heart disease K acute myocardial infarction K73 Acute myocardial infarction K factor factoria tavonagina K74 Ischaemic heart disease w/o angina K factoria tavoria K79 Acute myocardial infarction K factoria K80 Cardiac arrhythmia NOS K father/tarterial murmur NOS K81 Heart disease other K fath disease other K fath disease other <td>N18 Paralysis/weakness N19 Speech disorder N26 Fear cancer neurological system N27 Fear cancer neurological system N27 Fear ancer neurological disease other N28 Jimited function/disability (n) N29 Neurological symptom/complt. other N70 Poliomyelitis N71 Meningitis/encephalitis N72 Tetanus N73 Neurological infection other N74 Malignant neoplasm nervous system N75 Benign neoplasm nervous system N76 Neoplasm nervous system other N80 Head injury other N81 Injury nervous system other N85 Congenital anomaly neurological N86 Multiple sclerosis N87 Parkinsonism N88 Epilepsy N80 Migraine N90 Cluster headache N91 Facial paralysis/bell's palsy N93 Carpal tunnel syndrome N94 Peripheral neuritis/neuropathy</td>	N18 Paralysis/weakness N19 Speech disorder N26 Fear cancer neurological system N27 Fear cancer neurological system N27 Fear ancer neurological disease other N28 Jimited function/disability (n) N29 Neurological symptom/complt. other N70 Poliomyelitis N71 Meningitis/encephalitis N72 Tetanus N73 Neurological infection other N74 Malignant neoplasm nervous system N75 Benign neoplasm nervous system N76 Neoplasm nervous system other N80 Head injury other N81 Injury nervous system other N85 Congenital anomaly neurological N86 Multiple sclerosis N87 Parkinsonism N88 Epilepsy N80 Migraine N90 Cluster headache N91 Facial paralysis/bell's palsy N93 Carpal tunnel syndrome N94 Peripheral neuritis/neuropathy
006 Fainting/syncope 007 Coma 008 Swelling 009 Sweating problem 100 Bleeding/haemorrhage NOS 111 Chear medical treatment 116 Irritable infant 116 Concern /fear medical treatment 117 Irritable infant 118 Concern about appearance 120 Euthansia request/discussion 121 Risk factor Nos 123 Risk factor NOS 126 Fear of cancer NOS 127 Fear of cancer NOS 128 General symptom/complaint other 129 General symptom/complaint other 120 Chickenpox 121 Malaria 122 Chickenpox 133 Infectious mononucleosis 147 Viral disease other/NOS 158 Infectious disease other/NOS 159 Infectious disease other/NOS 160 Trauma/injury NOS 181 Multiple trauma/injuries 182 Secondary effect of trauma 184 Poisoni	D16 Rectal bleeding D17 Incontinence of bowel D18 Change faces/bowel movements D19 Teeth/gum symptom/complaint D20 Mouth/tongue/lip symptom/complaint D21 Wouth/tongue/lip symptom/complaint D23 Hepatomegaly D24 Abdominal distension D25 Fear of cancer of digestive system D26 Fear of cancer of digestive system D27 Fear of digestive disease other D28 Limited function/disability (d) D29 Digestive symptom/complaint other D70 Gastrointestinal infection D71 Mumps D72 Viral hepatitis D73 Gastroenteritis presumed infection D74 Malignant neoplasm stomach D75 Malignant neoplasm digest other/NOS D76 Nalignant neoplasm digest other/NOS D77 Malignant neoplasm digest other/NOS D78 Neoplasm digest benign/uncertain D79 Foreign body digestive system D80 Injury digestive system other D81 Congen. anomaly digestiseses	H86 Deafness H99 Ear/mastoid disease, other Cardiovascular K K01 Heart pain K K02 Pressure/tightness of heart K K03 Cardiovascular pain NOS K K04 Palpitations/awareness of heart K K05 Irregular heartbeat other K K06 Prominent veins K K07 Swollen ankles/oedema K22 K28 Fear of hypertension K27 Fear cardiovascular disease other K29 Cardiovascular sympt./comptl. other K70 Infection of circulatory system K71 Rheumatic fever/heart disease K72 Neoplasm cardiovascular K73 Congenital anomaly cardiovascular K74 Ischaemic heart disease w/o angina K75 Scotaica arnhythmia NOS K81 Heart failure K78 Atrial fibrillation/flutter K79 Paroxysmal tachycardia K80 Cardiac arnhythmia NOS K81 Heart valve disease NOS K81 Heart valve disease other K83 Eleaste othod pressure K84	N18 Paralysis/weakness N19 Speech disorder N26 Fear cancer neurological system N27 Fear cancer neurological system N27 Fear ancer neurological disease other N28 Jimited function/disability (n) N29 Neurological symptom/complt. other N70 Poliomyelitis N71 Meningitis/encephalitis N72 Tetanus N73 Neurological infection other N74 Malignant neoplasm nervous system N75 Benign neoplasm nervous system N76 Neoplasm nervous system other N80 Head injury other N81 Injury nervous system other N85 Congenital anomaly neurological N86 Multiple sclerosis N87 Parkinsonism N88 Epilepsy N80 Migraine N90 Cluster headache N91 Facial paralysis/bell's palsy N93 Carpal tunnel syndrome N94 Peripheral neuritis/neuropathy
106 Fainting/syncope 107 Coma 108 Swelling 109 Sweating problem 110 Bleeding/haemorrhage NOS 111 Chect pain NOS 112 Chect pain NOS 113 Concern/fear medical treatment 116 Irritable infant 118 Concern about appearance 120 Euthanasia request/discussion 121 Risk factor NOS 122 Fear of cancer NOS 123 Fear of cancer NOS 124 Fear of cancer NOS 125 Fear of cancer NOS 126 Fear of cancer NOS 127 Fear of cancer NOS 128 General symptom/complaint other 147 Tuberculosis 148 Holesheas 147 Rubella 147 Stratectous disease other/NOS 148 Holetious disease other/NOS 149 Malignancy NOS 140 Multiple trauma/injuries 141 Multiple trauma/injuries 142 Secondary effect of trauma	D16 Rectal bleeding D17 Incontinence of bowel D18 Change faces/bowel movements D19 Teeth/gum symptom/complaint D20 Mouth/tongue/lip symptom/complit. D21 Mouth/tongue/lip symptom/complit. D23 Hepatomegaly D24 Abdominal mass NOS D25 Abdominal distension D26 Fear of cancer of digestive system D27 Fear of diagestive disease other D28 Limited function/disability (d) D29 Digestive symptom/complaint other D70 Gastroenteritis presumed infection D71 Mumps D72 Viral hepatitis D73 Gastroenteritis presumed infection D74 Malignant neoplasm colon/rectum D75 Malignant neoplasm colon/rectum D76 Malignant digest other/NOS D77 Malignant digest perign/uncertain D78 Foreign body digestive system D80 Injury digestive system D81 Congen. anomaly digestive system D82 Teeth/gum disease D83 <td< td=""><td>H86 Deafness H99 Ear/mastoid disease, other Cardiovascular K K01 Heart pain K K02 Pressure/tightness of heart K K03 Cardiovascular pain NOS K K04 Palpitations/awareness of heart K K05 Irregular heartbeat other K K06 Prominent veins K K07 Swollen ankles/oedema K K22 Risk factor cardiovascular disease K24 K24 Fear of hart disease K25 K29 Cardiovascular sympt/complt. other K70 K70 Infection of circulatory system K71 K71 Rheumatic fever/heart disease K27 K72 Congenital anomaly cardiovascular K73 K73 Congenital anomaly cardiovascular K74 K74 Ischaemic heart disease w. angina K77 K75 Indeent/aiterial murmur NOS K82 Pulmonary heart disease NOS K84 Heart valve disease NOS K84 Heart disease other K85 Levated blood pressure</td><td>N18 Paralysis/weakness N19 Speech disorder N26 Fear cancer neurological system N27 Fear cancer neurological system N27 Fear cancer neurological system N28 Jimited function/disability (n) N29 Neurological symptom/compl. other N70 Poliomyeitis N71 Meningitis/encephalitis N72 Tetanus N73 Neurological infection other N74 Malignant neoplasm nervous system N75 Benign neoplasm nervous system N76 Neoplasm nervous system unspec. N77 Concussion N80 Head injury other N81 Injury nervous system other N83 Congenital anomaly neurological N84 Parkinsonism N85 Poliepsy N80 Migraine N90 Cluster headache N91 Facial paralysis/bell's palsy N92 Trigerninal neuralgia N93 Carpal neuritis/neuropathy N94</td></td<>	H86 Deafness H99 Ear/mastoid disease, other Cardiovascular K K01 Heart pain K K02 Pressure/tightness of heart K K03 Cardiovascular pain NOS K K04 Palpitations/awareness of heart K K05 Irregular heartbeat other K K06 Prominent veins K K07 Swollen ankles/oedema K K22 Risk factor cardiovascular disease K24 K24 Fear of hart disease K25 K29 Cardiovascular sympt/complt. other K70 K70 Infection of circulatory system K71 K71 Rheumatic fever/heart disease K27 K72 Congenital anomaly cardiovascular K73 K73 Congenital anomaly cardiovascular K74 K74 Ischaemic heart disease w. angina K77 K75 Indeent/aiterial murmur NOS K82 Pulmonary heart disease NOS K84 Heart valve disease NOS K84 Heart disease other K85 Levated blood pressure	N18 Paralysis/weakness N19 Speech disorder N26 Fear cancer neurological system N27 Fear cancer neurological system N27 Fear cancer neurological system N28 Jimited function/disability (n) N29 Neurological symptom/compl. other N70 Poliomyeitis N71 Meningitis/encephalitis N72 Tetanus N73 Neurological infection other N74 Malignant neoplasm nervous system N75 Benign neoplasm nervous system N76 Neoplasm nervous system unspec. N77 Concussion N80 Head injury other N81 Injury nervous system other N83 Congenital anomaly neurological N84 Parkinsonism N85 Poliepsy N80 Migraine N90 Cluster headache N91 Facial paralysis/bell's palsy N92 Trigerninal neuralgia N93 Carpal neuritis/neuropathy N94
106 Fainting/syncope 107 Coma 108 Swelling 109 Sweating problem 110 Bleeding/haemorrhage NOS 111 Chest pain NOS 112 Concern/fear medical treatment 114 Concern about appearance 120 Euthansaia request/discussion 121 Risk factor for malignancy 122 Risk factor for Malignancy 123 Risk factor NOS 126 Fear of cancer NOS 127 Fear of cancer NOS 128 Limited function/disability NOS 129 General symptom/complaint other 170 Tuberculosis 171 Measles 172 Chickenpox 173 Infectious mononucleosis 174 Rubella 175 Infectious disease other/NOS 176 Wraid sease other/NOS 177 Viral disease other/NOS 178 Infectious disease other/NOS 179 Malignancy NOS 181 Multiple trauma/injuries 182 Secondary	D16 Rectal bleeding D17 Incontinence of bowel D18 Change faces/bowel movements D19 Teeth/gum symptom/complaint D20 Mouth/tongue/lip symptom/complaint D21 Wouth/tongue/lip symptom/complaint D23 Hepatomegaly D24 Abdominal distension D25 Fear of cancer of digestive system D26 Fear of digestive disease other D28 Limited function/disability (d) D29 Digestive symptom/complaint other D70 Gastrointestinal infection D71 Mumps D72 Viral hepatitis D73 Gastroenteritis presumed infection D74 Malignant neoplasm stomach D75 Malignant neoplasm digest other/NOS D76 Neoplasm digest benign/uncertain D77 Malignant neoplasm digest other/NOS D78 Neoplasm digest system D80 Injury digestive system D80 Injury digestive system D82 Teeth/yum disease D84 Oesophagus disease D85 Duodenal ulcer<	H86 Deafness H99 Ear/mastoid disease, other Cardiovascular K K01 Heart pain K K02 Pressure/tightness of heart K K03 Cardiovascular pain NOS K K04 Palpitations/wareness of heart K K05 Irregular heartbeat other K K06 Prominent veins K K07 Swollen ankles/oedema K22 K28 Fear of hypertension K27 K27 Fear of hypertension K27 K28 Limited function/disability (k) K23 K29 Cardiovascular sympt./compil. other K70 K71 Rheumatic fever/heart disease K74 K73 Congenital anomaly cardiovascular K74 K74 Ischaemic heart disease w/o angina K75 K73 Congenital anomaly cardiovascular K80 K74 Ischaemic heart disease w/o angina K75 K75 Acute myocardial infarction K76 K78 Attial fibrillation/flutter K78 K79 Paroxysmal t	N18 Paralysis/weakness N19 Speech disorder N26 Fear cancer neurological system N27 Fear cancer neurological system N27 Fear cancer neurological system N28 Jimited function/disability (n) N29 Neurological symptom/compl. other N70 Poliomyeitis N71 Meningitis/encephalitis N72 Tetanus N73 Neurological infection other N74 Malignant neoplasm nervous system N75 Benign neoplasm nervous system N76 Neoplasm nervous system unspec. N77 Concussion N80 Head injury other N81 Injury nervous system other N83 Congenital anomaly neurological N84 Parkinsonism N85 Poliepsy N80 Migraine N90 Cluster headache N91 Facial paralysis/bell's palsy N92 Trigerninal neuralgia N93 Carpal neuritis/neuropathy N94
Mof Fainting/syncope Mof Fainting/syncope Mof Swelling Mof Sweating problem Mof Concern/fear medical treatment Mof Iritable infant Mof Encorn about appearance Luthanasia request/discussion Hait factor for malignancy Risk factor NOS Fear of cancer NOS Mof Fear of cancer NOS Mof General symptom/complaint other Mof Tuberculosis Mof Tuberculosis Mof Malaria Malaria Malaria Mof Malaria Mof Malagnancy NOS Malignancy NOS Malignancy NOS Mal Malupite trauma/injuries Secondary effect of trauma Secondary effect of trauma Multiple trauma/injuries Adverse effect medical agent Matriancing by medical agent Adverse effect medical	D16 Rectal bleeding D17 Incontinence of bowel D18 Change faces/bowel movements D19 Teeth/gum symptom/complaint D20 Mouth/tongue/lip symptom/complit. D21 Mouth/tongue/lip symptom/complit. D23 Hepatomegaly D24 Abdominal distension D25 Abdominal distension D26 Fear of cancer of digestive system D27 Fear of diagestive disease other D28 Inimited function/disability (d) D29 Digestive symptom/complaint other D70 Gastroenteritis presumed infection D71 Mumps D72 Viral hepatitis D73 Gastroenteritis presumed infection D74 Malignant neoplasm colon/rectum D76 Malignant neoplasm colon/rectum D77 Malig. neoplasm digest other/NOS D78 Foreign body digestive system D80 Injury digestive system other D81 Congen. anomaly digestive system D82 Teeth/gum disease D83 Mouth/tongue/lip disease D84	H86 Deafness H99 Ear/mastoid disease, other Cardiovascular K K01 Heart pain K K02 Pressure/tightness of heart K K03 Cardiovascular pain NOS K K04 Palpitations/awareness of heart K K05 Irregular heartbeat other K K06 Prominent veins K K07 Swollen ankles/oedema K22 K28 Fear of hypertension K27 Fear of hypertension K27 Fear cardiovascular disease other K28 Limited function/disability (k) K29 Cardiovascular sympt./compt. other K70 Infection of circulatory system K71 Rheumatic fever/heart disease K73 Congenital anomaly cardiovascular K73 Congenital anomaly cardiovascular K74 Ischaemic heart disease w/o angina K73 Congenital anomaly cardiovascular K74 Ischaemic heart disease w/o angina K74 Ischaemic heart disease w/o angina K77 Paroxysmal tachycardia K76 Ischaemic heart disease NOS K81 Heart failure	N18 Paralysis/weakness N19 Speech disorder N26 Fear cancer neurological system N27 Fear cancer neurological system N27 Fear cancer neurological system N28 Jimited function/disability (n) N29 Neurological symptom/compl. other N70 Poliomyeitis N71 Meningitis/encephalitis N72 Tetanus N73 Neurological infection other N74 Malignant neoplasm nervous system N75 Benign neoplasm nervous system N76 Neoplasm nervous system unspec. N77 Concussion N80 Head injury other N81 Injury nervous system other N83 Congenital anomaly neurological N84 Parkinsonism N85 Poliepsy N80 Migraine N90 Cluster headache N91 Facial paralysis/bell's palsy N92 Trigerninal neuralgia N93 Carpal neuritis/neuropathy N94
106 Fainting/syncope 107 Coma 108 Swelling 109 Sweating problem 110 Bleeding/haemorrhage NOS 111 Chect pain NOS 112 Chect pain NOS 113 Concern/fear medical treatment 116 Irritable infant 118 Concern about appearance 120 Euthanasia request/discussion 121 Risk factor NOS 225 Fear of death/dying 126 Fear of cancer NOS 127 Fear of cancer NOS 128 General symptom/complaint other 147 Tuberculosis 148 Hodesles 147 Rubella 147 Rubella 147 Strate cons disease other/NOS 148 Poisoning by medical agent 149 Malignancy NOS 140 Multiple trauma/injuries 141 Multiple trauma/injuries 142 Secondary effect of trauma 143 Poisoning by medical agent 144 Ridecing dinedical treatment <	D16 Rectal bleeding D17 Incontinence of bowel D18 Change facecs/bowel movements D19 Teeth/gum symptom/complaint D20 Mouth/tongue/lip symptom/complaint D21 Wallowing problem D23 Hepatomegaly D24 Abdominal distension D25 Abdominal distension D26 Fear of cancer of digestive system D27 Fear of digestive disease other D28 Limited function/disability (d) D29 Digestive symptom/complaint other D70 Gastrointestinal infection D71 Mumps D72 Viral hepatitis D73 Gastroenteritis presumed infection D74 Malignant neoplasm stomach D75 Malignant neoplasm digest other/NOS D78 Neoplasm digest benign/uncertain D79 Foreign body digestive system D80 Injury digestive system other D81 Nouth/tongue/lip disease D82 Teeth/gum disease D83 Mouth/tongue/lip disease D84 Oesophagus disease	H86 Deafness H99 Ear/mastoid disease, other Cardiovascular K K01 Heart pain K K02 Pressure/tightness of heart K K03 Cardiovascular pain NOS K K04 Palpitations/awareness of heart K K05 Irregular heartbeat other K K06 Prominent veins K K07 Swollen ankles/oedema K K22 Risk factor cardiovascular disease K42 K24 Fear of hart disease K55 K25 Fear cardiovascular sympt./complt. other K70 K71 Infection of circulatory system K71 K71 Infection of circulatory system K71 K71 Infection of circulatory system K71 K71 Rheumatic fever/heart disease X73 Congenital anomaly cardiovascular K73 Congenital anomaly cardiovascular K73 Congenital anomaly cardiovascular K74 Ischaemic heart disease w. angina K74 Ischaemic heart disease w. angina K77 Haett faistain function K6 </td <td>N18 Paralysis/weakness N19 Speech disorder N26 Fear cancer neurological system N27 Fear cancer neurological system N27 Fear cancer neurological system N28 Jimited function/disability (n) N29 Neurological symptom/compl. other N70 Poliomyeitis N71 Meningitis/encephalitis N72 Tetanus N73 Neurological infection other N74 Malignant neoplasm nervous system N75 Benign neoplasm nervous system N76 Neoplasm nervous system unspec. N77 Concussion N80 Head injury other N81 Injury nervous system other N83 Congenital anomaly neurological N84 Parkinsonism N85 Poliepsy N80 Migraine N90 Cluster headache N91 Facial paralysis/bell's palsy N92 Trigerninal neuralgia N93 Carpal neuritis/neuropathy N94</td>	N18 Paralysis/weakness N19 Speech disorder N26 Fear cancer neurological system N27 Fear cancer neurological system N27 Fear cancer neurological system N28 Jimited function/disability (n) N29 Neurological symptom/compl. other N70 Poliomyeitis N71 Meningitis/encephalitis N72 Tetanus N73 Neurological infection other N74 Malignant neoplasm nervous system N75 Benign neoplasm nervous system N76 Neoplasm nervous system unspec. N77 Concussion N80 Head injury other N81 Injury nervous system other N83 Congenital anomaly neurological N84 Parkinsonism N85 Poliepsy N80 Migraine N90 Cluster headache N91 Facial paralysis/bell's palsy N92 Trigerninal neuralgia N93 Carpal neuritis/neuropathy N94
Mof Fainting/syncope Mof Fainting/syncope Mof Swelling Mof Sweating problem Mof Checra pain NOS Mof Concern/fear medical treatment Mof Iritable infant Mof Event about appearance Luthanasia request/discussion Event about appearance Mof Euthanasia request/discussion Mof Fear of cancer NOS Fear of cancer NOS Event of cancer NOS Mof Fear of cancer NOS Mof General symptom/complaint other Mof Tuberculosis Mof Tuberculosis Mof Mof Malaria Mof Mof Kinectious mononucleosis Mof Viral disease other/NOS Mof Multiple trauma/injuries Secondary effect of trauma Mof Multiple trauma/injuries Adverse effect medical agent <	D16 Rectal bleeding D17 Incontinence of bowel D18 Change faces/bowel movements D19 Teeth/gum symptom/complaint D20 Mouth/tongue/lip symptom/complit. D21 Mouth/tongue/lip symptom/complit. D23 Hepatomegaly D24 Abdominal distension D25 Abdominal distension D26 Fear of cancer of digestive system D27 Fear of diagestive disease other D28 Inimited function/disability (d) D29 Digestive symptom/complaint other D70 Gastroenteritis presumed infection D71 Mumps D72 Viral hepatitis D73 Gastroenteritis presumed infection D74 Malignant neoplasm colon/rectum D76 Malignant neoplasm colon/rectum D77 Malig. neoplasm digest other/NOS D78 Foreign body digestive system D80 Injury digestive system other D81 Congen. anomaly digestive system D82 Teeth/gum disease D83 Mouth/tongue/lip disease D84	H86 Deafness H99 Ear/mastoid disease, other Cardiovascular K K01 Heart pain K K02 Pressure/tightness of heart K K03 Cardiovascular pain NOS K K04 Palpitations/awareness of heart K K05 Irregular heartbeat other K K06 Prominent veins K K07 Swollen ankles/oedema K K22 Risk factor cardiovascular disease K42 K24 Fear of hart disease K55 K25 Fear cardiovascular sympt./complt. other K70 K71 Infection of circulatory system K71 K71 Infection of circulatory system K71 K71 Infection of circulatory system K71 K71 Rheumatic fever/heart disease X73 Congenital anomaly cardiovascular K73 Congenital anomaly cardiovascular K73 Congenital anomaly cardiovascular K74 Ischaemic heart disease w. angina K74 Ischaemic heart disease w. angina K77 Haett faistain function K6 </td <td>N18 Paralysis/weakness N19 Speech disorder N26 Fear cancer neurological system N27 Fear of neurological disease other N28 Limited function/disability (n) N29 Neurological symptom/compl. other N70 Poliomyeitits N71 Meningitis/encephalitis N72 Tetanus N73 Neurological infection other N74 Malignant neoplasm nervous system N75 Benign neoplasm nervous system N76 Neoplasm nervous system N77 Concussion N80 Head injury other N81 Injury nervous system other N85 Congenital anomaly neurological N86 Multiple sclerosis N87 Parkinsonism N88 Epilepsy N80 Gial paralysis/bell's palsy N92 Criail paralysis/bell's palsy N93 Carpal lunnel syndrome N94 Peripheral neuritis/neuropathy</td>	N18 Paralysis/weakness N19 Speech disorder N26 Fear cancer neurological system N27 Fear of neurological disease other N28 Limited function/disability (n) N29 Neurological symptom/compl. other N70 Poliomyeitits N71 Meningitis/encephalitis N72 Tetanus N73 Neurological infection other N74 Malignant neoplasm nervous system N75 Benign neoplasm nervous system N76 Neoplasm nervous system N77 Concussion N80 Head injury other N81 Injury nervous system other N85 Congenital anomaly neurological N86 Multiple sclerosis N87 Parkinsonism N88 Epilepsy N80 Gial paralysis/bell's palsy N92 Criail paralysis/bell's palsy N93 Carpal lunnel syndrome N94 Peripheral neuritis/neuropathy
106 Fainting/syncope 107 Coma 108 Swelling 109 Sweating problem 110 Bleeding/haemorrhage NOS 111 Chest pain NOS 112 Concern/fear medical treatment 114 Concern about appearance 120 Euthanasia request/discussion 121 Risk factor NOS 122 Fear of cancer NOS 123 Fear of cancer NOS 124 Fear of cancer NOS 125 Fear of cancer NOS 126 Fear of cancer NOS 127 Fear of cancer NOS 128 Limited function/disability NOS 129 General symptom/complaint other 170 Tuberculosis 171 Measles 172 Chickenpox 173 Malaria 174 Rubella 175 Infectious mononucleosis 176 Viral disease other/NOS 178 Infectious disease other/NOS 179 Malignancy NOS 180 Trauma/injury NOS 181<	D16 Rectal bleeding D17 Incontinence of bowel D18 Change facecs/bowel movements D19 Teeth/gum symptom/complaint D20 Mouth/tongue/lip symptom/complaint D21 Wallowing problem D23 Hepatomegaly D24 Abdominal distension D25 Abdominal distension D26 Fear of cancer of digestive system D27 Fear of digestive disease other D28 Limited function/disability (d) D29 Digestive symptom/complaint other D70 Gastrointestinal infection D71 Mumps D72 Viral hepatitis D73 Gastroenteritis presumed infection D74 Malignant neoplasm stomach D75 Malignant neoplasm digest other/NOS D78 Neoplasm digest benign/uncertain D79 Foreign body digestive system D80 Injury digestive system other D81 Nouth/tongue/lip disease D82 Teeth/gum disease D83 Mouth/tongue/lip disease D84 Oesophagus disease	H86 Deafness H99 Ear/mastoid disease, other Cardiovascular K K01 Heart pain K K02 Pressure/tightness of heart K K03 Cardiovascular pain NOS K K04 Palpitations/awareness of heart K K05 Irregular heartbeat other K K06 Prominent veins K K07 Swollen ankles/oedema K22 K28 Fear of hypertension K27 K27 Fear of hypertension K27 K28 Limited function/disability (k) K28 K29 Cardiovascular sympt./compil. other K70 K70 Infection of circulatory system K71 K71 Rheumatic fever/heart disease w. angina K73 Congenital anomaly cardiovascular K74 K74 Ischaemic heart disease w/o angina K75 K74 Ischaemic heart disease w/o angina K78 K76 Actiat fabrillation/flutter K79 Paroxysmal tachycardia K80 Cardiac arrhythmia NOS K81 Heart valve	N18 Paralysis/weakness N19 Speech disorder N26 Fear cancer neurological system N27 Fear of neurological disease other N28 Limited function/disability (n) N29 Neurological symptom/compl. other N70 Poliomyeitits N71 Meningitis/encephalitis N72 Tetanus N73 Neurological infection other N74 Malignant neoplasm nervous system N75 Benign neoplasm nervous system N76 Neoplasm nervous system N77 Concussion N80 Head injury other N81 Injury nervous system other N85 Congenital anomaly neurological N86 Multiple sclerosis N87 Parkinsonism N88 Epilepsy N80 Gial paralysis/bell's palsy N92 Criail paralysis/bell's palsy N93 Carpal lunnel syndrome N94 Peripheral neuritis/neuropathy

Ps	ychological P	Sk	in S	Ur	ological I			Malignant neoplasm cervix
P01	1	S01	Pain/tenderness of skin	U01				Malignant neoplasm breast female Malignant neoplasm genital other (f)
P02	Acute stress reaction	S02	Pruritus	U02	Urinary frequency/urgency		K 78	Fibromyoma uterus
P03 P04	Feeling depressed Feeling/behaving irritable/angry	S03 S04	Warts Lump/swelling localized	U04 U05	Incontinence urine Urination problems other			Benign neoplasm breast female Benign neoplasm female genital
P05	Senility, feeling/behaving old	S05	Lumps/swellings generalized	U06	Haematuria		X81	Genital neoplasm oth/unspecied (f)
P06	Sleep disturbance	S06	Rash localized	U07	Urine symptom/complaint other			Injury genital female
P07 P08	Sexual desire reduced Sexual fulfilment reduced	S07 S08	Rash generalized Skin colour change	U08 U13	Urinary retention Bladder symptom/complaint other		33 383	Congenital anomaly genital female Vaginitis/vulvitis NOS
P09	Sexual preference concern	S09	Infected finger/toe	U14	Kidney symptom/complaint			Cervical disease NOS
P10	Stammering/stuttering/tic	S10	Boil/carbuncle	U26	Fear of cancer of urinary system			Abnormal cervix smear
P11 P12	Eating problem in child Bedwetting/enuresis	S11 S12	Skin infection post-traumatic Insect bite/sting	U27 U28	Fear of urinary disease other Limited function/disability urinary		(87 (88	Uterovaginal prolapse
P13	Encopresis/bowel training problem	S13	Animal/human bite	U29	Urinary symptom/complaint other			Fibrocystic disease breast Premenstrual tension syndrome
P15	Chronic alcohol abuse	S14	Burn/scald	U70	Pyelonephritis/pyelitis	2	٤90	Genital herpes female
P16 P17	Acute alcohol abuse Tobacco abuse	S15 S16	Foreign body in skin Bruise/contusion	U71 U72	Cystitis/urinary infection other Urethritis		(91 202	Condylomata acuminata female
P18	Medication abuse	S17	Abrasion/scratch/blister	U75	Malignant neoplasm of kidney		(92 (99	Chlamydia infection genital (f) Genital disease female, other
P19	Drug abuse	S18	Laceration/cut	U76	Malignant neoplasm of bladder			le Genital Y
P20	Memory disturbance	S19	Skin injury other	U77	Malignant neoplasm urinary other		-	
P22 P23	Child behaviour symptom/complaint Adolescent behav. Symptom/complt.	S20 S21	Corn/callosity Skin texture symptom/complaint	U78 U79	Benign neoplasm urinary tract Neoplasm urinary tract NOS			Pain in penis Pain in testis/scrotum
P24	Specific learning problem	S22	Nail symptom/complaint	U80	Injury urinary tract			Urethral discharge
P25	Phase of life problem adult	S23	Hair loss/baldness	U85	Congenital anomaly urinary tract			Penis symptom/complaint other
P27 P28	Fear of mental disorder Limited function/disability (p)	S24 S26	Hair/scalp symptom/complaint Fear of cancer of skin	U88 U90	Glomerulonephritis/nephrosis Orthostatic albumin./proteinuria			Scrotum/testis sympt/complt. other Prostate symptom/complaint
P29	Psychological symptom/complt other	S27	Fear of skin disease other	U95	Urinary calculus			Impotence NOS
P70	Dementia	S28	Limited function/disability (s)	U98	Abnormal urine test NOS	3	708	Sexual function sympt./complt.(m)
P71	Organic psychosis other	S29	Skin symptom/complaint other	U99	Urinary disease, other			Infertility/subfertility male
P72 P73	Schizophrenia Affective psychosis	S70 S71	Herpes zoster Herpes simplex	Pr	egnancy,			Sterilization male Family planning male other
P74	Anxiety disorder/anxiety state	S72	Scabies/other acariasis		nildbearing, Family			Breast symptom/complaint male
P75	Somatization disorder	S73	Pediculosis/skin infestation other		• ·	3	724	Fear of sexual dysfunction male
P76 P77	Depressive disorder Suicide/suicide attempt	S74 S75	Dermatophytosis Moniliasis/candidiasis skin		anning W			Fear sexually transmitted dis. male
P78	Neuraesthenia/surmenage	S76	Moniliasis/candidiasis skin Skin infection other		Question of pregnancy			Fear of genital cancer male Fear of genital disease male other
P79	Phobia/compulsive disorder	S77	Malignant neoplasm of skin		Fear of pregnancy Antepartum bleeding	Ŋ	728	Limited function/disability (y)
P80	Personality disorder	S78	Lipoma	W03			729	Genital sympt./complt.male other
P81 P82	Hyperkinetic disorder Post-traumatic stress disorder	S79 S80	Neoplasm skin benign/unspecified Solar keratosis/sunburn	W10	Contraception postcoital		770 771	Syphilis male Gonorrhoea male
P85	Mental retardation	S81	Haemangioma/lymphangioma	W11			772	Genital herpes male
P86	Anorexia nervosa/bulimia	S82	Naevus/mole	W12 W13		3	773	Prostatitis/seminal vesiculitis
P98	Psychosis NOS/other	S83	Congenital skin anomaly other	W14			74	Orchitis/epididymitis
P99	Psychological disorders, other	S84 S85	Impetigo Pilonidal cyst/fistula		Infertility/subfertility		775 776	Balanitis Condylomata acuminata male
Ke	espiratory R	S86	Dermatitis seborrhoeic	W17				Malignant neoplasm prostate
R01	Pain respiratory system	S87	Dermatitis/atopic eczema	W18 W19			778	Malign neoplasm male genital other
R02 R03	Shortness of breath/dyspnoea Wheezing	S88	Dermatitis contact/allergic	W21				Benign/unspec. neoplasm gen. (m)
R04	Breathing problem, other	S89 S90	Diaper rash Pityriasis rosea	W27	Fear complications of pregnancy			Injury male genital Phimosis/redundant prepuce
R05	Cough	S91	Psoriasis	W28				Hypospadias
R06	Nose bleed/epistaxis	S92	Sweat gland disease	W29 W70			783	Undescended testicle
R07 R08	Sneezing/nasal congestion Nose symptom/complaint other	S93	Sebaceous cyst	W71			784 785	Congenital genl anomaly (m) other
R09	Sinus symptom/complaint	S94 S95	Ingrowing nail Molluscum contagiosum	W72				Benign prostatic hypertrophy Hydrocoele
R21	Throat symptom/complaint	S96	Acne	W73 W75				Genital disease male, other
R23	Voice symptom/complaint	S97	Chronic ulcer skin	W76			Soc	cial Problems Z
R24 R25	Haemoptysis Sputum/phlegm abnormal	S98 S99	Urticaria Skin disease, other	W78	Pregnancy			Poverty/financial problem
R26	Fear of cancer respiratory system		docrine/Metabolic	W79				Food/water problem
R27	Fear of respiratory disease, other			W80 W81				Housing/neighbourhood problem
R28 R29	Limited function/disability (r) Respiratory symptom/complaint oth.	an	d Nutritional T	W82				Social cultural problem Work problem
R71	Whooping cough	T01	Excessive thirst	W83	Abortion induced		205 206	Unemployment problem
R72	Strep throat	T02	Excessive appetite		Pregnancy high risk			Education problem
R73	Boil/abscess nose	T03 T04	Loss of appetite Feeding problem of infant/child		Gestational diabetes Uncomplicate labour/delivery live			Social welfare problem
R74 R75	Upper respiratory infection acute Sinusitis acute/chronic	T04	Feeding problem of adult		Uncomplicate labour/delivery still			Legal problem Health care system problem
R76	Tonsillitis acute	T07	Weight gain		Complicate labour/ delivery livebirth			Compliance/being ill problem
R77	Laryngitis/tracheitis acute	T08	Weight loss	W93	Complicate labour/delivery stillbirth Puerperal mastitis			Relationship problem with partner
R78 R79	Acute bronchitis/bronchiolitis Chronic bronchitis	T10 T11	Growth delay Dehydration	W95				Partner's behaviour problem Partner illness problem
R80	Influenza	T26	Fear of cancer of endocrine system	W96				Loss/death of partner problem
R81	Pneumonia	T27	Fear endocrine/metabolic dis other		Disorder pregnancy/delivery, other	2	216	Relationship problem with child
R82	Pleurisy/pleural effusion	T28 T29	Limited function/disability (t) Endocrine/met./sympt/complt other	Fe	emale Genital 🔰 🤉			Illness problem with child
R83 R84	Respiratory infection other Malignant neoplasm bronchus/lung	T70	Endocrine infection	X01	Genital pain female			Loss/death of child problem Relationship prob. parent/family
R85	Malinant neoplasm respiratory, other	T71	Malignant neoplasm thyroid	X02 X03	Menstrual pain Intermenstrual pain	2	221	Behaviour problem parent/family
R86	Benign neoplasm respiratory	T72 T73	Benign neoplasm thyroid Neoplasm endocrine oth/unspecified	X04	Painful intercourse female			Illness problem parent/family
R87 R88	Foreign body nose/larynx/bronch Injury respiratory other	T78	Thyroglossal duct/cyst	X05	Menstruation absent/scanty			Loss/death parent/family member Relationship problem friend
R89	Congenital anomaly respiratory	T80	Congenital anom endocrine/metab.	X06	Menstruation excessive			Assault/harmful event problem
R90	Hypertrophy tonsils/adenoids	T81	Goitre	X07 X08	Menstruation irregular/frequent Intermenstrual bleeding	2	227	Fear of a social problem
R92 R95	Neoplasm respiratory unspecified Chronic obstructive pulmonary dis	T82 T83	Obesity Overweight	X09	Premenstrual symptom/complaint			Limited function/disability (z) Social problem NOS
R95 R96	Asthma	T85	Hyperthyroidism/thyrotoxicosis	X10	Postponement of menstruation			-
R97	Allergic rhinitis	T86	Hypothyroidism/myxoedema	X11 X12	Menopausal symptom/complaint Postmenopausal bleeding			breviations
R98	Hyperventilation syndrome	T87	Hypoglycaemia Disketes inculin demondent	X12 X13	Postcoital bleeding		Inom	
R99	Respiratory disease other	T89 T90	Diabetes insulin dependent Diabetes non-insulin dependent	X14	Vaginal discharge		oehav oronc	
	PROCESS CODES	T91	Vitamin/nutritional deficiency	X15 X16	Vaginal symptom/complaint other	c	ompi	licat. complication
		T92	Gout Lipid disorder	X16 X17	Vulval symptom/complaint Pelvis symptom/complaint female		onge	
	SYMPTOMS/COMPLAINTS	T93 T99	Lipid disorder Endocrine/metab/nutrit. dis. other	X18	Breast pain female		lis. eval.	disease evaluation
	INFECTIONS			X19	Breast lump/mass female		exam.	
				X20 X21	Nipple symptom/complaint female Breast symptom/complt. female other	ç	gen.	genital
	NEOPLASMS			X22	Concern breast appearance female		nalig	
	INITIDIES			X23	Fear sexually transmitted disease (f)		netak nusci	
	INJURIES			X24	Fear of sexual dysfunction female		nusci IEC	not elsewhere classified
	CONGENITAL ANOMALIES			X25 X26	Fear of genital cancer female Fear of breast cancer female	1	IOS	not otherwise specified
				X27	Fear genital/breast disease other (f)		utrit.	
	OTHER DIAGNOSES			X28	Limited function/disability (x)		oth oreg.	other pregnancy
		t		X29 X70	Genital symptom/complt female oth. Syphilis female		prob.	problem
1		1		X71	Gonorrhoea female	Ē	RFE	reason for encounter
1		1		X72	Genital candidiasis female		ympt inspe	
		1		X73 X74	Genital trichomoniasis female Pelvic inflammatory disease		inspe v	with
1		1		A14	. or the minutaliatory disease		v/o	without
-								

Issued in the series Discussion Papers 2019

2019

- **01/19** January, **Aline Bütikofer**, Christopher Cronin, Meghan Skira, "Employment Effects of Healthcare Policy: Evidence from the 2007 FDA Black Box Warning on Antidepressants"
- **02/19** February, **Ingar Haaland** and Cristopher Roth "Beliefs About Racial Discrimination and Support for Pro-Black Policies "
- **03/19** February, **Astrid Kunze** and Xingfei Liu, "Universal Childcare for the Youngest and the Maternal Labour Supply"
- **04/19** February, **Ingvild Almas, Alexander W. Cappelen, Bertil Tungodden**. "Cutthroat capitalism versus cuddly socialism: Are Americans more meritocratic and efficiency-seeking than Scandinavians?"
- **05/19** February, **Chang Koo Chi**, Kyoung Jin Choi. "Performance Measurement in Agency Models"
- **06/19** March, **Alexander W. Cappelen**, **Ranveig Falch** and **Bertil Tungodden**. "The Boy Crisis: Experimental Evidence on the Acceptance of Males Falling Behind"
- **07/19** March, Frode Skjeret, **Frode Steen** and **Timothy G.A Wyndham**. "Paywalls and the demand for online news"
- **08/19** April, **Ola. H. Grytten** and Viktoriia Koilo. "The Financial Instability Hypothesis and the Financial Crisis in Eastern European Emerging Economies"
- **09/19** April, **Alexander W. Cappelen**, Johanna Mollerstrom, Bjørn-Atle Reme and **Bertil Tungodden.** "A Meritocratic Origin of Egalitarian Behavior"
- **10/19** April, **Fanny Landaud**. "From Employment to Engagement? Stable Jobs, Temporary Jobs, and Cohabiting Relationships"
- **11/19** May, **Ola Honningdal Grytten** and Viktoriia Koilo. "Evidence of the Environmental Kuznets Curve in Emerging Eastern European Economies"

- **12/19** June, Rune Midjord, Tomás Rodríguez Barraquer, and **Justin Valasek.** "Robust Information Aggregation Through Voting"
- **13/19** June, Eva M. Berger, **Henning Hermes**, Guenther Koenig, Felix Schmidt, and Daniel Schunk. "Self-regulation Training and Job Search Behavior: A Natural Field Experiment Within an Active Labor Market Program"
- **14/19** June, **Henning Hermes**, Martin Huschens, Franz Rothlauf and Daniel Schunk. "Motivating Low-Achievers—Relative Performance Feedback in Primary Schools"
- **15/19** August, Viktoriia Koilo and Ola **Honningdal Grytten.** "The Blue Maritime C luster Crisis Financial Instability and Supply Chain Management Effects"
- **16/19** September, Jonas Andersson, **Fred Schroyen** and Gaute Torsvik. "The impact of international tax information exchange agreements on the use of tax amnesty: evidence from Norway"
- 17/19 September, Ingrid Kristine Folgerø, Torfinn Harding and Benjamin S.Westby. "Going Fast or Going Green? Evidence from Environmental Speed Limits in Norway"
- 18/19 September. Julie Riise, Barton Willage and Alexander Willén. "Can Female Doctors Cure the Gender STEMM Gap? Evidence from Randomly Assigned General Practitioners"
- **19/19** September, **Aline Bütikofer**, **Katrine V. Løken** and **Alexander Willén**. "Building Bridges and Widening Gaps: Efficiency Gains and Equity Concerns of Labor Market Expansions"
- **20/19** September, Richard Friberg, **Frode Steen** and **Simen A. Ulsaker**. "Hump-shaped cross-price effects and the extensive margin in cross-border shopping"
- **21/19** July, Mai Nguyen-Ones, and **Frode Steen.** "Market Power in Retail Gasoline Markets"
- **22/19** October, Tunç Durmaz and **Fred Schroyen.** "Evaluating Carbon Capture and Storage in a Climate Model with Endogenous Technical Change"

- **23/19** November, **Henning Hermes** and Daniel Schunk. "If You Could Read My Mind An Experimental Beauty-Contest Game With Children"
- **24/19** December, **Vincent Somville.** "Having a Daughter Reduces Male Violence Against a Partner"

2020

- **01/20** January, Laura Khoury, Clément Brébion and Simon Briole. "Entitled to Leave: the impact of Unenployment Insurance Eligibility on Employment Duration and Job Quality"
- **02/20** January, Thomas Buser, **Alexander Cappelen**, Uri Gneezy, Moshe Hoffman and **Bertil Tungodden**. "Competitiveness, gender and handedness: a large-sample intercultural study"
- **03/20** February, **Patrick Bennett**, Chiara Ravetti and Po Yin Wong. "Losing in a Boom: Long-term Consequences of a Local Economic Shock for Female Labour Market Outcomes"
- 04/20 April, Øivind A. Nilsen. "The Labor Market in Norway: 2000-2018"
- **05/20** April, **Simen A. Ulsaker**. "Exclusionary contracts and incentives to innovate"
- **06/20** May, **Alexander W. Cappelen**, **Ranveig Falch**, **Erik Ø. Sørensen** and **Bertil Tungodden**. "Solidarity and Fairness in Times of Crisis"
- **07/20** May, Gozde Corekcioglu, Marco Francesconi and **Astrid Kunze**. "Do Generous Parental Leave Policies Help Top Female Earners?"
- **08/20** June, **Ola Honningdal Grytten**. "Weber revisited: A literature review on the possible Link between Protestantism, Entrepreneurship and Economic Growth"
- **09/20** June, Eva M. Berger, Ernst Fehr, **Henning Hermes**, Daniel Schunk and Kirsten Winkel. "The Impact of Working Memory Training on Children's Cognitive and Noncognitive Skills"
- **10/20** June, **Ola Honningdal Grytten**. "Two centuries of economic growth: Norwegian GDP 1816-2020"

- **11/20** July, **Ola Honningdal Grytten**, Magnus Lindmark and Kjell Bjørn Minde. "Energy Intensity and the Environmental Kuznets Curve"
- **12/20** August, **Ola Honningdal Grytten**. "Puritan Motivation for Serial Entrepreneurship: The Haugean Example"
- **13/20** August, Julian Johnsen, Hyejin Ku and **Kjell G. Salvanes**. "Competition and Career Advancement: The Hidden Costs of Paid Leave"
- 14/20 August, Patrick Bennett, Richard Blundell and Kjell G. Salvanes. "A Second Chance? Labor Market Returns to Adult Education Using School Reforms"
- 15/20 August, Paul Brandily, Clément Brébion, Simon Briole and Laura Khoury.
 "A Poorly Understood Disease? The Unequal Distribution of Excess Mortality Due to COVID-19 Across French Municipalities"
- **16/20** September, **Ingvild Almås**, **Vincent Somville** and Lore Vandewalle. "The Effect of Gender-Targeted Transfers: Experimental Evidence From India"
- **17/20** September, **Ola Honningdal Grytten.** "The Wealth of a Nation: Norways Road to Prosperity"
- 18/20 September, Asbjørn G. Andersen, Simon Franklin, Tigabu Getahun, Andreas Kotsadam, Vincent Somville and Espen Villanger. "Does Wealth Reduce Support for Redistribution? Evidence from an Ethiopian Housing Lottery"
- **19/20** September, **Ingvild Almås**, Lars Ivar Berge, **Kjetil Bjorvatn**, **Vincent Somville** and **Bertil Tungodden**. "Adverse selection into competition: Evidence from a large-scale field experiment in Tanzania"
- **20/20** September, Julian Vedeler Johnsen, Kjell Vaage and Alexander Willén. "Interactions in Public Policies: Spousal Responses and Program Spillovers of Welfare Reforms"
- **21/20** October, **Aline Bütikofer**, Rita Ginja, **Fanny Landaud** and **Katrine Løken**. "School Selectivity, Peers, and Mental Health"





NORGES HANDELSHØYSKOLE Norwegian School of Economics

Helleveien 30 NO-5045 Bergen Norway

T +47 55 95 90 00 **E** nhh.postmottak@nhh.no **W** www.nhh.no



